

ADEQ MINOR SOURCE AIR PERMIT

Permit #: 1306-AR-5

IS ISSUED TO:

Kimberly-Clark Corporation Maumelle Facility
500 Murphy Dr.
Maumelle, AR 72113
Pulaski County
CSN: 60-0915

THIS PERMIT IS YOUR AUTHORITY TO CONSTRUCT, MODIFY, OPERATE, AND/OR MAINTAIN THE EQUIPMENT AND/OR FACILITY IN THE MANNER AS SET FORTH IN THE DEPARTMENT'S MINOR SOURCE AIR PERMIT AND YOUR APPLICATION. THIS PERMIT IS ISSUED PURSUANT TO THE PROVISIONS OF THE ARKANSAS WATER AND AIR POLLUTION CONTROL ACT (ARK. CODE ANN. SEC. 8-4-101 ET SEQ.) AND THE REGULATIONS PROMULGATED THEREUNDER, AND IS SUBJECT TO ALL LIMITS AND CONDITIONS CONTAINED HEREIN.

Signed:

Keith A. Michaels

Date

SECTION I: FACILITY INFORMATION

PERMITTEE: Kimberly-Clark Corporation Maumelle
Facility
CSN: 60-0915
PERMIT NUMBER: 1306-AR-5

FACILITY ADDRESS: 500 Murphy Dr.
Maumelle, AR 72113

COUNTY: Pulaski

CONTACT POSITION: Adrienne Williams
TELEPHONE NUMBER: (501) 851-9271

REVIEWING ENGINEER: Melisha Griffin

UTM North-South (Y): 3857.892
UTM East-West (X): 555.179
Zone 15

Kimberly-Clark Corporation Maumelle Facility
Permit #: 1306-AR-5
CSN: 60-0915

SECTION II: INTRODUCTION

Summary

Kimberly-Clark Corporation owns and operates an infant care product manufacturing facility located at 500 Murphy Drive in Maumelle, AR. Kimberly-Clark is modifying their permit to add to the existing equipment an elastomer extrusion process and two additional polymer extrusion banks. The new sources will be SN-14 and 15, the nonwoven process, both controlled by drum filters. Also, sources SN-16, 17, and 18 which account for emissions from the elastomer process will be added. Sources SN-19 and SN-20, a process air heater and an equipment cleaning process, respectively are also being added. Sources SN-21 and 22, vacuum blowers, are new equipment also being added in the modification. In addition to the new sources, the facility is also modifying the emissions for existing sources SN-04, 10, 11, and 13.

Process Description

There are two nonwoven manufacturing processes at the Kimberly-Clark facility, Coform 1 and Coform 2. Coform 1 consist of three coform banks. Coform 2 consists of two coform banks, followed by five elastomer banks, which are followed by two coform banks.

In each of the seven coform banks on Coform 1 and Coform 2, two air streams are mixed in each bank. One air stream contains polymer pellets that are melted and extruded in to microfiber-sized filaments through two dies and met with a hot air stream, heated by Process Air Heaters (SN-05, SN-12, and SN-19) Approximately once per week, the dies are removed and cleaned through the Equipment Cleaning Processes (SN-04, and SN-20). The other air stream contains fiberized wood pulp fiber. The mixed air streams are rapidly cooled with ambient air and a wetting agent (primarily water) causing resolidification of the polymer filaments to form a composite web of intermixed polymer and wood pulp traveling on a moving screen (forming wire). On Coform 1, the finished web is then slit to size and wound on rolls for processing into the finished disposable products.

The air emissions that result from the nonwovens process consist of particulate matter and volatile organic compounds (VOCs). The particulate matter consists of polymer particles and wood pulp fiber particles that are entrained within the exhaust airflow, and hydrocarbon waxes that are condensed byproducts of the volatilization of polymer.

The VOC portion of the gas stream consists of volatilized polymer and its breakdown products produced from electrically heating the polymer pellets. Previous analysis at existing Kimberly-Clark operations has shown that the VOCs consist of saturated unreactive alkanes (C_nH_{2n+2}) which are volatile only because they are subjected to elevated process temperatures. To reduce

Kimberly-Clark Corporation Maumelle Facility
Permit #: 1306-AR-5
CSN: 60-0915

VOC emissions, polymer use and melting temperature are minimized to ensure good product quality and limit the amount of polymer volatilized.

An exhaust unit located below the forming wire of each coform bank captures the bulk of the air emissions from each of the seven banks. Each of the three bank exhausts on Coform 1 are drawn through two drum filters operated in parallel. The two drum filters from each bank discharge through the existing stacks SN-06, SN-02, and SN-03, respectively. On Coform 1, an exhaust unit located above the forming wire captures the balance of the air emissions of the three banks and draws them through two drum filters operated in parallel. The two drum filters from the above-wire exhaust discharge through the existing stack SN-09.

Each of the two existing coform banks on Coform 2 have one drum filter per bank and discharge the emissions through the stacks SN-10 and SN-11. The two additional coform banks on Coform 2 will have one drum filter per bank and discharge through the stacks SN-14 and SN-15.

The new elastomer section on Coform 2 will discharge from three new stacks. Two exhaust units located below the forming wire of Banks 3A, 3B, 3C, and 3D will capture the bulk of the air emissions. Air emissions will discharge through new stacks SN-16 and SN-17. A fume exhaust located above Bank 4 will discharge through new stack SN-18.

Dust that builds up on the dirty side of the filter fabric of the twelve drum filters is vacuumed off by drum stripper fans and is sent to a final collector Mikro-pulsaire reverse pulse system baghouse for dust consolidation and disposal. Filtered air from the baghouse is discharged through stacks SN-07 and SN-13.

Dust collected on the outside of the bags of the baghouse is collected into a dust baler through a rotary airlock. The dust emissions from the dust baler will be reticulated into the below-wire exhausts.

Two house keeping systems are used for general cleanup of polymer and wood pulp fiber. Each of the Vacuum Blowers has one baghouse per blower and filtered air from the baghouse is discharged through stacks SN-21 and SN-22. Building ambient air is provided by steam produced in the natural gas fired boiler (SN-08).

Kimberly-Clark Corporation Maumelle Facility
Permit #: 1306-AR-5
CSN: 60-0915

Regulations

This facility is subject to the following regulations: Regulation 18, *Arkansas Air Pollution Control Code*, and Regulation 19, *Regulations of the Arkansas Plan of Implementation for Air Pollution Control*.

The following table is a summary of the facility's total emissions.

TOTAL ALLOWABLE EMISSIONS		
Pollutant	Emission Rates	
	lb/hr	tpy
PM	5.6	22.7
PM ₁₀	5.6	22.7
SO ₂	0.3	0.3
VOC	23.2	99.3
CO	0.9	3.4
NO _x	1.5	6.9

Kimberly-Clark Corporation Maumelle Facility
Permit #: 1306-AR-5
CSN: 60-0915

SECTION III: PERMIT HISTORY

Permit 1306-A, the initial permit for the facility, was issued on April 13, 1992.

Permit 1306-AR-1, issued on August 27, 1993, covered the addition of a new manufacturing line.

Permit 1306-AR-2 was issued on August 10, 1995. This permit covered the additon of a new process bank to the facility.

Permit 1306-AR-3 was issued on August 26, 1997. This permit allowed for the installation of a new source, SN-09, the usage of a new raw material, and an increase in natural gas usage.

Permit 1306-AR-4 was issued to on August 3, 1998. This permit allowed Kimberly-Clark flexibility in their permit limits and added a new nonwoven manufacturing process.

SECTION IV: EMISSION UNIT INFORMATION

Specific Conditions

1. Pursuant to §19.501 et seq of the Regulations of the Arkansas Plan of Implementation for Air Pollution Control, effective February 15, 1999 (Regulation 19) and A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, the permittee shall not exceed the emission rates set forth in the following table.

SN	Description	Pollutant	lb/hr	tpy
02	Nonwovens Process	PM ₁₀	0.4	1.6
		VOC	2.5	11.0
03	Nonwovens Process	PM ₁₀	0.2	1.1
		VOC	2.0	8.8
04	Equipment Cleaning Process	VOC	0.1	0.2
05	Process Air Heater	PM ₁₀	0.1	0.2
		SO ₂	0.1	0.1
		VOC	0.1	0.1
		CO	0.1	0.4
		NO _x	0.4	1.8
06	Nonwovens Process	PM ₁₀	0.4	1.6
		VOC	2.5	11.0
07	Stripper Fans	PM ₁₀	0.1	0.5
		VOC	0.1	0.3
08	Boiler	PM ₁₀	0.1	0.1
		SO ₂	0.1	0.1
		VOC	0.1	0.1
		CO	0.1	0.2
		NO _x	0.2	0.9
09	Nonwovens Process	PM ₁₀	0.7	3.1
		VOC	3.5	15.3
10	Nonwovens Process	PM ₁₀	0.4	1.7
		VOC	1.5	6.4

Kimberly-Clark Corporation Maumelle Facility
Permit #: 1306-AR-5
CSN: 60-0915

SN	Description	Pollutant	lb/hr	tpy
11	Nonwovens Process	PM ₁₀	0.4	1.7
		VOC	1.5	6.4
12	Process Air Heater	PM ₁₀	0.1	0.1
		SO ₂	0.1	0.1
		VOC	0.1	0.1
		CO	0.1	0.2
		NO _x	0.3	1.1
13	Stripper Fans	PM ₁₀	0.2	1.0
		VOC	0.2	0.6
14	Nonwovens Process	PM ₁₀	0.4	1.7
		VOC	1.5	6.4
15	Nonwovens Process	PM ₁₀	0.4	1.7
		VOC	1.5	6.4
16, 17, and 18	Elastomer Process	PM ₁₀	1.4	5.9
		VOC	5.9	26.0
19	Process Air Heater	PM ₁₀	0.1	0.3
		SO ₂	0.1	0.1
		VOC	0.1	0.2
		CO	0.6	2.6
		NO _x	0.7	3.1
21	Vacuum Blower	PM ₁₀	0.1	0.2
22	Vacuum Blower	PM ₁₀	0.1	0.2

2. Pursuant to §18.801 of the Arkansas Air Pollution Control Code, effective February 15, 1999 (Regulation 18) and A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, the permittee shall not exceed the emission rates set forth in the following table.

SN	Description	Pollutant	lb/hr	tpy
02	Nonwovens Process	PM	0.4	1.6
03	Nonwovens Process	PM	0.2	1.1
05	Process Air Heater	PM	0.1	0.2

Kimberly-Clark Corporation Maumelle Facility
Permit #: 1306-AR-5
CSN: 60-0915

SN	Description	Pollutant	lb/hr	tpy
06	Nonwovens Process	PM	0.4	1.6
07	Stripper Fans	PM	0.1	0.5
08	Boiler	PM	0.1	0.1
09	Nonwovens Process	PM	0.7	3.1
10	Nonwovens Process	PM	0.4	1.7
11	Nonwovens Process	PM	0.4	1.7
12	Process Air Heater	PM	0.1	0.1
13	Stripper Fans	PM	0.2	1.0
14	Nonwovens Process	PM	0.4	1.7
15	Nonwovens Process	PM	0.4	1.7
16, 17, 18	Elastomer Process	PM	1.4	5.9
19	Process Air Heater	PM	0.1	0.3
21	Vacuum Blower	PM	0.1	0.2
22	Vacuum Blower	PM	0.1	0.2

Kimberly-Clark Corporation Maumelle Facility
Permit #: 1306-AR-5
CSN: 60-0915

3. Pursuant to A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, visible emissions shall not exceed the limits specified in the following table of this permit as measured by EPA Reference Method 9.

SN	Limit	Regulatory Citation
All	5%	§19.503

4. Pursuant to §18.801 of Regulation 18, and A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, the permittee shall not cause or permit the emission of air contaminants, including odors or water vapor and including an air contaminant whose emission is not otherwise prohibited by Regulation #18, if the emission of the air contaminant constitutes air pollution within the meaning of A.C.A. §8-4-303.
5. Pursuant to §18.901 of Regulation 18, and A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, the permittee shall not conduct operations in such a manner as to unnecessarily cause air contaminants and other pollutants to become airborne.
6. Pursuant to §19.705 of Regulation 19 and A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, the permittee shall not process more than 17,800 tons in any consecutive 12 month period in sources SN-01 through SN-13. Compliance with this condition will be shown by Specific Condition 7.
7. Pursuant to §19.705 of Regulation 19 and A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, the permittee shall maintain monthly records which demonstrate compliance with Specific Condition 6. Records shall be updated by the fifteenth day of the month following the month to which the records pertain. These records shall be kept on site, and shall be made available to Department personnel upon request.
8. Pursuant to §19.702 and A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, the permittee shall conduct initial compliance test for VOC emissions for the sources SN-10 and SN-14. The permittee shall conduct the test using the procedures of EPA Reference Method 25A and operating the equipment within 90% of its capacity. The emission rate of whatever capacity of the equipment the test is conducted at will be used to calculate an emission rate for the equipment while operating at 100% by using a direct ratio. The emission rate calculated for 100% capacity will be used to determine if the source is in compliance with the emission limits in this permit. The permittee shall conduct the required test in accordance with General Condition 7 of this permit and use the time frame for testing new or modified sources outlined in that condition.

Kimberly-Clark Corporation Maumelle Facility
Permit #: 1306-AR-5
CSN: 60-0915

If the permittee is unable to achieve 90% of capacity for the requirement of this test, the permittee shall have an hourly throughput limit at the percentage of the capacity at which the equipment is tested plus 10% of the rated capacity of the equipment. For example, if the test was conducted at 85%, the permittee will be limited to 95% of the maximum throughput rate of the equipment. If the permittee is unable to achieve 90% of the capacity for the requirement of this test they will be subject to the limit and record keeping requirements of Specific Condition 10.

9. The permittee shall demonstrate that the degree of accuracy of the calculations used to determine emissions is sufficient to prove that the major source thresholds have not been exceeded if the actual emissions are calculated at or above 95% of the major source thresholds. The facility's VOC emissions will be within 0.4% of the major source threshold when operating at permitted levels.
10. Pursuant to §19.705 of Regulation 19 and A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, if the permittee is unable to achieve a 90% of capacity for the testing requirement of Specific Condition 8, the permittee shall have an hourly throughput limit for SN-10, 11, 14, and 15, which is the percentage of the capacity at which the equipment is tested plus 10% of the capacity of the equipment. The hourly capacity is listed in the permit application as 700 lbs/hr of polymer. All lower limits will be a percentage of that number. The permittee shall maintain monthly records of the polymer throughput through sources SN-10, 11, 14, and 15. These records shall include the amount of polymer processed by each source, the time each source was operated, and the monthly average of the hourly rate of the equipment and be updated by the 10th day of the month following the month which the records represent.

Kimberly-Clark Corporation Maumelle Facility
Permit #: 1306-AR-5
CSN: 60-0915

SECTION V: INSIGNIFICANT ACTIVITIES

The following types of activities or emissions are deemed insignificant on the basis of size, emission rate, production rate, or activity in accordance with Group A of the Insignificant Activities list found in Regulation 18 and 19 Appendix A. Insignificant activity emission determinations rely upon the information submitted by the permittee in an application dated May 15, 2000.

Description	Category
Equipment Cleaning Process	A-13

Kimberly-Clark Corporation Maumelle Facility
Permit #: 1306-AR-5
CSN: 60-0915

SECTION VI: GENERAL CONDITIONS

1. Any terms or conditions included in this permit which specify and reference Arkansas Pollution Control & Ecology Commission Regulation 18 or the Arkansas Water and Air Pollution Control Act (A.C.A. §8-4-101 *et seq.*) as the sole origin of and authority for the terms or conditions are not required under the Clean Air Act or any of its applicable requirements, and are not federally enforceable under the Clean Air Act. Arkansas Pollution Control & Ecology Commission Regulation 18 was adopted pursuant to the Arkansas Water and Air Pollution Control Act (A.C.A. §8-4-101 *et seq.*). Any terms or conditions included in this permit which specify and reference Arkansas Pollution Control & Ecology Commission Regulation 18 or the Arkansas Water and Air Pollution Control Act (A.C.A. §8-4-101 *et seq.*) as the origin of and authority for the terms or conditions are enforceable under this Arkansas statute.
2. Pursuant to A.C.A. §8-4-203 as referenced by A.C.A. §8-4-304 and §8-4-311, this permit shall not relieve the owner or operator of the equipment and/or the facility from compliance with all applicable provisions of the Arkansas Water and Air Pollution Control Act and the regulations promulgated thereunder.
3. Pursuant to §19.704 of the Regulations of the Arkansas Plan of Implementation for Air Pollution Control (Regulation 19) and/or A.C.A. §8-4-203 as referenced by A.C.A. §8-4-304 and §8-4-311, the Department shall be notified in writing within thirty (30) days after construction has commenced, construction is complete, the equipment and/or facility is first placed in operation, and the equipment and/or facility first reaches the target production rate.
4. Pursuant to §19.410(B) of Regulation 19 and/or §18.309(B) of the Arkansas Air Pollution Control Code (Regulation 18) and A.C.A. §8-4-203 as referenced by A.C.A. §8-4-304 and §8-4-311, construction or modification must commence within eighteen (18) months from the date of permit issuance.
5. Pursuant to §19.705 of Regulation 19 and/or §18.1004 of Regulation 18 and A.C.A. §8-4-203 as referenced by A.C.A. §8-4-304 and §8-4-311, records must be kept for five years which will enable the Department to determine compliance with the terms of this permit--such as hours of operation, throughput, upset conditions, and continuous monitoring data. The records may be used, at the discretion of the Department, to determine compliance with the conditions of the permit.

Kimberly-Clark Corporation Maumelle Facility
Permit #: 1306-AR-5
CSN: 60-0915

6. Pursuant to §19.705 of Regulation 19 and/or §18.1004 of Regulation 18 and A.C.A. §8-4-203 as referenced by A.C.A. §8-4-304 and §8-4-311, any reports required by any condition contained in this permit shall be certified by a responsible official and submitted to the Department at the address below.

Arkansas Department of Environmental Quality
Air Division
ATTN: Compliance Inspector Supervisor
Post Office Box 8913
Little Rock, AR 72219

7. Pursuant to §19.702 of Regulation 19 and/or §18.1002 of Regulation 18 and A.C.A. §8-4-203 as referenced by A.C.A. §8-4-304 and §8-4-311, any equipment that is to be tested, unless stated in the Specific Conditions of this permit or by any federally regulated requirements, shall be tested with the following time frames: (1) Equipment to be constructed or modified shall be tested within sixty (60) days of achieving the maximum production rate, but in no event later than 180 days after initial start-up of the permitted source or (2) equipment already operating shall be tested according to the time frames set forth by the Department. The permittee shall notify the Department of the scheduled date of compliance testing at least fifteen (15) days in advance of such test. Compliance test results shall be submitted to the Department within thirty (30) days after the completed testing.
8. Pursuant to §19.702 of Regulation 19 and/or §18.1002 of Regulation 18 and A.C.A. §8-4-203 as referenced by A.C.A. §8-4-304 and §8-4-311, the permittee shall provide:
- a. Sampling ports adequate for applicable test methods
 - b. Safe sampling platforms
 - c. Safe access to sampling platforms
 - d. Utilities for sampling and testing equipment
9. Pursuant to §19.303 of Regulation 19 and/or §18.1104 of Regulation 18 and A.C.A. §8-4-203 as referenced by A.C.A. §8-4-304 and §8-4-311, the equipment, control apparatus and emission monitoring equipment shall be operated within their design limitations and maintained in good condition at all times.

Kimberly-Clark Corporation Maumelle Facility
Permit #: 1306-AR-5
CSN: 60-0915

10. Pursuant to §19.601 of Regulation 19 and/or §18.1101 of Regulation 18 and A.C.A. §8-4-203 as referenced by A.C.A. §8-4-304 and §8-4-311, if the permittee exceeds an emission limit established by this permit, they shall be deemed in violation of said permit and shall be subject to enforcement action. The Department may forego enforcement action for emissions exceeding any limits established by this permit provided the following requirements are met:
 - a. The permittee demonstrates to the satisfaction of the Department that the emissions resulted from an equipment malfunction or upset and are not the result of negligence or improper maintenance, and that all reasonable measures have been taken to immediately minimize or eliminate the excess emissions.
 - b. The permittee reports the occurrence or upset or breakdown of equipment (by telephone, facsimile, or overnight delivery) to the Department by the end of the next business day after the occurrence or the discovery of the occurrence.
 - c. The permittee shall submit to the Department, within five business days after the occurrence or the discovery of the occurrence, a full, written report of such occurrence, including a statement of all known causes and of the scheduling and nature of the actions to be taken to minimize or eliminate future occurrences, including, but not limited to, action to reduce the frequency of occurrence of such conditions, to minimize the amount by which said limits are exceeded, and to reduce the length of time for which said limits are exceeded. If the information is included in the initial report, it need not be submitted again.

11. Pursuant to A.C.A. §8-4-203 as referenced by A.C.A. §8-4-304 and §8-4-311, the permittee shall allow representatives of the Department upon the presentation of credentials:
 - a. To enter upon the permittee's premises, or other premises under the control of the permittee, where an air pollutant source is located or in which any records are required to be kept under the terms and conditions of this permit
 - b. To have access to and copy any records required to be kept under the terms and conditions of this permit, or the Act
 - c. To inspect any monitoring equipment or monitoring method required in this permit
 - d. To sample any emission of pollutants
 - e. To perform an operation and maintenance inspection of the permitted source

Kimberly-Clark Corporation Maumelle Facility
Permit #: 1306-AR-5
CSN: 60-0915

12. Pursuant to A.C.A. §8-4-203 as referenced by A.C.A. §8-4-304 and §8-4-311, this permit is issued in reliance upon the statements and presentations made in the permit application. The Department has no responsibility for the adequacy or proper functioning of the equipment or control apparatus.
13. Pursuant to §19.410(A) of Regulation 19 and/or §18.309(A) of Regulation 18 and A.C.A. §8-4-203 as referenced by A.C.A. §8-4-304 and §8-4-311, this permit shall be subject to revocation or modification when, in the judgment of the Department, such revocation or modification shall become necessary to comply with the applicable provisions of the Arkansas Water and Air Pollution Control Act and the regulations promulgated thereunder.
14. Pursuant to §19.407(B) of Regulation 19 and/or §18.307(B) of Regulation 18 and A.C.A. §8-4-203 as referenced by A.C.A. §8-4-304 and §8-4-311, this permit may be transferred. An applicant for a transfer shall submit a written request for transfer of the permit on a form provided by the Department and submit the disclosure statement required by Arkansas Code Annotated §8-1-106 at least thirty (30) days in advance of the proposed transfer date. The permit will be automatically transferred to the new permittee unless the Department denies the request to transfer within thirty (30) days of the receipt of the disclosure statement. A transfer may be denied on the basis of the information revealed in the disclosure statement or other investigation or, if there is deliberate falsification or omission of relevant information.
15. Pursuant to A.C.A. §8-4-203 as referenced by A.C.A. §8-4-304 and §8-4-311, this permit shall be available for inspection on the premises where the control apparatus is located.
16. Pursuant to A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, this permit authorizes only those pollutant emitting activities addressed herein.
17. Pursuant to Regulation 18 and 19 and A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, this permit supersedes and voids all previously issued air permits for this facility.

APPENDIX A

APPENDIX B

APPENDIX C

INVOICE REQUEST FORM

PDS-_____

Date February 20, 2002

- | | |
|-------------------------------------|----------------------|
| <input checked="" type="checkbox"/> | Air |
| <input type="checkbox"/> | NPDES |
| <input type="checkbox"/> | Stormwater |
| <input type="checkbox"/> | State Permits Branch |
| <input type="checkbox"/> | Solid Waste |

CSN 60-0915

Facility Name Kimberly-Clark Corporation Maumelle Facility
Invoice Mailing Address 500 Murphy Drive
Maumelle, AR 72113

- | | |
|-------------------------------------|--------------|
| <input type="checkbox"/> | Initial |
| <input checked="" type="checkbox"/> | Modification |
| <input type="checkbox"/> | Annual |

Permit Number 1306-AR-5
Permit Description Minor Source
Permit Fee Code A

Amount Due \$ 400

Engineer Shawn Hutchings

Paid? GNo GYes Check # _____

Comments: Air Permit Fee Calculation $16.5 * 18.47 = 304.75$

Public Notice

Pursuant to A.C.A. §8-4-203, and the regulations promulgated thereunder, the Air Division of the Arkansas Department of Environmental Quality gives the following notice:

Kimberly-Clark Corporation owns and operates an infant care product manufacturing facility located at 500 Murphy Drive in Maumelle, AR. Kimberly-Clark is modifying their permit to add to the existing equipment to include an elastomer extrusion process and two additional polymer extrusion banks. The new sources will be controlled by drum filters. Also, sources which account for emissions from the elastomer process will be added. A process air heater, an equipment cleaning process, and two vacuum blowers are also being added in the modification. In addition to the new sources, the facility is also modifying the emissions for existing sources SN-4, 10, 11, and 13.

The application has been reviewed by the staff of the Department and has received the Department's tentative approval subject to the terms of this notice.

Citizens wishing to examine the permit application and staff findings and recommendations may do so by contacting Suzanne Carswell, Information Officer. Citizens desiring technical information concerning the application or permit should contact Shawn Hutchings, Engineer. Both Suzanne Carswell and Shawn Hutchings can be reached at the Department's central office, 8001 National Drive, Little Rock, Arkansas 72209, telephone: (501) 682-0744.

The draft permit and permit application are available for copying at the above address. A copy of the draft permit has also been placed at the Little Rock Public Library, 100 S. Rock, Little Rock, AR, 72201. This information may be reviewed during normal business hours.

Interested or affected persons may also submit written comments or request a hearing on the proposal, or the proposed modification, to the Department at the above address - Attention: Suzanne Carswell. In order to be considered, the comments must be submitted within thirty (30) days of publication of this notice. Although the Department is not proposing to conduct a public hearing, one will be scheduled if significant comments on the permit provisions are received. If a hearing is scheduled, adequate public notice will be given in the newspaper of largest circulation in the county in which the facility in question is, or will be, located.

The Director shall make a final decision to issue or deny this application or to impose special conditions in accordance with Section 2.1 of the Arkansas Pollution Control and Ecology Commission's Administrative Procedures (Regulation #8).

Dated this

Randall Mathis
Director