

STATEMENT OF BASIS

For the issuance of Air Permit # 1876-AOP-R18 AFIN: 60-00617

1. PERMITTING AUTHORITY:

Division of Environmental Quality
5301 Northshore Drive
North Little Rock, Arkansas 72118-5317

2. APPLICANT:

Dassault Falcon Jet Corp.
3801 East 10th Street
Little Rock, Arkansas 72202

3. PERMIT WRITER:

Jae Jung

4. NAICS DESCRIPTION AND CODE:

NAICS Description: Aircraft Manufacturing
NAICS Code: 336411

5. ALL SUBMITTALS:

The following is a list of ALL permit applications included in this permit revision.

Date of Application	Type of Application (New, Renewal, Modification, Deminimis/Minor Mod, or Administrative Amendment)	Short Description of Any Changes That Would Be Considered New or Modified Emissions
01/29/2026	Administrative Amendment	• Removed SN-96C through E

6. REVIEWER'S NOTES:

With this administrative amendment, Dassault Falcon Jet Corp., shuts down three touch-up areas: SN-96C through E and adds a new closed loop dust collection unit in the Cabinet Shop in Group A-13 in the Insignificant Activities list. There are no changes to permitted emissions.

7. COMPLIANCE STATUS:

The following summarizes the current compliance of the facility including active/pending enforcement actions and recent compliance activities and issues.

Permit #: **Error! Reference source not found.**

AFIN: **Error! Reference source not found.**

Page 2 of 15

The facility was last inspected on July 25th, 2025 with no violations identified.

<https://echo.epa.gov/detailed-facility-report?fid=110007409964>.

8. PSD/GHG APPLICABILITY:

a) Did the facility undergo PSD review in this permit (i.e., BACT, Modeling, etc.)? N
If yes, were GHG emission increases significant? N

b) Is the facility categorized as a major source for PSD? N

- *Single pollutant ≥ 100 tpy and on the list of 28 or single pollutant ≥ 250 tpy and not on list*

If yes for 8(b), explain why this permit modification is not PSD.

9. SOURCE AND POLLUTANT SPECIFIC REGULATORY APPLICABILITY:

Source	Pollutant	Regulation (NSPS, NESHAP or PSD)
SN-80	PM ₁₀ , VOC, CO, NO _x , HAPs	NSPS IIII, NESHAP ZZZZ
SN-81	HAPs	NESHAP ZZZZ
SN-82	HAPs	NESHAP CCCCCC
Facility	HAPs	NESHAP HHHHHH
Facility	HAPs	NESHAP WWWWWW

10. UNCONSTRUCTED SOURCES:

Unconstructed Source	Permit Approval Date	Extension Requested Date	Extension Approval Date	If Greater than 18 Months without Approval, List Reason for Continued Inclusion in Permit
N/A				

11. PERMIT SHIELD – TITLE V PERMITS ONLY:

Did the facility request a permit shield in this application? N

(Note - permit shields are not allowed to be added, but existing ones can remain, for minor modification applications or any 8 CAR pt. 40 requirement.)

If yes, are applicable requirements included and specifically identified in the permit? N
If not, explain why.

For any requested inapplicable regulation in the permit shield, explain the reason why it is not applicable in the table below.

Source	Inapplicable Regulation	Reason
N/A		

Permit #: **Error! Reference source not found.**

AFIN: **Error! Reference source not found.**

Page 3 of 15

12. COMPLIANCE ASSURANCE MONITORING (CAM) – TITLE V PERMITS ONLY:

List sources potentially subject to CAM because they use a control device to achieve compliance and have pre-control emissions of at least 100 percent of the major source level. List the pollutant of concern and a brief summary of the CAM plan (temperature monitoring, CEMs, opacity monitoring, etc.) and frequency requirements of § 64.

Source	Pollutant Controlled	Cite Exemption or CAM Plan Monitoring and Frequency
N/A		

13. EMISSION CHANGES AND FEE CALCULATION:

See emission change and fee calculation spreadsheet in Appendix A.

14. AMBIENT AIR EVALUATIONS:

The following are results for ambient air evaluations or modeling.

a) NAAQS

A NAAQS evaluation is not required under the Arkansas State Implementation Plan, National Ambient Air Quality Standards, Infrastructure SIPs and NAAQS SIP per Ark. Code Ann. § 8-4-318, dated March 2017 and the DEQ Air Permit Screening Modeling Instructions.

b) Non-Criteria Pollutants:

The non-criteria pollutants listed below were evaluated. Based on Department procedures for review of non-criteria pollutants, emissions of all other non-criteria pollutants are below thresholds of concern.

1st Tier Screening (PAER)

Estimated hourly emissions from the following sources were compared to the Presumptively Acceptable Emission Rate (PAER) for each compound. The Department has deemed the PAER to be the product, in lb/hr, of 0.11 and the Threshold Limit Value (mg/m³), as listed by the American Conference of Governmental Industrial Hygienists (ACGIH).

Pollutant	TLV (mg/m ³)	PAER (lb/hr) = 0.11 × TLV	Proposed lb/hr	Pass?
Acrolein	2.29E-01	2.52E-02	3.39E-04	Yes

Permit #: **Error! Reference source not found.**

AFIN: **Error! Reference source not found.**

Page 4 of 15

Pollutant	TLV (mg/m ³)	PAER (lb/hr) = 0.11 × TLV	Proposed lb/hr	Pass?
Acetone	1.19E03	1.31E02	6.87E01	Yes
Arsenic	1.00E-02	1.10E-03	1.50E-05	Yes
Beryllium	5.00E-05	5.50E-06	9.00E-07	Yes
Cadmium	1.00E-02	1.10E-03	8.25E-05	Yes
Chromium Compounds	5.00E-01 ¹ 5.00E-02 ² 1.00E-02 ³	5.5E-02 5.5E-03 1.1E-03	1.05E-04 6.00E-03 1.50E-04	No
Cobalt	2.00E-02	2.20E-03	6.30E-06	Yes
Hexamethylene Diisocyanate	3.44E-02	3.78E-03	5.93E-02	No
Manganese	2.00E-01	2.20E-02	2.85E-05	Yes
Mercury	2.50E-02	2.75E-03	1.95E-05	Yes
POM	2.00E-01	2.20E-02	6.62E-06	Yes
Selenium	2.00E-01	2.20E-02	1.80E-06	Yes
Toluene Diisocyanate	7.12E-03	7.84E-04	8.22E-03	No

¹ Metal and Cr III compounds

² Water-soluble Cr VI compounds

³ Insoluble Cr VI compounds

2nd Tier Screening (PAIL)

AERMOD air dispersion modeling was performed on the estimated hourly emissions from the following sources, in order to predict ambient concentrations beyond the property boundary. The Presumptively Acceptable Impact Level (PAIL) for each compound has been deemed by the Department to be one one-hundredth of the Threshold Limit Value as listed by the ACGIH.

Pollutant	PAIL (µg/m ³) = 1/100 of Threshold Limit Value	Modeled Concentration (µg/m ³)	Pass?
Chromium Compounds	5.00E-01*	9.77E-02	Yes
Hexamethylene Diisocyanate	3.44E-01	1.55E-01	Yes
Toluene Diisocyanate	7.12E-02	6.01E-02	Yes

*Water-soluble Cr VI compounds

HAP emissions did not change with this permit application so modelling was not performed.

Permit #: **Error! Reference source not found.**

AFIN: **Error! Reference source not found.**

Page 5 of 15

c) H₂S Modeling:

A.C.A. §8-3-103 requires hydrogen sulfide emissions to meet specific ambient standards. Many sources are exempt from this regulation, refer to the Arkansas Code for details.

Is the facility exempt from the H₂S Standards

Y

If exempt, explain: The facility does not have H₂S emissions.

15. CALCULATIONS:

SN	Emission Factor Source (AP-42, testing, etc.)	Emission Factor (lb/ton, lb/hr, etc.)	Control Equipment	Control Equipment Efficiency	Comments
01	Mass Balance	VOC 5.1 lb/hr			
08A	Mass Balance	VOC 6.3 lb/hr			
08B					
08C					
08D					
08E					
09	Mass Balance	VOC 10.2 lb/hr			
10	Mass Balance	VOC 12.8 lb/hr			
12	Mass Balance	VOC 14.4 lb/hr			
17	Mass Balance	VOC 2.2 lb/hr			
18	Mass Balance	VOC 2.2 lb/hr			
19	Mass Balance	VOC 2.2 lb/hr			
25	Mass Balance	VOC 59.3 lb/hr			
26A	Mass Balance	VOC 5.0 lb/hr			
26B					
27	Mass Balance	VOC 1.7 lb/hr			
33	TANKS 4.0.9d	VOC 0.6 lb/hr			
34	TANKS 4.0.9d	VOC 0.6 lb/hr			
35	TANKS 4.0.9d	VOC 0.3 lb/hr			

Permit #: **Error! Reference source not found.**

AFIN: **Error! Reference source not found.**

Page 6 of 15

SN	Emission Factor Source (AP-42, testing, etc.)	Emission Factor (lb/ton, lb/hr, etc.)	Control Equipment	Control Equipment Efficiency	Comments
37	Mass Balance	VOC 17.9 lb/hr			
39	Mass Balance	VOC 64.0 lb/hr			
40	Mass Balance	VOC 64.0 lb/hr			
42	Mass Balance	VOC 9.9 lb/hr			
43	Mass Balance	VOC 9.9 lb/hr			
45	Mass Balance	VOC 9.9 lb/hr			
46	Mass Balance	VOC 9.9 lb/hr			
48	Mass Balance	VOC 1.8 lb/hr			
49	Mass Balance	VOC 12.3 lb/hr			
50	Mass Balance	VOC 12.8 lb/hr			
59	Mass Balance	VOC 9.9 lb/hr			
60	Mass Balance	VOC 9.9 lb/hr			
61	Mass Balance	VOC 9.9 lb/hr			
62	Mass Balance	VOC 9.9 lb/hr			
63	Mass Balance	VOC 9.9 lb/hr			
64	Mass Balance	VOC 9.9 lb/hr			
65	Mass Balance	VOC 42.6 lb/hr			
66	Mass Balance	VOC 42.6 lb/hr			
67	Mass Balance	VOC 1.8 lb/hr			
68	Mass Balance	VOC 1.8 lb/hr			
69	Mass Balance	VOC 0.2 lb/hr			
70	Mass Balance	VOC 0.2 lb/hr			

Permit #: **Error! Reference source not found.**

AFIN: **Error! Reference source not found.**

Page 7 of 15

SN	Emission Factor Source (AP-42, testing, etc.)	Emission Factor (lb/ton, lb/hr, etc.)	Control Equipment	Control Equipment Efficiency	Comments
71	Mass Balance	VOC 3.4 lb/hr			
72	Mass Balance	VOC 3.4 lb/hr			
73	Mass Balance	VOC 3.4 lb/hr			
74	Mass Balance	VOC 2.9 lb/hr			
76	Mass Balance	VOC 0.2 lb/hr			
77	Mass Balance	VOC 0.2 lb/hr			
78	AP-42 Section 1 - Tables 1.4-1 through 1.4-4	PM/PM ₁₀ 7.6 lb/MMcf SO ₂ 0.6 lb/MMcf VOC 5.5 lb/MMcf CO 84 lb/MMcf NO _x 100 lb/MMcf			
79	Mass Balance	VOC 42.6 lb/hr			
80	AP-42 Section 3 - Tables 3.3-1, 3.3-2, and certification	PM/PM ₁₀ 0.3 g/kW-hr SO ₂ 0.00205 g/kW-hr VOC 0.00205 g/kW-hr CO 5.0 g/kW-hr NO _x 4.0 g/kW-hr			158 hp 500 hr/yr operation
81	AP-42 Section 3 - Table 3.3-1 and 3.3-2	PM/PM ₁₀ 0.0022 lb/hp-hr SO ₂ 0.00205 lb/hp-hr VOC 0.00247 lb/hp-hr			Two Engines 183 hp, each 500 hr/yr operation

Permit #: **Error! Reference source not found.**

AFIN: **Error! Reference source not found.**

Page 8 of 15

SN	Emission Factor Source (AP-42, testing, etc.)	Emission Factor (lb/ton, lb/hr, etc.)	Control Equipment	Control Equipment Efficiency	Comments
		CO 0.00668 lb/hp-hr NO _x 0.031 lb/hp-hr			
82	TANKS 4.0.9d	VOC 11.9 lb/hr			
83A	Mass Balance	VOC			
83B		1.4 lb/hr			
84A	Mass Balance	VOC			
84B		1.8 lb/hr			
85A	Mass Balance	VOC			
85B		12.1 lb/hr			
86A	Mass Balance	VOC			
86B		12.1 lb/hr			
87	Mass Balance	VOC 1.9 lb/hr			
88	Mass Balance	VOC 1.9 lb/hr			
89	Mass Balance	VOC 1.9 lb/hr			
90	Mass Balance	VOC 1.9 lb/hr			
91	Mass Balance	VOC 10.3 lb/hr			
92	Mass Balance	VOC 12.3 lb/hr			
93	Mass Balance	VOC 5.7 lb/hr			
94					
95					
96A	Mass Balance	VOC			
96B		2.8 lb/hr			
96C	Removed from service				
96D					
96E					
97	Mass Balance	VOC 4.9 lb/hr			
98	Mass Balance	VOC 4.9 lb/hr			
99	Mass Balance	VOC 1.0 lb/hr			
100A	Mass Balance	VOC			
100B		2.0 lb/hr			

Permit #: **Error! Reference source not found.**

AFIN: **Error! Reference source not found.**

Page 9 of 15

SN	Emission Factor Source (AP-42, testing, etc.)	Emission Factor (lb/ton, lb/hr, etc.)	Control Equipment	Control Equipment Efficiency	Comments
101A	AP-42 Section 12 - Table 12.20-2	PM/PM ₁₀ 4.2 gr/hr-ft ²			
101B	AP-42 Section 12 - Table 12.20-2	PM/PM ₁₀ 4.2 gr/hr-ft ²			
102	Mass Balance	PM/PM ₁₀ 0.01 lb/hr VOC 0.2 lb/hr	Mobile Paint Booth	PM/PM ₁₀ 99.78% VOC 90%	
103	Mass Balance	PM/PM ₁₀ 0.8 lb/hr VOC 0.7 lb/hr			
104-105	Mass Balance	VOC 18.61 lb/hr, per stack			
108-111	Mass Balance	VOC 9.66 lb/hr, per stack			
112, 113	Mass Balance	VOC 2.07 lb/hr, per stack			

16. TESTING REQUIREMENTS:

The permit requires testing of the following sources.

SN	Pollutants	Test Method	Test Interval	Justification
N/A				

17. MONITORING OR CEMS:

The permittee must monitor the following parameters with CEMS or other monitoring equipment (temperature, pressure differential, etc.)

SN	Parameter or Pollutant to be Monitored	Method (CEM, Pressure Gauge, etc.)	Frequency	Report (Y/N)
N/A				

Permit #: **Error! Reference source not found.**

AFIN: **Error! Reference source not found.**

Page 10 of 15

18. RECORDKEEPING REQUIREMENTS:

The following are items (such as throughput, fuel usage, VOC content, etc.) that must be tracked and recorded.

SN	Recorded Item	Permit Limit	Frequency	Report (Y/N)
facility wide	VOC content and purchases of VOC containing materials	165.0 tpy of VOC emissions	monthly	Y
facility wide	Acetone content and purchases of Acetone containing materials	70.00 tpy of Acetone emissions	monthly	N
facility wide	HAP content and purchases of HAP containing materials	9.6 tpy - single HAP 22.0 tpy - combined	monthly	N
facility wide	VOC, Acetone and HAP credit, amount of VOC, Acetone and HAP shipped off-site to a Hazardous Disposal Facility	There is no applicable limit for this requirement.	quarterly	N
facility wide	VOC, Acetone and HAP credit, amount of VOC, Acetone and HAP contained in materials that have exceeded their shelf life	There is no applicable limit for this requirement	monthly	N
facility wide	natural gas usage	150 MMscf per consecutive twelve month period	monthly	N
facility wide	Surface Coating Operation	Annual Notification of Changes Report	N/A	N
facility wide	Paint Stripping Operations	Less than 1 ton per year of methyl chloride	annually	N

Permit #: **Error! Reference source not found.**

AFIN: **Error! Reference source not found.**

Page 11 of 15

SN	Recorded Item	Permit Limit	Frequency	Report (Y/N)
facility wide	Records described in § 63.11177	N/A	as necessary	N
facility wide	Electrolytic Operations	Maintain tank cover 95% of electrolytic process time	daily	N
facility wide	Polishing Operations	Capture and control system manufacturer's specifications and instructions and inspections	N/A	N
facility wide	Electrolytic Operations and Polishing Operations	Annual Compliance Certification Report	N/A	N
80	Hours of Operation	500 hr/yr	monthly	Y
	Fuel Specification	Maximum 15 ppm wt% S and either a minimum cetane index of 40 or a maximum aromatic content of 35% by volume	Per Fuel Shipment	N
81	Hours of Operation	500 hr/yr	monthly	Y
82	Monthly Throughput of Gasoline per MACT 6C	10,000 gal/mo 120,000 gal/yr	monthly	N

19. OPACITY:

SN	Opacity	Justification for limit	Compliance Mechanism
All Sources (except SN-80 & SN-81)	5%	§18.501	Natural gas only
80, 81	20%	§19.503(B)	Daily observation for events lasting 24 hours or more

Permit #: **Error! Reference source not found.**

AFIN: **Error! Reference source not found.**

Page 12 of 15

SN	Opacity	Justification for limit	Compliance Mechanism
			otherwise annual observation

20. DELETED CONDITIONS:

Former SC	Justification for removal
	N/A

21. GROUP A INSIGNIFICANT ACTIVITIES:

The following is a list of Insignificant Activities including revisions by this permit.

Source Name	Group A Category	Emissions (tpy)						
		PM/PM ₁₀	SO ₂	VOC	CO	NO _x	HAPs	
							Single	Total
Mold Machine Shop (Manufacturing Shop) Nat. Gas Fired Curing Oven	A-1	0.02	0.002	0.02	0.25	0.30	0.02	0.02
Mold Machine Shop (Manufacturing Shop) Nat. Gas Fired Curing Oven	A-1	0.04	0.003	0.03	0.43	0.52	0.03	0.03
Machine Shop (Manufacturing Shop) Nat. Gas Fired Oven	A-1	0.03	0.003	0.02	0.36	0.43	0.02	0.02
Wastewater Evaporator	A-1	0.05	0.004	0.04	0.54	0.64	0.04	0.04
Wastewater Evaporator	A-1	0.02	0.002	0.02	0.27	0.32	0.02	0.02
Natural gas fired pressure washers (2)	A-1	0.03	0.002	0.02	0.30	0.36	0.02	0.02
A-1 Total		0.19	0.016	0.15	2.15	2.57	0.15	0.15
Diesel Storage Tank (1,000 gal)	A-3	0.001	-	-	-	-	0.001	0.001

Permit #: **Error! Reference source not found.**

AFIN: **Error! Reference source not found.**

Page 13 of 15

Source Name	Group A Category	Emissions (tpy)						
		PM/PM ₁₀	SO ₂	VOC	CO	NO _x	HAPs	
							Single	Total
UV Lab*	A-5	-	-	0.38	-	-	0.38	0.38
FAA Burn Test Room	A-13	0.10	-	-	-	-	-	-
Cabinet Shop - Vacuum Filter No. 1	A-13	0.03	-	-	-	-	-	-
Cabinet Shop - Vacuum Filter No.2	A-13	0.03	-	-	-	-	-	-
Production Warehouse - Vacuum Filter	A-13	0.03	-	-	-	-	-	-
Machine Shop (Manufacturing Shop) drilling and cutting	A-13	-	-	0.28	-	-	-	-
Gel-Coat Booth	A-13	-	-	1.86	-	-	0.63	0.96
Cabinet Shop - Polish Room, Detail Polish Room and Buffing Room	A-13	0.08	-	-	-	-	-	-
Welding Inspection Booth	A-13	-	-	0.09	-	-	-	-
Wastewater Aeration	A-13	-	-	-	-	-	-	-
Machine Shop (Manufacturing Shop) Welding	A-13	-	-	-	-	-	-	-
Plating Shop - Diffuse Particulate Filter	A-13	Filtered air is blown back into the Plating Shop. No emissions are released to the atmosphere from the diffuse						

Permit #: **Error! Reference source not found.**

AFIN: **Error! Reference source not found.**

Page 14 of 15

Source Name	Group A Category	Emissions (tpy)						
		PM/PM ₁₀	SO ₂	VOC	CO	NO _x	HAPs	
							Single	Total
		particulate filter.						
Service Center-Dust Collector/Filter	A-13	Filtered air is blown back into the Service Center. No emissions are released to the atmosphere by the dust collector/filter.						
Cabinet Shop - Sanding Room Baghouses (2)	A-13	0.25	-	-	-	-	-	-
Cabinet Shop - Seven Diffuse Particulate Filters	A-13	Filtered air is blown back into the Cabinet Shop. No emissions are released to the atmosphere from the diffuse particulate filters.						
Cabinet Shop - Dust Collector with Fabric Filter	A-13	0.15	-	-	-	-	-	-
Headliner Shop - Sanding Booths (2)	A-13	0.08	-	-	-	-	-	-
OptiFlex Laser Cutter	A-13	0.78	-	0.23	-	-	0.23	0.23
A-13 Total*		1.50	-	2.46	-	-	0.86	1.19

Permit #: **Error! Reference source not found.**

AFIN: **Error! Reference source not found.**

Page 15 of 15

*A-5 and A-13 HAP emissions are accounted for in the permitted Total Allowable Emission Limit set in specific condition #2.

22. VOIDED, SUPERSEDED, OR SUBSUMED PERMITS:

The following is a list of all active permits voided/superseded/subsumed by the issuance of this permit.

Permit #
1876-AOP-R17

APPENDIX A – EMISSION CHANGES AND FEE CALCULATION

Fee Calculation for Major Source

Revised 03-11-16

Facility Name: Dassault Falcon Jet Corp.
Permit Number: HQJ-ZB9N-AVNTA
AFIN: 60-00617

\$/ton factor	28.14	Annual Chargeable Emissions (tpy)	272.5
Permit Type	AA	Permit Fee \$	0

Minor Modification Fee \$ 500
Minimum Modification Fee \$ 1000
Renewal with Minor Modification \$ 500

Check if Facility Holds an Active Minor Source or Minor Source General Permit ☐

If Hold Active Permit, Amt of Last Annual Air Permit Invoice \$ 0

Total Permit Fee Chargeable Emissions (tpy) 0

Initial Title V Permit Fee Chargeable Emissions (tpy)

HAPs not included in VOC or PM:

Chlorine, Hydrazine, HCl, HF, Methyl Chloroform, Methylene Chloride, Phosphine, Tetrachloroethylene, Titanium Tetrachloride

Air Contaminants:

All air contaminants are chargeable unless they are included in other totals (e.g., H2SO4 in condensible PM, H2S in TRS, etc.)

Pollutant (tpy)	Check if Chargeable Emission	Old Permit	New Permit	Change in Emissions	Permit Fee Chargeable Emissions	Annual Chargeable Emissions
PM		4.4	4.4	0		
PM ₁₀		4.4	4.4	0	0	4.4
PM _{2.5}		0	0	0		
SO ₂		0.4	0.4	0	0	0.4
VOC		165	165	0	0	165
CO		7.4	7.4	0		
NO _x		10.7	10.7	0	0	10.7
Total HAP	☒	22	22	0	0	22
Acetone	☒	70	70	0	0	70