

# ARR040000 Recertification Notice of Intent for Regulated Small Municipal Separate Storm Sewer Systems (MS4s) General Permit

version 1.18

(Submission #: HQ4-NZGG-AQ82M, version 2)

Digitally signed by:  
nform  
DPEPORTALIIS.ADPCEDM2.state.ar.us  
Date: 2024.09.03 16:18:01 -05:00  
Reason: Copy Of Record  
Location: North Little Rock, Arkansas



## Details

---

**AFIN** 72-02164  
**Reference #** ARR040049  
**Submission ID** HQ4-NZGG-AQ82M  
**Submission Reason** Renewal

### **CORRECTION REQUEST (CORRECTED)**

#### **Must be signed by responsible official (Mayor)**

The renewal **MUST** be signed for by the RO. If The Mayor does not have an Electronic Signature Agreement, please revise the submission for Hard Copy Signing, as ESA approval can take over a month.  
Created on 9/3/2024 3:13 PM by **Will Broshears**

## Form Input

---

### Permit Information

#### **Recertification Instruction**

---

Please review all fields carefully for typos or inaccurate information. If the information in the corresponding field is incorrect, please update the corresponding field with the correct information by typing over the existing information.

If the Permittee (Legal Name) changes, you will need to also submit a permit transfer form.

The update SWMP must be submitted in accordance with the permit.

#### **Permittee (Legal Name)**

---

The permittee means any person (an individual, association, partnership, corporation, municipality, state, or federal agency) who has the primary management and ultimate decision-making responsibility over the operation of a facility or activity.

**Permit No.**  
ARR040049

**AFIN**  
72-02164

**Permittee (Legal Name)**  
City of Tontitown

**Site Contact Person**

**Contact Person Information**

**First Name**      **Last Name**

Angela              *Russell*

**Title**

*Mayor*

**Phone Type**    **Number**            **Extension**

Business          479-361-2700

**Email**

mayor@tontitownar.gov

**Urbanized/Core Areas**

Fayetteville-Springdale-Rogers

**Receiving Stream**

Brush Creek/Clear Creek

**Is this MS4 identified on the list of the EPA approved Total Maximum Daily Loads (TMDL)?**

No

**From our database, the Responsible Official are listed in the following**

**Responsible Official First Name**

Angela

**Responsible Official Last Name**

Russell

**Responsible Official Title**

Mayor

**Did the Responsible Official Change?**

No

**Please provide the Responsible Official Email Address**

mayor@tontitownar.gov

**From our database, the Cognizant Official are listed in the following**

**Cognizant Official First Name**

James

**Cognizant Official Last Name**

Clark

**Cognizant Official Title**

Pub. Works Dir.

**Did the Cognizant Official Change?**

No

**Please provide the Cognizant Official Email Address**

pwdirector@tontitownar.gov

**Mailing Address**

P.O. Box 305

Tontitown, AR 72770

**Is the invoice address the same as the mailing address?**

Yes

**Attach Updated SWMP and Updated Storm Sewer System Map**

Tontitown MS4 SWMP 2024.pdf - 06/26/2024 04:15 PM

**Comment**

NONE PROVIDED

## Revisions

---

Revision	Revision Date	Revision By
Revision 1	6/26/2024 11:22 AM	John Colby Marshall
Revision 2	9/3/2024 4:17 PM	John Colby Marshall