Quarterly Explosive Gas Monitoring Report

version 2.1

(Submission #: HQG-0D2X-T59Z9, version 1)

Details

Submitted	1/20/2026 (1 days ago) by Angela L Sparks
AFIN	16-00199
Reference #	0254-S1-R5
Submission ID	HQG-0D2X-T59Z9
Submission Reason	Report
Submission Assigned Staff	Michael Marchman
Status	Submitted

Form Input

Facility Identification

User
angela@ccswda.com

Reporting Quarter and Year
32025

Facility Name
Craighead Co SWDA Jonesboro

Arkansas DEQ Facility Identification Number (AFIN)
16-00199

Permit Number
0254-S1-R5

Date Received
09/30/2025

Site Address

Site Physical Location
238 CR 476
Jonesboro, AR 72404
Craighead

EGM quarterly results

Attach documents here as needed
9 30 2025 Gas Monitoring Report.pdf - 12/22/2025 11:27 AM
Comment
NONE PROVIDED

Attachments

Date	Attachment Name	Context	User
12/22/2025 11:27 AM	9 30 2025 Gas Monitoring Report.pdf	Attachment	Angela Sparks

Status History

	User	Processing Status
9/30/2025 4:31:37 PM	Angela L Sparks	Draft
1/20/2026 11:33:39 AM	Angela L Sparks	Signing
1/20/2026 11:33:40 AM	Angela L Sparks	Submitting
1/20/2026 12:08:16 PM	Angela L Sparks	Submitted

Agreements and Signature(s)

SUBMISSION AGREEMENTS

- ☑ I am the owner of the account used to perform the electronic submission and signature.
- ☑ I have the authority to submit the data on behalf of the facility I am representing.
- ☑ I agree that providing the account credentials to sign the submission document constitutes an electronic signature equivalent to my written signature.
- ☑ I have reviewed the electronic form being submitted in its entirety, and agree to the validity and accuracy of the information contained within it to the best of my knowledge.

To the best of my knowledge and belief, I certify the information provided in this report is true and accurate.

Signed By Angela L Sparks on 01/20/2026 at 11:33 AM

CCSWDA LEGACY LANDFILL
JONESBORO, ARKANSAS
LANDFILL GAS MONITORING RECORD FORM

TECHNICIAN: Michael Clayton DATE: 9/29/25

AIR TEMPERATURE: 88° WIND SPEED & DIRECTION: E @ 6 mph

WEATHER CONDITIONS: Clear 38% Humidity

EQUIPMENT UTILIZED: Gem 5000 30.13

Monitoring Point	Performance Criteria	% LEL Methane	O2 Level	Time
GP-1	100% LEL	~~0~~	19.7	1328
GP-2	100% LEL	~~0~~	19.9	1331
GP-3	100% LEL	~~0~~	18.1	1336
GP-4	100% LEL	~~0~~	13.5	1342
GP-5	100% LEL	~~0~~	15.6	1358
GP-6	100% LEL	~~0~~	20.3	1408
GP-7	100% LEL	~~0~~	14.4	1451
GP-8	100% LEL	~~0~~	13.7	1445
GP-9	100% LEL	~~0~~	15.4	1440
GP-10	100% LEL	~~0~~	20.1	1436
GP-11	100% LEL	~~0~~	20.6	1430
GP-12	100% LEL	~~0~~	20.5	1426
GP-13	100% LEL	~~0~~	20.4	1422
GP-14	100% LEL	~~0~~	18.2	1418
GP-15	100% LEL	~~0~~	18.4	1413
GP-16	100% LEL	~~0~~	17.1	1501
GP-17	100% LEL	~~0~~	16.4	1505
GP-18	100% LEL	~~0~~	16.6	1509
Transfer Station	25% LEL	~~0~~	20.9	~~1448~~ 1348
Scale House	25% LEL	~~0~~	20.9	~~1452~~ ~~1354~~ 1352
Break Room	25% LEL	~~0~~	20.9	1533
Old Shop	25% LEL	Burned Down		
New Shop	25% LEL	~~0~~	20.9	1403
Office	25% LEL	~~0~~	20.9	1540

MC6

COMMENTS: