

Haley Griffith (adpce.ad)

From: Jaros, David G. <DJaros@pmico.com>
Sent: Friday, June 12, 2026 5:28 PM
To: EE GW Reports
Cc: Acree, Matt J; Cole Clark (Cole.Clark@veolia.com)
Subject: 1st Quarter 2025 GWMR
Attachments: Veolia 1st Quarter 26 GWMR.pdf

CAUTION: External Email

To whom it may concern,

Please find attached the 1st Quarter of 2026 Groundwater Monitoring Report for the Veolia - Gum Springs plant (AFIN: 10-00004).

If you have any questions or concerns, please feel free to contact us (david.jaros@terracon.com).

Thanks,

David Jaros, P.G.
Project Manager | Environmental Department



25809 Interstate 30 South | Bryant, Arkansas 72022
P (501) 943-1019 | F (501) 847-9210 | M (501) 350-5040
david.jaros@terracon.com | www.terracon.com

Terracon provides environmental, facilities, geotechnical, and materials consulting engineering services delivered with responsiveness, resourcefulness, and reliability.

Private and confidential as detailed here (www.terracon.com/disclaimer). If you cannot access the hyperlink, please e-mail sender.



25809 I-30 South
Bryant, AR 72022
P (501) 847-9292
F (501) 847-9210
Terracon.com

June 12, 2026

Cole Clark
Environmental Manager
Elemental Environmental Solutions
Gum Springs Plant
500 E. Reynolds Road
Arkadelphia, AR 71923

**Re: First Quarter 2026 Groundwater Monitoring Report
Elemental Environmental Solutions - Gum Springs Plant Landfill
Project #: KT267079**

Dear Mr. Clark:

Terracon Consultants, Inc. is pleased to submit the First Quarter 2026 Groundwater Monitoring Report for the Elemental Environmental Solutions-Gum Springs Plant Landfill (EES).

Terracon appreciates the opportunity to provide environmental services for EES. If you have any questions or comments concerning the report, please contact David Jaros or myself at your convenience.

Sincerely,
Terracon Consultants, Inc.

A blue ink signature of Matt Acree, consisting of stylized initials 'MA' followed by a surname.

Matt Acree, P.G.
Staff Geologist

A blue ink signature of David Jaros, featuring a large, stylized 'D' and 'J'.

David Jaros, P.G.
Project Manager

First Quarter 2026

Groundwater Monitoring Report

ELEMENTAL ENVIRONMENTAL SOLUTIONS
GUM SPRINGS PLANT LANDFILL

SOLID WASTE PERMIT 262-S
AFIN 10-00004

TERRACON PROJECT KT267079
June 12, 2026

Prepared for:

Elemental Environmental Solutions
Gum Springs Plant
500 Reynolds Road
Arkadelphia, AR 71923

Prepared by:

Terracon Consultants, Inc.
Little Rock, Arkansas

TABLE OF CONTENTS

	Page
1.0 INTRODUCTION	1
1.1 Site Location	1
1.2 Site Groundwater Monitoring System.....	2
2.0 GROUNDWATER SAMPLING	2
2.1 Water Level Determination	2
2.2 Well Evacuation	2
2.3 Equipment Decontamination Procedure	3
2.4 Sample Extraction	3
2.5 Field Testing	4
2.6 Field QA/QC Procedures	5
2.7 Handling/Transport/Custody	6
2.8 Sample Preservation.....	6
3.0 FIRST QUARTER 2026 QUARTERLY SAMPLING EVENT	6
3.1 Groundwater Elevation & Flow Direction	6
3.2 Groundwater Quality.....	7
3.2.1 Statistical Evaluation	7
3.2.2 Comparison to Established Water Quality Standards.....	8
3.2.3 Field Duplicate and Blank Results	9
3.2.4 Shallow Clay Horizon Groundwater Quality	9
4.0 CONCLUSIONS	10

TABLES

Table 1	Constituents for Detection Monitoring
Table 2	Field Measurements
Table 3	Groundwater Quality Results

FIGURES

Figure 1	Site Location Map
Figure 2	Nacatoch Potentiometric Surface Map
Figure 3	Shallow Clay Horizon Potentiometric Surface Map

APPENDIX A	Groundwater Sampling Records
APPENDIX B	Laboratory Analytical Results
APPENDIX C	Key to Parameter Abbreviations/Historical Groundwater Results

**First Quarter 2026 Groundwater Monitoring Report
Elemental Environmental Solutions-Gum Springs Plant Landfill
Gum Springs, Arkansas**

Prepared for

**Elemental Environmental Solutions - Gum Springs Plant Landfill
Gum Springs, Arkansas**

For Submittal to

**Division of Environmental Quality
Office of Land Resources**

Certification

I certify that I am a qualified groundwater scientist who has received a baccalaureate or postgraduate degree in the natural sciences. I have sufficient training and experience in groundwater hydrology and related fields, as demonstrated by state registration and completion of accredited university courses, which enable me to make sound professional judgments regarding groundwater monitoring and contaminant fate and transport.

The statistics herein are based upon the statistical program *SANITAS for Groundwater* that is guided by the relevant EPA Guidance, ASTM Standards, and in accordance with Arkansas Department of Environmental Quality Solid Waste Regulation 23. I further certify that this report was prepared by me or by a subordinate working under my direction.


David Jaros, P. G.
Project Manager



6/12/26
Date

**FIRST QUARTER 2026 GROUNDWATER MONITORING REPORT
ELEMENTAL ENVIRONMENTAL SOLUTIONS - GUM SPRINGS PLANT
ADEQ SOLID WASTE PERMIT 262-S
TERRACON PROJECT KT267079**

1.0 INTRODUCTION

Elemental Environmental Solutions (EES) owns and operates the EES - Gum Springs Plant thermal treatment facility. The facility treats spent potliner (EPA listed waste K088) from RMC's aluminum manufacturing plants as well as from non-RMC sources. Since late 1993, the kiln residue generated from the treatment process has been placed in an on-site waste disposal facility. The 37-acre Landfill was originally designed to meet and exceed the Arkansas Solid Waste Disposal Code and was classified as a non-hazardous industrial solid waste landfill (Class 3N). The original design called for a series of ten disposal cells. As each cell was filled to the permitted capacity, the succeeding cell would be constructed. The cells and the waste within them were to be contiguous.

Cell 1 was constructed during 1992 and 1993, and waste disposal activities began in late 1993. Cell 2 was constructed in 1995 but did not receive waste until 1997. In 1997, the kiln residue was re-classified as hazardous material by the EPA, and the disposal facility was modified to comply with Resource Conservation and Recovery Act (RCRA) Subtitle C and the Pollution Control and Ecology Commission Regulation 23 requirements.

The Cell 1 Solid Waste Permit Number 262-S was issued under the direction of the ADEQ on July 20, 1992. The groundwater monitoring system was monitored in accordance with Condition No. 11 of the Reynolds Metals Co. Permit 262-S from December 1992 through the Third Half 1999 monitoring event. Groundwater monitoring is currently conducted in accordance with Module X of Hazardous Waste Renewal Permit Number 30H-RN1 issued on April 22, 2010 and the *Sampling and Analysis Plan* presented in Attachment E-3, Section 3.0 of the Part B Application. As required by Permit Condition F of Module X, the *Sampling and Analysis Plan* presented in Attachment E-3, Section 3.0 of the Part B Application, and in accordance with ADEQ Regulation No. 23, this report summarizes the groundwater quality and provides, if required, a statistical comparison associated with the First Quarter 2026 semi-annual detection monitoring event.

1.1 Site Location

The EES Landfill is located approximately one mile East of Gum Springs, Arkansas (See FIGURE 1). More specifically, the site is located in the NE 1/4, SE 1/4 of Section 6, T-8-S, R-19-W in Clark County.

1.2 Site Groundwater Monitoring System

The uppermost aquifer groundwater monitoring system for the Veolia Landfill consists of fifteen wells designated as MW-2, MW-4, MW-6, MW-8, MW-12, MW-16, MW-18, MW-24, MW-25, MW-26, MW-27, MW-28, MW-29, MW-30, and MW-31. Monitoring wells MW-2, MW-12, and MW-16 are up-gradient wells screened within the Nacatoch Aquifer. Monitoring wells MW-28, MW-29, and MW-30 are down-gradient wells also screened within the Nacatoch Aquifer. Monitoring wells MW-4, MW-6, MW-18, MW-24, MW-25, MW-26, MW-27, and MW-31 are down-gradient wells screened within the Alluvial Sand Aquifer. There are no up-gradient wells screened in the Alluvial Sand Aquifer as the Alluvial Sand Aquifer is not present in the western (up-gradient) portion of the landfill footprint. The remaining wells were installed at the point of compliance dictated by the landfill construction footprint and the RCRA permit (Module X Permit 30H).

First Quarter 2026 Groundwater Monitoring Report

EES - Gum Springs Plant ■ Arkadelphia, Arkansas

March 2026 ■ Terracon Project No. KT267079



Monitoring wells MW-28 and MW-29 were installed in 2020 as down-gradient wells screened in the Nacatoch Aquifer. Monitoring wells MW-30 and MW-31 were installed in 2021, with MW-30 screened within the Nacatoch Sand Aquifer and MW-31 screened within the Alluvial Sand Aquifer.

Monitoring well MW-1A was installed in 1993 and is the one upgradient well and is screened in the Arkadelphia Marl. The remainder of the shallow wells (MW-4S, MW-6S, and MW-8S) are down-gradient monitoring wells screened within the Alluvial Clay and were installed in 1998 in accordance with the Minute Order Number 98-28 requirements and the specifications given in the *Landfill Hydrogeologic Characterization Report* and the addendum to that report. These wells are currently monitored on a quarterly basis in accordance with the Module X of Hazardous Waste Renewal Permit Number 30H-RN1 and the *Sampling and Analysis Plan* presented in Attachment E-3, Section 3.0 of the Part B.

As noted in the DEQ correspondence dated May 20, 2025, the site included the water level elevations and sample results of Table 1 constituents beginning with the Third Quarter 2025 sampling event for the additional Alluvial Clay piezometers (MW-24-PZ-2 through MW-31-PZ-2). This is the third event for these wells.

z

2.0 GROUNDWATER SAMPLING

The First Quarter 2026 groundwater monitoring event for the EES Landfill was conducted on March 17th, 18th, 19th, and 20th 2026. The procedures for obtaining groundwater samples, parameters analyzed, and sample preservation and handling are discussed in the following sections. Samples were collected according to the *Sampling and Analysis Plan* presented in Attachment E-3, Section 3.0 of the Part B Application and Module X.

2.1 Water Level Determination

Prior to evacuating a well for sampling, the depth to water was measured using an electronic water level probe. The measurements were taken to the nearest 0.01-foot from the top of the well casing and this information was utilized to calculate the volume of water in each well. Since non-dedicated equipment was used to obtain water levels, procedures were instituted to ensure the samples were not contaminated.

The electronic water level probe is constructed of inert materials and was de-contaminated with distilled water prior to use at each well.

2.2 Well Evacuation

The water in a well prior to sampling may not be representative of in-situ groundwater quality. Therefore, the Terracon field representative purged a minimum of three casing volumes from each well at a rate that did not excessively agitate the recharge water. The evacuation procedure helped to ensure that all well water was replaced by fresh formation water upon completion of the process. A Grundfos Redi-Flo 2 electric submersible pump was used to evacuate each well.

The pumping equipment is non-dedicated, therefore, procedures were instituted to ensure the samples were not contaminated. The pump, wiring, and tubing are constructed of inert materials and were rinsed with distilled water prior to use at each well. Measures were also taken to prevent surface soils from coming in contact with the purging equipment and tubing.

In order to document that formation waters are entering the well, representative samples of the discharge water were periodically collected and tested for field water quality parameters. The parameters measured were pH, specific conductance, temperature, and turbidity. Water quality parameters (with the exception

of turbidity) were considered stable if three successive readings did not vary more than 10 percent. Measures were taken to obtain turbidity readings as low as possible prior to sampling.

Due to the low yield characteristics of the shallow clay horizon, monitoring wells MW-1A, MW-4S, MW-6S, and MW-8S are purged to dryness using a peristaltic pump. The wells are allowed to recover 24 hours prior to attempting to sample.

2.3 Equipment Decontamination Procedure

All equipment that was used in the monitoring wells and had contact with the samples was thoroughly cleaned before use.

This equipment included a water level probe, disposable bailers, disposable bailer twine, and a submersible pump. All bailers and bailer twine are individually wrapped and sealed by the manufacturer. The bailers are purified and rinsed with distilled water prior to packaging. The bailers are independently tested at regular intervals by the manufacturer to ensure they are contaminant free.

The water level probe was washed with potable water and phosphate-free laboratory detergent. Next, the probe was rinsed with potable water and finally, rinsed with distilled water. The water level probe was placed in a plastic bag to prevent contamination during transport. After a water level was measured, a paper towel was soaked with distilled water and as the probe was reeled up, the tape and probe were wiped clean.

Prior to use at each monitoring point, the submersible pump is decontaminated thoroughly. Decontamination is performed by pumping potable water and phosphate-free detergent, potable water, and distilled water through it utilizing a portable decontamination tube. The exterior surface of the pump and tubing is then rinsed with distilled water prior to its reuse in a well.

2.4 Sample Extraction

The technique used to withdraw groundwater samples from the wells was selected based on consideration of the parameters analyzed in the samples. To ensure the groundwater sample is representative of the formation it is important to minimize physically altering or chemically contaminating the sample during the withdrawal process. In order to minimize the possibility of sample contamination the Terracon field representative:

- * *Did not allow clean sampling equipment to be placed directly on the ground or other potentially contaminated surfaces prior to insertion into the well.*
- * *Transferred samples to the appropriate containers in a manner that minimized agitation and aeration.*

The permit parameter samples were collected and containerized in the order of sensitivity. The list of parameters analyzed in samples collected from wells monitoring the uppermost aquifer is presented in TABLE 1.

TABLE 1
CONSTITUENTS FOR DETECTION MONITORING

ARSENIC CYANIDE FLUORIDE pH Appendix IX Constituents

2.5 Field Testing

Some of the parameters evaluated are physically or chemically unstable and were tested immediately after collection by a Terracon representative. The representative utilized a field test kit to perform the analyses. Examples of unstable elements or properties include pH and temperature. Although the specific conductance (inverse of electrical resistance) and turbidity of a substance are relatively stable, these parameters were also measured in the field. This information was recorded on *Groundwater Monitoring Sampling Records* presented in APPENDIX A. A summary of the field measurements for the First Quarter 2026 sampling event is presented in TABLE 2.

TABLE 2
FIELD MEASUREMENTS

WELL #	DATE	DATUM ELEV. (FMSL)	DEPTH TO WATER(FT)	GW SURF. ELEV. (FMSL)	TEMP. (°C)	pH (SU)	SPEC. COND. (µS/cm)	TURB. (NTU)
MW-2	3/17/2026	271.10	83.23	187.87	17.1	6.20	489	0.50
MW-4	3/18/2026	189.88	8.06	181.82	18.2	6.72	789	0.03
MW-6	3/18/2026	187.57	8.91	178.66	18.7	6.76	567	10.79
MW-8	3/18/2026	189.64	11.47	178.17	17.8	6.75	1206	20.99
MW-12	3/17/2026	270.04	81.50	188.54	17.4	6.56	325	0.15
MW-16	3/17/2026	270.14	80.75	189.39	16.1	6.09	363	0.02
MW-18	3/18/2026	191.87	8.61	183.26	17.1	7.07	584	0.02
MW-24	3/19/2026	179.86	1.73	178.13	17.8	6.49	379	3.01
MW-25	3/19/2026	179.43	1.41	178.02	16.4	6.72	242	8.81
MW-26	3/19/2026	178.89	1.28	177.61	19.0	6.63	137	144.2
MW-27	3/19/2026	178.66	1.35	177.31	16.4	6.63	262.1	167.9
MW-28	3/19/2026	177.76	0.75	177.01	19.8	6.56	26.3	40.9
MW-29	3/18/2026	188.97	6.18	182.79	16.7	6.80	181.6	0.01
MW-30	3/17/2026	188.81	6.14	182.67	17.0	6.82	328	10.07
MW-31	3/17/2026	189.43	10.45	178.98	16.5	6.50	2210	14.9
MW-1A	3/19/2026	270.27	31.59	238.68	15.4	10.09	3230	90.9

First Quarter 2026 Groundwater Monitoring Report

EES - Gum Springs Plant ■ Arkadelphia, Arkansas

March 2026 ■ Terracon Project No. KT267079



MW-4S	3/19/2026	189.43	14.28	175.15	17.0	7.70	3090	0.28
MW-6S	3/19/2026	188.95	7.18	181.77	17.1	8.45	1732	4.64
MW-8S	3/19/2026	188.97	8.70	180.27	18.1	7.34	2310	1.37
MW-24-PZ2	3/19/2026	180.87	1.64	179.23	18.4	7.17	272	16.1
MW-25-PZ2	3/20/2026	180.55	2.12	178.43	15.1	7.56	462	3.13
MW-26-PZ2	3/20/2026	179.43	4.05	175.38	14.9	7.60	1517	0.33
MW-27-PZ2	3/20/2026	179.78	2.53	177.25	14.5	7.59	1382	0.50
MW-31-PZ2	3/17/2026	187.96	3.84	184.12	16.1	6.60	3490	0.30

2.6 Field QA/QC Procedures

It should be noted that methylene chloride was detected in the field blank, equipment blank, and trip blank as J values during the First Quarter 2026 event.

A duplicate sample of MW-12 was collected and labeled DUP and also MW-25 was collected and labeled Dup-2. Procedures utilized for collecting the duplicate sample were identical to the sampling protocol detailed in Section 2.4 and collected at the same time as the MW-12 and MW-25 samples. The duplicate samples were collected to verify the consistency and precision of the sampling and testing procedures.

2.7 Handling/Transport/Custody

Samples were accompanied by a Chain-of-Custody record that includes the name of the facility, collector's signatures, monitoring point identification, date, time, type of sample, number of containers, and analyses required. Samples collected from the Landfill site were placed in sample containers provided by the Laboratory. Containers are certified clean by the supplier.

The sample label, attached to the sample container at the time of collection, includes the following information:

- *project or facility name,*
- *sample type,*
- *sample location number (well number),*
- *preservative type,*
- *sampling date and time, and*
- *sample collector's name or initials.*

Sample identification and required analyses were recorded on the Arkansas Analytical, Inc. Chain-of-Custody form. The standard format includes: the date, time, type of sample taken, code for sample analysis, unique sample number, and sampling location.

2.8 Sample Preservation

Samples were placed in an ice chest, filled with ice for preservation, and cooled to approximately four degrees Celsius. Custody was retained by a Terracon representative from the time of collection until delivery to Arkansas Analytical, Inc. Laboratory analytical results and a copy of the Chain-of-Custody form are included in APPENDIX B.

3.0 FIRST QUARTER 2026 SAMPLING EVENT

The sampling results included in this report are for the First Quarter 2026 detection monitoring event conducted on March 17th, 18th, 19th and 20th 2026. Results of this sampling event are summarized in the following sections, tables, and appendices.

3.1 Groundwater Elevation & Flow Direction

TABLE 2 summarizes the results of the water level and field measurements for the First Quarter 2026 sampling event. As stated previously, there are currently fifteen monitoring wells (MW-2, MW-4, MW-6, MW-8, MW-12, MW-16, MW-18, MW-24, MW-25, MW-26, MW-27, MW-28, MW-29, MW-30, and MW-31.) screened within the Nacatoch sand/Alluvial aquifer located around the Landfill area (See FIGURE 2).

The highest groundwater elevation measured within the Nacatoch sand/ Alluvial aquifer was at MW-16, which is located southwest and hydraulically upgradient of the Landfill.

The lowest groundwater elevation measured in the alluvial aquifer during this event occurred in well MW-27 located southeast of the Landfill.

The shallow clay horizon on the site is monitored by one upgradient and four downgradient wells (MW-1A, MW-4S, MW-6S, MW-8S, and MW-18S). (See FIGURE 3). It should be noted that MW-18 was previously damaged and is no longer in service. The site will submit a letter to abandon MW-18S due to the damage under a separate letterhead.

The highest groundwater elevation measured in a well screened within the shallow clay unit of Landfill operations was MW-1A, which is located northwest and hydraulically upgradient of the Landfill. The lowest groundwater elevation measured in the shallow clay unit during this event occurred in well MW-4S located northeast of the Landfill.

FIGURES 2 and 3 are potentiometric surface maps prepared by Terracon from water levels measured during the First Quarter 2026 sampling event. The potentiometric surface contours depict an easterly groundwater flow direction. This flow relationship is consistent with the flow direction determined by water levels measured during previous sampling events.

3.2 Groundwater Quality

APPENDIX C consists of the historical groundwater analytical results compiled since the original monitoring wells were first sampled on December 23, 1992.

3.2.1 Statistical Evaluation

The *SANITAS™ for Groundwater* program was utilized to compile the data for the First Quarter 2026

sampling event. The statistical methods used to evaluate the groundwater data for statistically significant increases (SSIs) are based on procedures outlined in the Reynolds Metals Company Gum Springs Facility RCRA Renewal Permit 30H-RN1 Module X Condition F.1. Currently, Module X Condition F.1 states that the reported parameter concentrations determined to exceed the background values specified in Condition C.1 are evaluated utilizing prediction interval statistics. It should be noted that this is the seventeenth quarterly event for the Appendix IX parameters to help determine background values in accordance with Regulation No. 23 §264. Since eight background events have occurred, EES will propose background values for all appendix IX parameters as well as indicators parameters of fluoride, cyanide, arsenic, and pH. The Sampling and Analysis Plan (SAP) will also be updated once the background levels have been approved by ADEQ.

The criterion for selecting a method is as follows:

- When utilizing Prediction Interval statistics, parametric prediction intervals are first calculated whenever possible. The parametric alternative is constructed with the assumption that the background data have a normal or transformed-normal distribution and are less than 15% non-detect.
- However, when the background data do not have transformed-normal distribution or contain between 50 and 90 percent observations below the detection limit, it is then necessary to construct a nonparametric prediction interval.
- If more than 90 percent of the background data are less than the detection limit, a Poisson-based prediction interval is computed.
- It should be noted that arsenic at MW-27 was above the Module X limits during the First Quarter 2026 event but were below the MCL levels for that parameter.

3.2.2 Comparison to Established Water Quality Standards

The groundwater analytical results and comparisons of constituent concentrations to applicable Primary Drinking Water Standards-Maximum Contaminant Levels (MCLs), Secondary Drinking Water Standards (SDWS) summarized in TABLE 3.

It should be noted that the “S” wells have historically had poor re-charge and limited water was available for sampling Appendix IX constituents. Constituents that were not collected during the First Quarter 2026 event will be attempted in the Second Quarter 2026 event and subsequent events until all Appendix IX constituents are collected per ADEQ instructions.

**TABLE 3
GROUNDWATER QUALITY RESULTS**

Monitoring wells	Fluoride (mg/l)	Cyanide (mg/l)	Arsenic (mg/l)	pH (SU)	Barium (mg/l)	Cobalt (mg/l)	Copper (mg/l)	Chromium (mg/l)	Lead (mg/l)
MW-4S	NA	NA	NA	7.70	NA	NA	NA	NA	NA
MW-6S	NA	NA	NA	8.45	NA	NA	NA	NA	NA
MW-8S	NA	NA	NA	7.34	NA	NA	NA	NA	NA
MW-1A	0.485	<0.005	0.000678	6.94	0.0692	0.000080	0.00114	0.000927	0.000392 J
MW-2	0.277 J	<0.005	<0.000260	6.20	0.0267	0.000353	0.000178	0.000365	<0.000416
MW-4	0.272 J	<0.005	0.00229	6.72	0.0394	0.000870	0.000326	0.000419	<0.000416
MW-6	0.471	<0.005	0.00577	6.76	0.0621	0.00176	0.000243	0.000278	<0.000416
MW-8	0.575	<0.005	0.00339	6.75	0.0691	0.00105	0.000942	0.000641	0.000904

MW-12	0.269 J	<0.005	<0.000260	6.56	0.0150	0.000257 J	0.000804	0.000295	<0.000416
Dup	0.250 J	<0.005	0.000073 J	NA	0.0107	0.000209 J	0.00303	0.000759 J	<0.000416
MW-16	0.265 J	0.002 J	0.000073 J	6.09	0.0160	0.000112 J	0.00140	0.000425	0.000214 J
MW-18	0.247 J	<0.005	0.000287	7.07	0.0102	0.000037 J	0.000272 J	0.000384	<0.000416
MW-24	0.213 J	<0.005	0.00283	6.49	0.117	0.000509	0.000442 J	0.000321	<0.000416
MW-25	0.291 J	<0.005	0.000758	6.72	0.0353	0.000135 J	0.000836	0.000320	<0.000416
MW-26	0.223 J	0.004 J	0.00121	6.63	0.0345	0.000248 J	0.000530	0.000291	<0.000416
MW-27	0.180 J	<0.005	0.00274	6.63	0.0694	0.000239 J	0.000471 J	0.000448	<0.000416
MW-28	0.170 J	<0.005	<0.000260	6.56	0.0167	<0.000260	0.000298 J	0.000375	<0.000416
MW-29	0.451 J	<0.005	0.000055 J	6.80	0.0111	<0.000260	0.000345 J	0.000352	<0.000416
MW-30	0.259 J	<0.005	0.000269	6.82	0.0148	0.000140 J	0.00151	0.000966	0.000418
MW-31	0.427 J	<0.005	0.000570	6.50	0.0441	0.000641	0.000494 J	0.000432	0.000352 J
MW-24-PZ2	0.284 J	<0.005	0.0228	7.17	0.0561	0.000797	0.00286	0.00116	0.00522
MW-25-PZ2	0.930	0.012	0.000464	7.56	0.0436	0.000059	0.000530	0.000452	0.000257 J
MW-26-PZ2	0.514	<0.005	0.00118	7.60	0.832	<0.000260	0.000595	0.000538	0.000487
MW-27-PZ2	0.805	<0.005	0.00109	7.59	0.0323	<0.000260	0.000588	0.000430	0.000384 J
MW-31-PZ2	0.361 J	<0.005	0.00395	6.60	0.0189	0.000197 J	0.000428 J	0.000384	0.000394 J
Limit	4*	0.2*	0.01*	6.5-8.5**	2*	0.0006***	1.3*	0.1*	0.01*

*Primary Drinking Water Standard-Maximum Contaminant Level (MCL)

**Secondary Drinking Water Standard (SDWS)

*** Tap Water Standards

Values in **Bold** exceed a Drinking Water Standard

The pH values noted on this table are field measurements

Dup is a duplicate sample of MW-12

FB is a field blank

The pH value for well MW-2, MW-16, and MW-24 were below the Secondary Drinking Water Standard range for pH.

The SDWS are set primarily for aesthetic reasons and are generally not considered health-based criteria. Constituents covered by these regulations are those which may adversely affect the aesthetic qualities of drinking water such as taste, odor, color, and appearance and are not federally enforced.

3.2.3 Field Duplicate and Blank Results

A duplicate sample of MW-12 was collected and labeled DUP and also MW-25 was collected and labeled Dup-2. Procedures utilized for collecting the duplicate sample were identical to the sampling protocol detailed in Section 2.4 and collected at the same time as the MW-12 and MW-25 samples. The duplicate samples were collected to verify the consistency and precision of the sampling and testing procedures.

3.2.4 Shallow Clay Horizon Groundwater Quality

During this sampling event the shallow clay horizon wells were analyzed for the indicator parameters of arsenic, cyanide, fluoride, and pH. During this event the shallow clay horizon wells were sampled for the Appendix IX parameters to satisfy Condition L of Module X.

A comparison of the historical data range and current leachate data to shallow well analytical results is presented in TABLE 4 as required by Condition L of Module X. As indicated in TABLE 4, leachate does not appear to influence shallow groundwater based on the concentrations of arsenic, cyanide, fluoride, and pH.

TABLE 4

LEACHATE COMPARISON

SAMPLE	DATE	Arsenic (mg/l)	Cyanide (mg/l)	Fluoride (mg/l)	pH (S.U.)
MW-1A					
	3/19/2026	0.000678	<0.005	0.485	6.94
MW-4S					
	3/19/2026	0.000176	<0.005	0.603	6.98
MW-6S					
	3/19/2026	0.000366	<0.005	0.492 J	6.93
MW-8S					
	3/19/2026	0.000294	NA	NA	6.69
Cell 1 Leachate					
	3/18/2026	5.61	23.0	742	12.1
	Historical Range	0.243 – 18.7	1.15 – 87.0	324 – 2800	8.49 – 13.4
Cell 2 Leachate					
	3/18/2026	4.18	15.8	2310	11.3
	Historical Range	0.019 – 14.3	2.25 – 8812.8	884 - 6270	8.12 – 12.7
Cell 3,4,5,6,8 Leachate					
	3/18/2026	7.77	0.6	284	10.2
	Historical Range	0.062 – 14.7	0.139 – 81.8	85.4 - 8210	9.37 – 12.8

4.0 CONCLUSIONS

Based on the results of the First Quarter 2026 groundwater sampling and laboratory analysis, Terracon reached the following conclusions:

Groundwater Flow

- Based on the water levels measured in each of the wells, potentiometric maps for both flow zones were created for the First Quarter 2026 sampling event. The potentiometric surface contours depict an easterly groundwater flow direction. This flow relationship is consistent with the flow direction determined by water levels measured during previous sampling events.

Analytical Results

- EPA Primary Drinking Water Standard-Maximum Contaminant Levels (MCLs) were not exceeded in any of the monitoring well samples collected during the First Quarter 2026 sampling event.
- The pH value for well MW-2, MW-16, and MW-24 were below the Secondary Drinking Water Standard range for pH.
- It should be noted that arsenic at MW-27 was above the Module X limits during the First Quarter 2026 event but were below the MCL levels for that parameter.
- Constituents covered by these regulations are those which may adversely affect the aesthetic qualities of drinking water such as taste, odor, color, and appearance and are not federally enforced.
- It should be noted that this is the seventeenth quarterly event for the Appendix IX parameters to

First Quarter 2026 Groundwater Monitoring Report

EES - Gum Springs Plant ■ Arkadelphia, Arkansas

March 2026 ■ Terracon Project No. KT267079




help determine background values in accordance with Regulation No. 23 §264.

- *It should be noted that the "S" wells have historically had poor recharge, and limited water was available for sampling Table 1 constituents. Constituents that were not collected during the First Quarter 2026 event will be attempted in the Second Quarter 2026 event and subsequent events until all Table 1 constituents are collected for eight background events per ADEQ instructions.*


Future Events

- *The next quarterly groundwater sampling event is tentatively scheduled for June 2026.*

Figures



SCALE 1:24 000



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

ARKADELPHIA, ARK.
QUADRANGLE
1959 - PHOTO REVISED 1976
7.5 MINUTE SERIES (TOPOGRAPHIC)




Project Mngr:	PTG
Drawn By:	PTG
Checked By:	PTG
Approved By:	DGJ
Project No.	052-002-35987017B
Scale:	AS SHOWN
File No.	032
Date:	4/13/2020

Terracon
Consulting Engineers and Scientists
25809 I-30 SOUTH BRYANT, AR 72022
PH. (501) 847-9292 FAX. (501) 847-9210

SITE LOCATION MAP
ELEMENTAL ENVIRONMENTAL SOLUTIONS GUM SPRINGS PLANT
GUM SPRINGS ARKANSAS

FIG. No.
1



REV.	DATE	BY	DESCRIPTION



Terracon
Consulting Engineers and Scientists

25809 I-30 SOUTH
PH. (501) 847-9292

BRYANT, AR 72022
FAX. (501) 847-9210

POTENTIOMETRIC SURFACE MAP

NACATOCH SAND / ALLUVIAL AQUIFER - 1st QUARTER 2026


ELEMENTAL ENVIRONMENTAL SOLUTIONS

GUM SPRINGS PLANT

GUM SPRINGS

ARKANSAS

FIGURE 2	
DESIGNED BY:	PTG
DRAWN BY:	PTG
APPVD. BY:	DGJ
SCALE:	AS SHOWN
DATE:	5/7/2026
JOB NO.	052-002-KT267079
ACAD NO.	101
SHEET NO.:	OF



REV.	DATE	BY	DESCRIPTION



Terracon
Consulting Engineers and Scientists

25809 I-30 SOUTH
PH. (501) 847-9292

BRYANT, AR 72022
FAX. (501) 847-9210

POTENTIOMETRIC SURFACE MAP
SHALLOW CLAY HORIZON - 1st QUARTER 2026
ELEMENTAL ENVIRONMENTAL SOLUTIONS
GUM SPRINGS PLANT

GUM SPRINGS
ARKANSAS

FIGURE 3	
DESIGNED BY:	PTG
DRAWN BY:	PTG
APPVD. BY:	DGJ
SCALE:	AS SHOWN
DATE:	5/7/2026
JOB NO.	KT267079
ACAD NO.	102
SHEET NO.:	OF

Appendix A

Groundwater Sampling Records

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/18/2026
SAMPLING LOCATION:	MW-1A	WEATHER:	Cloudy 42°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No

CASING CONDITION: ☒ Ok ☐ Needs Attention

WELL NUMBER LABELED? ☒ Yes ☐ No

WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention

GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Good

WATER DEPTH (feet): <u>31.59</u>	TOTAL DEPTH OF WELL (feet): <u>52.48</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>3.41</u>	

INITIAL APPEARANCE: <u>Clear</u>	INITIAL ODOR: <u>No</u>
PURGING DATE: <u>3/18/2026</u>	PURGING METHOD: <u>Bailer</u>
TIME START PURGING: <u>0857</u>	TIME END PURGING: <u>0937</u>
VOLUME PURGED (gallons): <u>7.0</u>	WELL PURGED DRY? ☒ Yes ☐ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>No</u>
SAMPLE DATE: <u>3/19/2026</u>	SAMPLE METHOD: <u>Bailer</u>
TIME START SAMPLING: <u>0900</u>	TIME END SAMPLING: <u>0915</u>

[illegible]**Comments:**

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/17/2026
SAMPLING LOCATION:	MW-2	WEATHER:	Clear 36°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No
 CASING CONDITION: ☒ Ok ☐ Needs Attention
 WELL NUMBER LABELED? ☒ Yes ☐ No
 WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention
 GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Good

WATER DEPTH (feet): <u>83.23</u>	TOTAL DEPTH OF WELL (feet): <u>111.74</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>4.65</u>	

INITIAL APPEARANCE: <u>Turbid</u>	INITIAL ODOR: <u>No</u>
PURGING DATE: <u>3/17/2026</u>	PURGING METHOD: <u>Whale Pump</u>
TIME START PURGING: <u>1005</u>	TIME END PURGING: <u>1030</u>
VOLUME PURGED (gallons): <u>15.0</u>	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>No</u>
SAMPLE DATE: <u>3/17/2026</u>	SAMPLE METHOD: <u>Whale Pump</u>
TIME START SAMPLING: <u>1030</u>	TIME END SAMPLING: <u>1040</u>

[illegible]

Terracon Consultants, Inc.

Comments:

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/18/2026
SAMPLING LOCATION:	MW-4	WEATHER:	Clear 50°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No
 CASING CONDITION: ☒ Ok ☐ Needs Attention
 WELL NUMBER LABELED? ☒ Yes ☐ No
 WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention
 GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Good

WATER DEPTH (feet): <u>8.06</u>	TOTAL DEPTH OF WELL (feet): <u>37.83</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>4.86</u>	

INITIAL APPEARANCE: <u>Clear</u>	INITIAL ODOR: <u>No</u>
PURGING DATE: <u>3/18/2026</u>	PURGING METHOD: <u>Peristaltic</u>
TIME START PURGING: <u>1112</u>	TIME END PURGING: <u>1127</u>
VOLUME PURGED (gallons): <u>1.50</u>	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>No</u>
SAMPLE DATE: <u>3/18/2026</u>	SAMPLE METHOD: <u>Peristaltic</u>
TIME START SAMPLING: <u>1127</u>	TIME END SAMPLING: <u>1138</u>

[illegible]

Terracon Consultants, Inc.

Comments:

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/18/2026
SAMPLING LOCATION:	MW-4S	WEATHER:	Clear 57°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☐ Yes ☒ No

CASING CONDITION: ☐ Ok ☒ Needs Attention

WELL NUMBER LABELED? ☒ Yes ☐ No

WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention

GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Manway Hinge Broken

WATER DEPTH (feet): <u>14.28</u>	TOTAL DEPTH OF WELL (feet): <u>17.18</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>0.47</u>	

INITIAL APPEARANCE: <u>Clear</u>	INITIAL ODOR: <u>None</u>
PURGING DATE: <u>3/18/2026</u>	PURGING METHOD: <u>Peristaltic</u>
TIME START PURGING: <u>1150</u>	TIME END PURGING: <u>1200</u>
VOLUME PURGED (gallons): <u>0.50</u>	WELL PURGED DRY? ☒ Yes ☐ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>None</u>
SAMPLE DATE: <u>3/19/2026</u>	SAMPLE METHOD: <u>Peristaltic</u>
TIME START SAMPLING: <u>1200</u>	TIME END SAMPLING: <u>1205</u>

[illegible]

Terracon Consultants, Inc.

Comments:

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/18/2026
SAMPLING LOCATION:	MW-6	WEATHER:	Clear 40°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No

CASING CONDITION: ☒ Ok ☐ Needs Attention

WELL NUMBER LABELED? ☒ Yes ☐ No

WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention

GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Good

WATER DEPTH (feet): <u>8.91</u>	TOTAL DEPTH OF WELL (feet): <u>30.35</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>3.50</u>	

INITIAL APPEARANCE: <u>Clear</u>	INITIAL ODOR: <u>No</u>
PURGING DATE: <u>3/18/2026</u>	PURGING METHOD: <u>Peristaltic</u>
TIME START PURGING: <u>1055</u>	TIME END PURGING: <u>1115</u>
VOLUME PURGED (gallons): <u>1.5</u>	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>No</u>
SAMPLE DATE: <u>3/18/2026</u>	SAMPLE METHOD: <u>Peristaltic</u>
TIME START SAMPLING: <u>1115</u>	TIME END SAMPLING: <u>1140</u>

[illegible]

Comments:	FB @ 1140 - Equipment Blank @ 1126

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/18/2026
SAMPLING LOCATION:	MW-6S	WEATHER:	Clear 41°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No WELL NUMBER LABELED? ☒ Yes ☐ No
CASING CONDITION: ☒ Ok ☒ Needs Attention WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention
GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Hinge is broken

WATER DEPTH (feet): 7.18 TOTAL DEPTH OF WELL (feet): 14.70
 VOLUME OF WATER $V = r^2 h / (0.163 \text{ for } 2", 0.653 \text{ for } 4")$ (gallons): 1.23

INITIAL APPEARANCE: Clear	INITIAL ODOR: None
PURGING DATE: 3/18/2026	PURGING METHOD: Peristaltic
TIME START PURGING: 1207	TIME END PURGING: 1235
VOLUME PURGED (gallons): 1.25	WELL PURGED DRY? ☒ Yes ☐ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>None</u>
SAMPLE DATE: <u>6/11/2023/19/265</u>	SAMPLE METHOD: <u>Peristaltic</u>
TIME START SAMPLING: <u>1240</u>	TIME END SAMPLING: <u>1245</u>

[illegible]

Comments:	Volatiles-HNO3-Herbicides-Cyanide-Sulfide-Fluoride

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/18/2026
SAMPLING LOCATION:	MW-8	WEATHER:	Cloudy 42°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No

CASING CONDITION: ☒ Ok ☐ Needs Attention

WELL NUMBER LABELED? ☒ Yes ☐ No

WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention

GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Well was inaccessible

WATER DEPTH (feet): <u>11.47</u>	TOTAL DEPTH OF WELL (feet): <u>33.11</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>3.53</u>	

INITIAL APPEARANCE: <u>Clear</u>	INITIAL ODOR: <u>None</u>
PURGING DATE: <u>3/18/2026</u>	PURGING METHOD: <u>Peristaltic</u>
TIME START PURGING: <u>0900</u>	TIME END PURGING: <u>0925</u>
VOLUME PURGED (gallons): <u>1.25</u>	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>None</u>
SAMPLE DATE: <u>3/18/2026</u>	SAMPLE METHOD: <u>Peristaltic</u>
TIME START SAMPLING: <u>0925</u>	TIME END SAMPLING: <u>0935</u>

[illegible]

Terracon Consultants, Inc.

Comments:

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/18/2026
SAMPLING LOCATION:	MW-8S	WEATHER:	Cloudy 43°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☐ Yes ☒ No

CASING CONDITION: ☐ Ok ☒ Needs Attention

WELL NUMBER LABELED? ☒ Yes ☐ No

WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention

GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Hinge broken/Well needs to be raised

WATER DEPTH (feet): <u>8.70</u>	TOTAL DEPTH OF WELL (feet): <u>15.40</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>1.09</u>	

INITIAL APPEARANCE: <u>Clear</u>	INITIAL ODOR: <u>None</u>
PURGING DATE: <u>3/18/2026</u>	PURGING METHOD: <u>Peristaltic</u>
TIME START PURGING: <u>1015</u>	TIME END PURGING: <u>1035</u>
VOLUME PURGED (gallons): <u>1.00</u>	WELL PURGED DRY? ☒ Yes ☐ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>None</u>
SAMPLE DATE: <u>3/19/2026</u>	SAMPLE METHOD: <u>Peristaltic</u>
TIME START SAMPLING: <u>1020</u>	TIME END SAMPLING: <u>1025</u>

[illegible]

Terracon Consultants, Inc.

Volatiles-HNO3

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/17/2026
SAMPLING LOCATION:	MW-12	WEATHER:	Clear 31°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No
 CASING CONDITION: ☒ Ok ☐ Needs Attention
 WELL NUMBER LABELED? ☒ Yes ☐ No
 WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention
 GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Good

WATER DEPTH (feet): <u>81.50</u>	TOTAL DEPTH OF WELL (feet): <u>109.50</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>4.57</u>	

INITIAL APPEARANCE: <u>Clear</u>	INITIAL ODOR: <u>No</u>
PURGING DATE: <u>3/17/2026</u>	PURGING METHOD: <u>Whale Pump</u>
TIME START PURGING: <u>0917</u>	TIME END PURGING: <u>0942</u>
VOLUME PURGED (gallons): <u>13.5</u>	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>No</u>
SAMPLE DATE: <u>3/17/2026</u>	SAMPLE METHOD: <u>Whale Pump</u>
TIME START SAMPLING: <u>0942</u>	TIME END SAMPLING: <u>0952</u>

[illegible]

Terracon Consultants, Inc.

Dup-1 @ 0955

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/17/2026
SAMPLING LOCATION:	MW-16	WEATHER:	Clear 25°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No
 CASING CONDITION: ☒ Ok ☐ Needs Attention
 WELL NUMBER LABELED? ☒ Yes ☐ No
 WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention
 GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Good

WATER DEPTH (feet): <u>80.75</u>	TOTAL DEPTH OF WELL (feet): <u>112.34</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>5.15</u>	

INITIAL APPEARANCE: Turbid	INITIAL ODOR: No
PURGING DATE: 3/17/2026	PURGING METHOD: Whale Pump
TIME START PURGING: 0833	TIME END PURGING: 0850
VOLUME PURGED (gallons): 15.0	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>No</u>
SAMPLE DATE: <u>3/17/2026</u>	SAMPLE METHOD: <u>Whale Pump</u>
TIME START SAMPLING: <u>0850</u>	TIME END SAMPLING: <u>0855</u>

[illegible]

Terracon Consultants, Inc.

M/S-M/SD @ 0855

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/18/2026
SAMPLING LOCATION:	MW-18	WEATHER:	Clear 48°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No WELL NUMBER LABELED? ☒ Yes ☐ No
CASING CONDITION: ☒ Ok ☐ Needs Attention WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention
GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Good

WATER DEPTH (feet): 8.61 TOTAL DEPTH OF WELL (feet): 39.88
VOLUME OF WATER $V = r^2 h (0.163 \text{ for } 2", 0.653 \text{ for } 4")$ (gallons): 5.10

INITIAL APPEARANCE: Clear	INITIAL ODOR: No
PURGING DATE: 3/18/2026	PURGING METHOD: Peristaltic
TIME START PURGING: 1020	TIME END PURGING: 1035
VOLUME PURGED (gallons): 1.5	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: Clear	SAMPLE ODOR: No
SAMPLE DATE: 3/18/2026	SAMPLE METHOD: Peristaltic
TIME START SAMPLING: 1035	TIME END SAMPLING: 1050

[illegible]

FIELD SAMPLE PRESERVATION:	Ice	CONTAINER HANDLING:	Terracon Consultants, Inc.

Comments:	

Terracon

PROJECT NUMBER: KT267079 DATE: _____
SAMPLING LOCATION: MW-18S WEATHER: _____
DATUM FOR WATER DEPTH MEASUREMENT: _____ WELL DIAMETER (in): 2

WELL LOCKED? ☐ Yes ☐ No WELL NUMBER LABELED? ☒ Yes ☐ No
CASING CONDITION: ☐ Ok ☐ Needs Attention WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention
GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Damaged, not sampled

WATER DEPTH (feet):	_____	TOTAL DEPTH OF WELL (feet):	_____
VOLUME OF WATER $V = r^2 h (0.163 \text{ for } 2", 0.653 \text{ for } 4")$ (gallons):		0.00	

INITIAL APPEARANCE: _____ INITIAL ODOR: _____
 PURGING DATE: _____ PURGING METHOD: _____
 TIME START PURGING: _____ TIME END PURGING: _____
 VOLUME PURGED (gallons): _____ WELL PURGED DRY? ☐ Yes ☐ No

SAMPLE APPEARANCE	Clear	SAMPLE ODOR:	None
SAMPLE DATE:	6/11/2025	SAMPLE METHOD:	Peristaltic
TIME START SAMPLING:	0910	TIME END SAMPLING:	0915

[illegible]

Terracon Consultants, Inc.

Comments:	Damaged, not sampled

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/19/2026
SAMPLING LOCATION:	MW-24	WEATHER:	Clear 63°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No

CASING CONDITION: ☒ Ok ☐ Needs Attention

WELL NUMBER LABELED? ☒ Yes ☐ No

WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention

GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Good

WATER DEPTH (feet): <u>1.73</u>	TOTAL DEPTH OF WELL (feet): <u>34.74</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>5.38</u>	

INITIAL APPEARANCE: <u>Clear</u>	INITIAL ODOR: <u>Yes</u>
PURGING DATE: <u>3/19/2026</u>	PURGING METHOD: <u>Peristaltic</u>
TIME START PURGING: <u>1045</u>	TIME END PURGING: <u>1100</u>
VOLUME PURGED (gallons): <u>1.50</u>	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>Yes</u>
SAMPLE DATE: <u>3/19/2026</u>	SAMPLE METHOD: <u>Peristaltic</u>
TIME START SAMPLING: <u>1100</u>	TIME END SAMPLING: <u>1110</u>

[illegible]

Terracon Consultants, Inc.

Comments:

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/19/2026
SAMPLING LOCATION:	MW-25	WEATHER:	Clear 75°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No
CASING CONDITION: ☒ Ok ☐ Needs Attention
GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Good

WATER DEPTH (feet): <u>1.41</u>	TOTAL DEPTH OF WELL (feet): <u>31.45</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>4.90</u>	

INITIAL APPEARANCE: <u>Turbid</u>	INITIAL ODOR: <u>No</u>
PURGING DATE: <u>3/19/2026</u>	PURGING METHOD: <u>Peristaltic</u>
TIME START PURGING: <u>1256</u>	TIME END PURGING: <u>1311</u>
VOLUME PURGED (gallons): <u>1.5</u>	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>No</u>
SAMPLE DATE: <u>3/19/2026</u>	SAMPLE METHOD: <u>Peristaltic</u>
TIME START SAMPLING: <u>1311</u>	TIME END SAMPLING: <u>1321</u>

[illegible]

Terracon Consultants, Inc.

Comments:	Dup-2 @ 1325

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/19/2026
SAMPLING LOCATION:	MW-26	WEATHER:	Clear 67°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No
 CASING CONDITION: ☒ Ok ☐ Needs Attention
 WELL NUMBER LABELED? ☒ Yes ☐ No
 WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention
 GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Good

WATER DEPTH (feet): <u>1.28</u>	TOTAL DEPTH OF WELL (feet): <u>26.49</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>4.11</u>	

INITIAL APPEARANCE: <u>Turbid</u>	INITIAL ODOR: <u>No</u>
PURGING DATE: <u>3/19/2026</u>	PURGING METHOD: <u>Peristaltic</u>
TIME START PURGING: <u>1121</u>	TIME END PURGING: <u>1217</u>
VOLUME PURGED (gallons): <u>1.0</u>	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>No</u>
SAMPLE DATE: <u>3/19/2026</u>	SAMPLE METHOD: <u>Peristaltic</u>
TIME START SAMPLING: <u>1141</u>	TIME END SAMPLING: <u>1217</u>

[illegible]

Terracon Consultants, Inc.

Comments:	M/S-M/SD @ 1228

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/19/2026
SAMPLING LOCATION:	MW-27	WEATHER:	Cloudy 55°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No CASING CONDITION: ☒ Ok ☐ Needs Attention GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: _____	WELL NUMBER LABELED? ☒ Yes ☐ No WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention

WATER DEPTH (feet): <u>1.35</u>	TOTAL DEPTH OF WELL (feet): <u>34.74</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>5.45</u>	

INITIAL APPEARANCE: <u>Cloudy</u>	INITIAL ODOR: <u>No</u>
PURGING DATE: <u>3/19/2026</u>	PURGING METHOD: <u>Peristaltic</u>
TIME START PURGING: <u>0920</u>	TIME END PURGING: <u>1015</u>
VOLUME PURGED (gallons): <u>1.50</u>	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: Cloudy	SAMPLE ODOR: No
SAMPLE DATE: 3/19/2026	SAMPLE METHOD: Peristaltic
TIME START SAMPLING: 0945	TIME END SAMPLING: 1000

[illegible]

Terracon Consultants, Inc.

Comments:

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/19/2026
SAMPLING LOCATION:	MW-28	WEATHER:	Clear 72°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No
 CASING CONDITION: ☒ Ok ☐ Needs Attention
 WELL NUMBER LABELED? ☒ Yes ☐ No
 WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention
 GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Needs purge drum

WATER DEPTH (feet): <u>0.75</u>	TOTAL DEPTH OF WELL (feet): <u>48.30</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>7.76</u>	

INITIAL APPEARANCE: <u>Turbid</u>	INITIAL ODOR: <u>No</u>
PURGING DATE: <u>3/19/2026</u>	PURGING METHOD: <u>Peristaltic</u>
TIME START PURGING: <u>1230</u>	TIME END PURGING: <u>1315</u>
VOLUME PURGED (gallons): <u>1.0</u>	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: <u>Turbid</u>	SAMPLE ODOR: <u>No</u>
SAMPLE DATE: <u>3/19/2026</u>	SAMPLE METHOD: <u>Peristaltic</u>
TIME START SAMPLING: <u>1250</u>	TIME END SAMPLING: <u>1315</u>

[illegible]

Terracon Consultants, Inc.

Comments:

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/18/2026
SAMPLING LOCATION:	MW-29	WEATHER:	Clear 62°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No

CASING CONDITION: ☒ Ok ☐ Needs Attention

WELL NUMBER LABELED? ☒ Yes ☐ No

WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention

GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Good

WATER DEPTH (feet): <u>6.18</u>	TOTAL DEPTH OF WELL (feet): <u>65.25</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>9.63</u>	

INITIAL APPEARANCE: <u>Clear</u>	INITIAL ODOR: <u>No</u>
PURGING DATE: <u>3/18/2026</u>	PURGING METHOD: <u>Peristaltic</u>
TIME START PURGING: <u>1216</u>	TIME END PURGING: <u>1231</u>
VOLUME PURGED (gallons): <u>1.5</u>	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>No</u>
SAMPLE DATE: <u>3/18/2026</u>	SAMPLE METHOD: <u>Peristaltic</u>
TIME START SAMPLING: <u>1231</u>	TIME END SAMPLING: <u>1245</u>

[illegible]

Terracon Consultants, Inc.

Comments:

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/17/2026
SAMPLING LOCATION:	MW-30	WEATHER:	Clear 50°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No
CASING CONDITION: ☒ Ok ☐ Needs Attention
WELL NUMBER LABELED? ☒ Yes ☐ No
WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention
GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Good

WATER DEPTH (feet): <u>6.14</u>	TOTAL DEPTH OF WELL (feet): <u>55.03</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>7.97</u>	

INITIAL APPEARANCE: <u>Clear</u>	INITIAL ODOR: <u>No</u>
PURGING DATE: <u>3/17/2026</u>	PURGING METHOD: <u>Whale Pump</u>
TIME START PURGING: <u>1109</u>	TIME END PURGING: <u>1145</u>
VOLUME PURGED (gallons): <u>24.0</u>	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>No</u>
SAMPLE DATE: <u>3/17/2026</u>	SAMPLE METHOD: <u>Whale Pump</u>
TIME START SAMPLING: <u>1145</u>	TIME END SAMPLING: <u>1155</u>

[illegible]

Comments:	30PZ2 WL @ 3.54

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/17/2026
SAMPLING LOCATION:	MW-31	WEATHER:	Clear 42°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No	WELL NUMBER LABELED? ☒ Yes ☐ No
CASING CONDITION: ☒ Ok ☐ Needs Attention	WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention
GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: <u>Needs purge drum</u>	

WATER DEPTH (feet): <u>10.45</u>	TOTAL DEPTH OF WELL (feet): <u>38.20</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>4.53</u>	

INITIAL APPEARANCE: <u>Clear</u>	INITIAL ODOR: <u>No</u>
PURGING DATE: <u>3/17/2026</u>	PURGING METHOD: <u>Whale Pump</u>
TIME START PURGING: <u>1154</u>	TIME END PURGING: <u>1218</u>
VOLUME PURGED (gallons): <u>13.5</u>	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>No</u>
SAMPLE DATE: <u>3/17/2026</u>	SAMPLE METHOD: <u>Whale Pump</u>
TIME START SAMPLING: <u>1218</u>	TIME END SAMPLING: <u>1220</u>

[illegible]

Terracon Consultants, Inc.

Comments:

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/19/2026
SAMPLING LOCATION:	MW-24-PZ2	WEATHER:	Clear 63°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No CASING CONDITION: ☒ Ok ☐ Needs Attention GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: _____	WELL NUMBER LABELED? ☒ Yes ☐ No WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention

WATER DEPTH (feet): <u>1.64</u>	TOTAL DEPTH OF WELL (feet): <u>50.25</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>7.93</u>	

INITIAL APPEARANCE: <u>Clear</u>	INITIAL ODOR: <u>None</u>
PURGING DATE: <u>3/19/2026</u>	PURGING METHOD: <u>Whale Pump</u>
TIME START PURGING: <u>1144</u>	TIME END PURGING: <u>1159</u>
VOLUME PURGED (gallons): <u>24.0</u>	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>None</u>
SAMPLE DATE: <u>3/19/2026</u>	SAMPLE METHOD: <u>Whale Pump</u>
TIME START SAMPLING: <u>1159</u>	TIME END SAMPLING: <u>1210</u>

[illegible]

Terracon Consultants, Inc.

Comments:

GROUNDWATER MONITORING SAMPLING RECORDS



OVERVIEW

PROJECT NUMBER: KT267079 DATE: 3/19/2026
SAMPLING LOCATION: MW-25-PZ2 WEATHER: Clear 71°F
DATUM FOR WATER DEPTH MEASUREMENT: T.O.C. WELL DIAMETER (in): 2

WELL PHYSICAL CONDITION

WELL LOCKED? ☒ Yes ☐ No WELL NUMBER LABELED? ☒ Yes ☐ No
CASING CONDITION: ☒ Ok ☐ Needs Attention WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention
GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: _____

WATER CALCULATIONS

WATER DEPTH (feet): 2.12 TOTAL DEPTH OF WELL (feet): 14.02
VOLUME OF WATER $V = r^2 h(0.163 \text{ for } 2", 0.653 \text{ for } 4")$ (gallons): 1.94

WELL PURGING

INITIAL APPEARANCE: Turbid INITIAL ODOR: None
PURGING DATE: 3/19/2026 PURGING METHOD: Peristaltic
TIME START PURGING: 1224 TIME END PURGING: 1244
VOLUME PURGED (gallons): 2.0 WELL PURGED DRY? ☒ Yes ☐ No

WELL SAMPLING

SAMPLE APPEARANCE: Clear SAMPLE ODOR: None
SAMPLE DATE: 3/20/2026 SAMPLE METHOD: Peristaltic
TIME START SAMPLING: 0850 TIME END SAMPLING: 0910

FIELD MEASUREMENTS

TIME	VOLUME [Gallons]	DEPTH TO WATER	TEMP [°C]	pH [SU]	CONDUCTIVITY [µS/cm]	TURBIDITY [NTU]
1229	0.5	NA	18.1	7.39	429	1.32
1234	1.0	NA	18.3	7.28	435	1.52
1239	1.5	NA	18.5	7.29	437	1.53
1244	2.0	NA	18.5	7.25	439	1.49
	Dry @ 2.0					
	3/20/2026					
0850	NA	6.81	15.1	7.56	462	3.13

FIELD SAMPLE PRESERVATION: Ice CONTAINER HANDLING: Terracon Consultants, Inc.

Comments: _____

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/19/2026
SAMPLING LOCATION:	MW-26-PZ2	WEATHER:	Clear 63 °F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No CASING CONDITION: ☒ Ok ☐ Needs Attention GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: _____	WELL NUMBER LABELED? ☒ Yes ☐ No WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention

WATER DEPTH (feet): <u>4.05</u>	TOTAL DEPTH OF WELL (feet): <u>13.80</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>1.59</u>	

INITIAL APPEARANCE: <u>Clear</u>	INITIAL ODOR: <u>None</u>
PURGING DATE: <u>3/19/2026</u>	PURGING METHOD: <u>Peristaltic</u>
TIME START PURGING: <u>1030</u>	TIME END PURGING: <u>1053</u>
VOLUME PURGED (gallons): <u>1.0</u>	WELL PURGED DRY? ☒ Yes ☐ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>None</u>
SAMPLE DATE: <u>3/20/2026</u>	SAMPLE METHOD: <u>Peristaltic</u>
TIME START SAMPLING: <u>0820</u>	TIME END SAMPLING: <u>0838</u>

[illegible]

Terracon Consultants, Inc.

Comments:

GROUNDWATER MONITORING SAMPLING RECORDS



OVERVIEW

PROJECT NUMBER: KT267079 DATE: 3/19/2026
 SAMPLING LOCATION: MW-27-PZ2 WEATHER: Partly Cloudy 48°F
 DATUM FOR WATER DEPTH MEASUREMENT: T.O.C. WELL DIAMETER (in): 2

WELL PHYSICAL CONDITION

WELL LOCKED? ☒ Yes ☐ No WELL NUMBER LABELED? ☒ Yes ☐ No
 CASING CONDITION: ☒ Ok ☐ Needs Attention WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention
 GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: _____

WATER CALCULATIONS

WATER DEPTH (feet): 2.53 TOTAL DEPTH OF WELL (feet): 14.00
 VOLUME OF WATER $V = r^2 h(0.163 \text{ for } 2", 0.653 \text{ for } 4")$ (gallons): 1.87

WELL PURGING

INITIAL APPEARANCE: Clear INITIAL ODOR: None
 PURGING DATE: 3/19/2026 PURGING METHOD: Peristaltic
 TIME START PURGING: 0820 TIME END PURGING: 0838
 VOLUME PURGED (gallons): 1.0 WELL PURGED DRY? ☒ Yes ☐ No

WELL SAMPLING

SAMPLE APPEARANCE: Clear SAMPLE ODOR: None
 SAMPLE DATE: 3/20/2026 SAMPLE METHOD: Peristaltic
 TIME START SAMPLING: 0755 TIME END SAMPLING: 0807

FIELD MEASUREMENTS

TIME	VOLUME [Gallons]	DEPTH TO WATER	TEMP [°C]	pH [SU]	CONDUCTIVITY [µS/cm]	TURBIDITY [NTU]
0825	0.25	NA	10.6	8.75	1434	5.50
0830	0.50	NA	10.5	9.54	1435	5.45
0835	0.75	NA	12.0	10.14	1437	6.25
0840	1.00	NA	NA	NA	NA	NA
	Dry @ 1.0					
	3/20/2026					
0755	NA	3.58	14.5	7.59	1382	0.50

FIELD SAMPLE PRESERVATION: Ice CONTAINER HANDLING: Terracon Consultants, Inc.

Comments: _____

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/17/2026
SAMPLING LOCATION:	MW-PZ-31-2	WEATHER:	Clear 48°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	2

WELL LOCKED? ☒ Yes ☐ No CASING CONDITION: ☒ Ok ☐ Needs Attention GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: _____	WELL NUMBER LABELED? ☒ Yes ☐ No WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention

WATER DEPTH (feet): <u>3.84</u>	TOTAL DEPTH OF WELL (feet): <u>20.95</u>
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons): <u>2.79</u>	

INITIAL APPEARANCE: <u>Clear</u>	INITIAL ODOR: <u>Yes</u>
PURGING DATE: <u>3/17/2026</u>	PURGING METHOD: <u>Peristaltic</u>
TIME START PURGING: <u>1228</u>	TIME END PURGING: <u>1253</u>
VOLUME PURGED (gallons): <u>1.5</u>	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: <u>Clear</u>	SAMPLE ODOR: <u>No</u>
SAMPLE DATE: <u>3/17/2026</u>	SAMPLE METHOD: <u>Peristaltic</u>
TIME START SAMPLING: <u>1253</u>	TIME END SAMPLING: <u>1302</u>

[illegible]

Terracon Consultants, Inc.

Comments:

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/18/2026
SAMPLING LOCATION:	Leachate - 1	WEATHER:	°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	N/A

WELL LOCKED? ☒ Yes ☐ No

CASING CONDITION: ☒ Ok ☐ Needs Attention

WELL NUMBER LABELED? ☒ Yes ☐ No

WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention

GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Good

WATER DEPTH (feet): NA TOTAL DEPTH OF WELL (feet): NA
 VOLUME OF WATER $V = r^2 h(0.163 \text{ for } 2", 0.653 \text{ for } 4")$ (gallons): NA

INITIAL APPEARANCE: NA	INITIAL ODOR: NA
PURGING DATE: NA	PURGING METHOD: NA
TIME START PURGING: NA	TIME END PURGING: NA
VOLUME PURGED (gallons): NA	WELL PURGED DRY? ☐ Yes ☒ No

SAMPLE APPEARANCE: _____	SAMPLE ODOR: _____
SAMPLE DATE: <u>3/18/2026</u>	SAMPLE METHOD: <u>Grab</u>
TIME START SAMPLING: <u>1310</u>	TIME END SAMPLING: _____

[illegible]

Terracon Consultants, Inc.

Comments:

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/18/2026
SAMPLING LOCATION:	Leachate 2	WEATHER:	°F
DATUM FOR WATER DEPTH MEASUREMENT:	T.O.C.	WELL DIAMETER (in):	N/A

WELL LOCKED? ☒ Yes ☐ No

CASING CONDITION: ☒ Ok ☐ Needs Attention

WELL NUMBER LABELED? ☒ Yes ☐ No

WELL PAINT CONDITION: ☒ Ok ☐ Needs Attention

GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: Good

WATER DEPTH (feet):	NA	TOTAL DEPTH OF WELL (feet):	NA
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons):		NA	

INITIAL APPEARANCE: <u>NA</u>	INITIAL ODOR: <u>NA</u>
PURGING DATE: <u>NA</u>	PURGING METHOD: <u>NA</u>
TIME START PURGING: <u>NA</u>	TIME END PURGING: <u>NA</u>
VOLUME PURGED (gallons): <u>NA</u>	WELL PURGED DRY? ☐ Yes ☐ No

SAMPLE APPEARANCE: _____	SAMPLE ODOR: _____
SAMPLE DATE: <u>3/18/2026</u>	SAMPLE METHOD: <u>Grab</u>
TIME START SAMPLING: <u>1315</u>	TIME END SAMPLING: _____

[illegible]

Terracon Consultants, Inc.

Comments:

Terracon

PROJECT NUMBER:	KT267079	DATE:	3/18/2026
SAMPLING LOCATION:	Leachate Cell 3-8	WEATHER:	°F
DATUM FOR WATER DEPTH MEASUREMENT:	NA	WELL DIAMETER (in):	N/A

WELL LOCKED? ☐ Yes ☐ No
CASING CONDITION: ☐ Ok ☐ Needs Attention
WELL NUMBER LABELED? ☐ Yes ☐ No
WELL PAINT CONDITION: ☐ Ok ☐ Needs Attention
GENERAL WELL INTERIOR/EXTERIOR CONDITIONS: NA

WATER DEPTH (feet):	NA	TOTAL DEPTH OF WELL (feet):	NA
VOLUME OF WATER $V = r^2 h$ (0.163 for 2", 0.653 for 4") (gallons):		NA	

INITIAL APPEARANCE: <u>NA</u>	INITIAL ODOR: <u>NA</u>
PURGING DATE: <u>NA</u>	PURGING METHOD: <u>NA</u>
TIME START PURGING: <u>NA</u>	TIME END PURGING: <u>NA</u>
VOLUME PURGED (gallons): <u>NA</u>	WELL PURGED DRY? ☐ Yes ☐ No

SAMPLE APPEARANCE: _____	SAMPLE ODOR: _____
SAMPLE DATE: <u>3/18/2026</u>	SAMPLE METHOD: <u>Grab</u>
TIME START SAMPLING: <u>1340</u>	TIME END SAMPLING: _____

[illegible]

Terracon Consultants, Inc.

Comments:

Appendix B

Laboratory Analytical Results



8100 National Dr. - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

23 April 2026

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

SDG Number: 2603416

Enclosed are the results of analyses for samples received by the laboratory on 17-Mar-26 14:44. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

Custody Seals	✓
Containers Correct	✓
COC/Labels Agree	✓
Received On Ice	✓
Temperature on Receipt	2.0°C

Sincerely,

A handwritten signature in blue ink that reads "Norma James".

Norma James
Technical Director

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

CASE NARRATIVE

Sample Delivery Group – 2603416

One OR more of the qualifiers described below may appear in this report. Qualifiers in RED apply to this SDG (Sample Delivery Group).

pH QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
E2	Result qualified as it was received and analyzed outside of holding time. Analysis is considered a "Field" analysis.

ANALYTICAL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
EDL	Result was non-detect at an elevated detection limit due to one or more of the following: Sample Matrix, Sample Dilution, or Limited Sample Volume.
EX	Result exceeds DAILY MAXIMUM and/or MONTHLY AVERAGE.
J	At client request, J-Values are reported. J-Values are considered "estimated" results as they are below the limit of quantitation yet above the method detection limit (MDL).

CALIBRATION QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
CR	Result above highest calibration standard, but within linear calibration range.
Est3	Result at the instrument was above the concentration of the highest standard in the calibration curve.
E2-A	Estimated Result Due to Absence of Second Source
E2-F	Second Source Verification Failure
E11	Initial Calibration Minimum Response Factor Failure
E21	CCV Low
E-01	CCV High
E35	Low Level CCV Failure

QUALITY CONTROL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
E20	Sample used as "parent" for the associated analytical batch.
%D3/S-01/MBI	Surrogate failed to recover within acceptance criteria (%D3/S-01/Masked by Interference).
E1	Results associated with this surrogate were qualified as "estimated" (E1).
B	Present in the Associated Blank
B1	Present in Blank, but Not In the Sample.
%D2 / E5/NREC	Laboratory Control Spike (LCS) and/or Laboratory Control Spike Duplicate (LCSD) failed to recover with acceptance criteria (%D2). Associated results were qualified as "estimated" (E5 and/or NREC (No Recovery)).
%D1	Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) failed acceptance criteria.
MBA	Failed criteria due to the high concentration of analyte in the parent sample.
MBI	Failed criteria due to an interference in the parent sample.
%D3	Quality Control Surrogate failed acceptance criteria.
NREC	Quality Control failed: No Recovery.
NS	Quality Control failed: Not Spiked.

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-01
Sample Name: MW-16
Date/Time Collected: 3/17/26 8:55
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.265	J	3/23/26 8:11	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/24/26 13:29	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/24/26 13:29	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/24/26 13:29	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/24/26 13:29	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	81.0		3/24/26 13:29	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/24/26 12:58	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/24/26 12:58	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/24/26 12:58	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/24/26 12:58	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/24/26 12:58	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/24/26 12:58	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/24/26 12:58	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/24/26 12:58	B603527	EPA 608/SW 8082A
TCMX [surr]	%	74.5		3/24/26 12:58	B603527	EPA 608/SW 8082A
DCBP [surr]	%	69.5		3/24/26 12:58	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	0.002	J	3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	53.5		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	110		3/26/26 16:51	B603413	SW 8081B, Rev 2, 2007

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-01				
Sample Name:		MW-16				
Date/Time Collected:		3/17/26 8:55				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-01				
Sample Name:		MW-16				
Date/Time Collected:		3/17/26 8:55				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/30/26 22:26	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-01					
Sample Name:		MW-16					
Date/Time Collected:		3/17/26 8:55					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Methapyrilene	ug/L	< 20.0	E2-F	3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Methyl parathion	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Methyl Methanesulfonate	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
m-Nitroaniline	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene	ug/L	< 5.00		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodiethylamine	ug/L	< 5.00		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodimethylamine	ug/L	< 5.00		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
n-Nitrosodiphenylamine	ug/L	< 20.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomethylethylamine	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomorpholine	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopiperidine	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopyrrolidine	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0	E-01	3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
o-Nitroaniline	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Parathion	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Pentachlorobenzene	ug/L	< 5.00		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Pentachloroethane	ug/L	< 50.0	E21	3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Pentachloronitrobenzene	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Pentachlorophenol	ug/L	< 5.00		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Phenacetin	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Phenanthrene	ug/L	< 5.00		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Phenol	ug/L	< 5.00		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Phorate	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
p-Phenylenediamine	ug/L	< 6900	E5	3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Pronamide	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Pyrene	ug/L	< 5.00		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Pyridine	ug/L	< 5.00		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Safrole	ug/L	< 10.0	E5	3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Sulfotep	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
sym-Trinitrobenzene	ug/L	< 10.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Tribromophenol [surr]	%	73.4		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
2-Fluorobiphenyl [surr]	%	60.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
2-Fluorophenol [surr]	%	45.1		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene-d5 [surr]	%	68.3		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Phenol-d5 [surr]	%	34.0		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
Terphenyl-d14 [surr]	%	95.5		3/30/26	22:26	B603404	SW 8270E, Rev. 6, 2018
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-01
Sample Name: MW-16
Date/Time Collected: 3/17/26 8:55
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.073	J	3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
Barium	ug/L	16.0		3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
Chromium	ug/L	0.425		3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.112	J	3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
Copper	ug/L	1.40		3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
Lead	ug/L	0.214	J	3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/20/26 11:43	B603439	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.110	J	3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/23/26 13:27	B603485	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	1.99	E21, J	3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E2-F	3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-01
Sample Name: MW-16
Date/Time Collected: 3/17/26 8:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromomethane	ug/L	< 2.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	0.428	J	3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00	E20	3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	100		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	91.4		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	97.3		3/19/26 17:39	B603422	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	0.002	J	3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.78	E2	3/20/26 9:01	B603476	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/18/26 11:35	B603388	SM 4500 S2-D-2021
Temp of pH	°C	11.7		3/20/26 9:01	B603476	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-02
Sample Name: MW-12
Date/Time Collected: 3/17/26 9:42
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.269	J	3/23/26 8:30	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/24/26 13:47	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/24/26 13:47	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/24/26 13:47	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/24/26 13:47	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	86.4		3/24/26 13:47	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/24/26 13:23	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/24/26 13:23	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/24/26 13:23	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/24/26 13:23	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/24/26 13:23	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/24/26 13:23	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/24/26 13:23	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/24/26 13:23	B603527	EPA 608/SW 8082A
TCMX [surr]	%	66.0		3/24/26 13:23	B603527	EPA 608/SW 8082A
DCBP [surr]	%	94.0		3/24/26 13:23	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	0.005	J	3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	52.7		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	112		3/26/26 17:09	B603413	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-02				
Sample Name:		MW-12				
Date/Time Collected:		3/17/26 9:42				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E20, E5	3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-02				
Sample Name:		MW-12				
Date/Time Collected:		3/17/26 9:42				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00	E20	3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E20, E5	3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-02					
Sample Name:		MW-12					
Date/Time Collected:		3/17/26 9:42					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Methapyrilene	ug/L	< 20.0	E2-F	3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Methyl parathion	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Methyl Methanesulfonate	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
m-Nitroaniline	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Nitrobenzene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosodiethylamine	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosodimethylamine	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
n-Nitrosodiphenylamine	ug/L	< 20.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosomethylethylamine	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosomorpholine	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosopiperidine	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosopyrrolidine	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0	E-01	3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
o-Nitroaniline	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
o-Toluidine	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Parathion	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Pentachlorobenzene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Pentachloroethane	ug/L	< 50.0	E21	3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Pentachloronitrobenzene	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Pentachlorophenol	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Phenacetin	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Phenanthrene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Phenol	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Phorate	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
p-Phenylenediamine	ug/L	< 6900	E20, E5	3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Pronamide	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Pyrene	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Pyridine	ug/L	< 5.00		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Safrole	ug/L	< 10.0	E20, E5	3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Sulfotep	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
sym-Trinitrobenzene	ug/L	< 10.0		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
2,4,6-Tribromophenol [surr]	%	79.1		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
2-Fluorobiphenyl [surr]	%	68.6		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
2-Fluorophenol [surr]	%	46.9		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Nitrobenzene-d5 [surr]	%	73.8		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Phenol-d5 [surr]	%	34.6		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
Terphenyl-d14 [surr]	%	101		3/30/26 22:49	B603404	SW 8270E, Rev. 6, 2018	
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-02
Sample Name: MW-12
Date/Time Collected: 3/17/26 9:42
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
Arsenic	ug/L	< 0.260		3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
Barium	ug/L	15.0		3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
Chromium	ug/L	0.295		3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.257	J	3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
Copper	ug/L	0.804		3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/20/26 11:46	B603439	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.060	J	3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/23/26 13:31	B603485	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	2.68	E21, J	3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E2-F	3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-02
Sample Name: MW-12
Date/Time Collected: 3/17/26 9:42
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromomethane	ug/L	< 2.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	89.1		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.7		3/19/26 18:02	B603422	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.94	E2	3/20/26 9:01	B603476	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/18/26 11:35	B603388	SM 4500 S2-D-2021
Temp of pH	°C	13.1		3/20/26 9:01	B603476	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-03
Sample Name: DUP
Date/Time Collected: 3/17/26 9:55
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.266	J	3/23/26 8:50	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/24/26 14:06	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/24/26 14:06	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/24/26 14:06	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/24/26 14:06	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	83.6		3/24/26 14:06	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/24/26 13:48	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/24/26 13:48	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/24/26 13:48	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/24/26 13:48	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/24/26 13:48	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/24/26 13:48	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/24/26 13:48	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/24/26 13:48	B603527	EPA 608/SW 8082A
TCMX [surr]	%	73.5		3/24/26 13:48	B603527	EPA 608/SW 8082A
DCBP [surr]	%	102		3/24/26 13:48	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	0.002	J	3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	41.0		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	102		3/26/26 17:27	B603413	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-03					
Sample Name:		DUP					
Date/Time Collected:		3/17/26 9:55					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
1,4-Naphthoquinone	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
1-Naphthylamine	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2,4,5-Trichlorophenol	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2,4,6-Trichlorophenol	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2,4-Dichlorophenol	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2,4-Dimethylphenol	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2,4-Dinitrophenol	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2,4-Dinitrotoluene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2-Chloronaphthalene	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2,6-Dichlorophenol	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2-Chlorophenol	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2,6-Dinitrotoluene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2-Acetylaminofluorene	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2-Methylnaphthalene	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2-Methylphenol	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2-Naphthylamine	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2-Nitrophenol	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2-Picoline	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
3 & 4-Methylphenol	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
3,3-Dichlorobenzidine	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
3-Methylcholanthrene	ug/L	< 5.00	E21	3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
4-Aminobiphenyl	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
4-Bromophenyl-phenylether	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
4-Chloro-3-methylphenol	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
4-Chloroaniline	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
5-Nitro-o-toluidine	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
4-Nitroaniline	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
4-Nitrophenol	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Acenaphthene	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Acenaphthylene	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Acetophenone	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-03				
Sample Name:		DUP				
Date/Time Collected:		3/17/26 9:55				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-03					
Sample Name:		DUP					
Date/Time Collected:		3/17/26 9:55					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Methapyrilene	ug/L	< 20.0	E2-F	3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Methyl parathion	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Methyl Methanesulfonate	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
m-Nitroaniline	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Nitrobenzene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosodiethylamine	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosodimethylamine	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
n-Nitrosodiphenylamine	ug/L	< 20.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosomethylethylamine	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosomorpholine	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosopiperidine	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosopyrrolidine	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0	E-01	3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
o-Nitroaniline	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
o-Toluidine	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Parathion	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Pentachlorobenzene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Pentachloroethane	ug/L	< 50.0	E21	3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Pentachloronitrobenzene	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Pentachlorophenol	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Phenacetin	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Phenanthrene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Phenol	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Phorate	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
p-Phenylenediamine	ug/L	< 6900	E5	3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Pronamide	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Pyrene	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Pyridine	ug/L	< 5.00		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Safrole	ug/L	< 10.0	E5	3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Sulfotep	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
sym-Trinitrobenzene	ug/L	< 10.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2,4,6-Tribromophenol [surr]	%	78.8		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2-Fluorobiphenyl [surr]	%	60.0		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
2-Fluorophenol [surr]	%	41.2		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Nitrobenzene-d5 [surr]	%	67.1		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Phenol-d5 [surr]	%	30.8		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
Terphenyl-d14 [surr]	%	101		3/30/26 23:12	B603404	SW 8270E, Rev. 6, 2018	
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-03
Sample Name: DUP
Date/Time Collected: 3/17/26 9:55
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
Arsenic	ug/L	< 0.260		3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
Barium	ug/L	12.5		3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
Chromium	ug/L	0.343		3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.235	J	3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
Copper	ug/L	0.882		3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/20/26 11:49	B603439	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.045	J	3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/23/26 13:34	B603485	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	1.71	E21, J	3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E2-F	3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-03
Sample Name: DUP
Date/Time Collected: 3/17/26 9:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromomethane	ug/L	< 2.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	0.270	J	3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	89.4		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	97.3		3/19/26 18:25	B603422	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.86	E2	3/20/26 9:01	B603476	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/18/26 11:35	B603388	SM 4500 S2-D-2021
Temp of pH	°C	13.2		3/20/26 9:01	B603476	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-04
Sample Name: 31P2-2
Date/Time Collected: 3/17/26 12:53
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.361	J	3/23/26 9:09	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/24/26 14:24	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/24/26 14:24	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/24/26 14:24	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/24/26 14:24	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	78.0		3/24/26 14:24	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/24/26 14:13	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/24/26 14:13	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/24/26 14:13	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/24/26 14:13	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/24/26 14:13	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/24/26 14:13	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/24/26 14:13	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/24/26 14:13	B603527	EPA 608/SW 8082A
TCMX [surr]	%	58.5		3/24/26 14:13	B603527	EPA 608/SW 8082A
DCBP [surr]	%	95.0		3/24/26 14:13	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	0.008	J	3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	14.6		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	76.8		3/26/26 17:45	B603413	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-04					
Sample Name:		31P2-2					
Date/Time Collected:		3/17/26 12:53					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
1,4-Naphthoquinone	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
1-Naphthylamine	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2,4,5-Trichlorophenol	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2,4,6-Trichlorophenol	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2,4-Dichlorophenol	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2,4-Dimethylphenol	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2,4-Dinitrophenol	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2,4-Dinitrotoluene	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2-Chloronaphthalene	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2,6-Dichlorophenol	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2-Chlorophenol	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2,6-Dinitrotoluene	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2-Acetylaminofluorene	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2-Methylnaphthalene	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2-Methylphenol	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2-Naphthylamine	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2-Nitrophenol	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2-Picoline	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
3 & 4-Methylphenol	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
3,3-Dichlorobenzidine	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
3-Methylcholanthrene	ug/L	< 5.00	E21	3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
4-Aminobiphenyl	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
4-Bromophenyl-phenylether	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
4-Chloro-3-methylphenol	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
4-Chloroaniline	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
5-Nitro-o-toluidine	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
4-Nitroaniline	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
4-Nitrophenol	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Acenaphthene	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Acenaphthylene	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Acetophenone	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-04					
Sample Name:		31P2-2					
Date/Time Collected:		3/17/26 12:53					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/30/26 23:35		B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-04					
Sample Name:		31P2-2					
Date/Time Collected:		3/17/26 12:53					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Methapyrilene	ug/L	< 20.0	E2-F	3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Methyl parathion	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Methyl Methanesulfonate	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
m-Nitroaniline	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Nitrobenzene	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosodiethylamine	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosodimethylamine	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
n-Nitrosodiphenylamine	ug/L	< 20.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosomethylethylamine	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosomorpholine	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosopiperidine	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosopyrrolidine	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0	E-01	3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
o-Nitroaniline	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
o-Toluidine	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Parathion	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Pentachlorobenzene	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Pentachloroethane	ug/L	< 50.0	E21	3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Pentachloronitrobenzene	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Pentachlorophenol	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Phenacetin	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Phenanthrene	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Phenol	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Phorate	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
p-Phenylenediamine	ug/L	< 6900	E5	3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Pronamide	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Pyrene	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Pyridine	ug/L	< 5.00		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Safrole	ug/L	< 10.0	E5	3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Sulfotep	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
sym-Trinitrobenzene	ug/L	< 10.0		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2,4,6-Tribromophenol [surr]	%	77.3		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2-Fluorobiphenyl [surr]	%	57.7		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
2-Fluorophenol [surr]	%	41.8		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Nitrobenzene-d5 [surr]	%	66.5		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Phenol-d5 [surr]	%	30.9		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
Terphenyl-d14 [surr]	%	103		3/30/26 23:35	B603404	SW 8270E, Rev. 6, 2018	
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-04
Sample Name: 31P2-2
Date/Time Collected: 3/17/26 12:53
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
Arsenic	ug/L	3.95		3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
Barium	ug/L	18.9		3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.067	J	3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
Chromium	ug/L	0.384		3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.197	J	3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
Copper	ug/L	0.428	J	3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
Lead	ug/L	0.394	J	3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/20/26 11:53	B603439	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	4.48		3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.579		3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/23/26 13:38	B603485	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	2.18	E21, J	3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E2-F	3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-04
Sample Name: 31P2-2
Date/Time Collected: 3/17/26 12:53
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromoform	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	0.242	J	3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.2		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	89.1		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.8		3/19/26 18:49	B603422	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.81	E2	3/20/26 9:01	B603476	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/18/26 11:35	B603388	SM 4500 S2-D-2021

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-04
Sample Name: 31P2-2
Date/Time Collected: 3/17/26 12:53
Sample Matrix: Water

<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Temp of pH	°C	14.0		3/20/26 9:01	B603476	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-05
Sample Name: MW-31
Date/Time Collected: 3/17/26 12:10
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.427	J	3/23/26 9:29	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/24/26 14:42	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/24/26 14:42	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/24/26 14:42	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/24/26 14:42	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	88.2		3/24/26 14:42	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/24/26 14:38	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/24/26 14:38	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/24/26 14:38	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/24/26 14:38	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/24/26 14:38	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/24/26 14:38	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/24/26 14:38	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/24/26 14:38	B603527	EPA 608/SW 8082A
TCMX [surr]	%	63.5		3/24/26 14:38	B603527	EPA 608/SW 8082A
DCBP [surr]	%	95.0		3/24/26 14:38	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	0.002	J	3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	0.005	J	3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	40.7		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	113		3/26/26 18:03	B603413	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-05				
Sample Name:		MW-31				
Date/Time Collected:		3/17/26 12:10				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-05					
Sample Name:		MW-31					
Date/Time Collected:		3/17/26 12:10					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/30/26	23:57	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-05				
Sample Name:		MW-31				
Date/Time Collected:		3/17/26 12:10				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Methapyrilene	ug/L	< 20.0	E2-F	3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Methyl parathion	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Methyl Methanesulfonate	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
m-Nitroaniline	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodiethylamine	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodimethylamine	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
n-Nitrosodiphenylamine	ug/L	< 20.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomethylethylamine	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomorpholine	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopiperidine	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopyrrolidine	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0	E-01	3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
o-Nitroaniline	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Parathion	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Pentachlorobenzene	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Pentachloroethane	ug/L	< 50.0	E21	3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Pentachloronitrobenzene	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Pentachlorophenol	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Phenacetin	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Phenanthrene	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Phenol	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Phorate	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
p-Phenylenediamine	ug/L	< 6900	E5	3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Pronamide	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Pyrene	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Pyridine	ug/L	< 5.00		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Safrole	ug/L	< 10.0	E5	3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Sulfotep	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
sym-Trinitrobenzene	ug/L	< 10.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Tribromophenol [surr]	%	83.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2-Fluorobiphenyl [surr]	%	71.9		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
2-Fluorophenol [surr]	%	53.0		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene-d5 [surr]	%	82.4		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Phenol-d5 [surr]	%	38.8		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
Terphenyl-d14 [surr]	%	108		3/30/26 23:57	B603404	SW 8270E, Rev. 6, 2018
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-05
Sample Name: MW-31
Date/Time Collected: 3/17/26 12:10
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.570		3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
Barium	ug/L	44.1		3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.174	J	3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
Chromium	ug/L	0.432		3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.641		3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
Copper	ug/L	0.494	J	3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
Lead	ug/L	0.352	J	3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/20/26 11:56	B603439	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	2.34		3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.395		3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/23/26 13:42	B603485	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	1.73	E21, J	3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E2-F	3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-05
Sample Name: MW-31
Date/Time Collected: 3/17/26 12:10
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromoform	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.8		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	91.0		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.2		3/19/26 19:12	B603422	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.93	E2	3/20/26 9:01	B603476	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/18/26 11:35	B603388	SM 4500 S2-D-2021

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:	2603416-05					
Sample Name:	MW-31					
Date/Time Collected:	3/17/26 12:10					
Sample Matrix:	Water					
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Temp of pH	°C	13.1		3/20/26 9:01	B603476	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-06
Sample Name: MW-30
Date/Time Collected: 3/17/26 11:45
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.259	J	3/23/26 9:48	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/24/26 15:01	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/24/26 15:01	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/24/26 15:01	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/24/26 15:01	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	90.3		3/24/26 15:01	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/24/26 15:02	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/24/26 15:02	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/24/26 15:02	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/24/26 15:02	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/24/26 15:02	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/24/26 15:02	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/24/26 15:02	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/24/26 15:02	B603527	EPA 608/SW 8082A
TCMX [surr]	%	65.0		3/24/26 15:02	B603527	EPA 608/SW 8082A
DCBP [surr]	%	67.5		3/24/26 15:02	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	0.002	J	3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	42.9		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	92.7		3/26/26 20:13	B603413	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-06					
Sample Name:		MW-30					
Date/Time Collected:		3/17/26 11:45					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/31/26	0:20	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-06				
Sample Name:		MW-30				
Date/Time Collected:		3/17/26 11:45				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-06					
Sample Name:		MW-30					
Date/Time Collected:		3/17/26 11:45					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Methapyrilene	ug/L	< 20.0	E2-F	3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Methyl parathion	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Methyl Methanesulfonate	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
m-Nitroaniline	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Nitrobenzene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosodiethylamine	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosodimethylamine	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
n-Nitrosodiphenylamine	ug/L	< 20.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosomethylethylamine	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosomorpholine	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosopiperidine	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosopyrrolidine	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0	E-01	3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
o-Nitroaniline	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
o-Toluidine	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Parathion	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Pentachlorobenzene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Pentachloroethane	ug/L	< 50.0	E21	3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Pentachloronitrobenzene	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Pentachlorophenol	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Phenacetin	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Phenanthrene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Phenol	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Phorate	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
p-Phenylenediamine	ug/L	< 6900	E5	3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Pronamide	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Pyrene	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Pyridine	ug/L	< 5.00		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Safrole	ug/L	< 10.0	E5	3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Sulfotep	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
sym-Trinitrobenzene	ug/L	< 10.0		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
2,4,6-Tribromophenol [surr]	%	56.3		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
2-Fluorobiphenyl [surr]	%	73.6		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
2-Fluorophenol [surr]	%	47.2		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Nitrobenzene-d5 [surr]	%	81.3		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Phenol-d5 [surr]	%	39.1		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
Terphenyl-d14 [surr]	%	106		3/31/26 0:20	B603404	SW 8270E, Rev. 6, 2018	
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-06
Sample Name: MW-30
Date/Time Collected: 3/17/26 11:45
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.269		3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
Barium	ug/L	14.8		3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
Chromium	ug/L	0.966		3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.140	J	3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
Copper	ug/L	1.51		3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
Lead	ug/L	0.418		3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/20/26 11:59	B603439	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.43	J	3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.371		3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/23/26 13:46	B603485	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	1.89	E21, J	3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E2-F	3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-06
Sample Name: MW-30
Date/Time Collected: 3/17/26 11:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromoform	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	88.7		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.0		3/19/26 19:35	B603422	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.84	E2	3/20/26 9:01	B603476	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/18/26 11:35	B603388	SM 4500 S2-D-2021

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-06
Sample Name: MW-30
Date/Time Collected: 3/17/26 11:45
Sample Matrix: Water

<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Temp of pH	°C	13.2		3/20/26 9:01	B603476	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-07
Sample Name: MW-2
Date/Time Collected: 3/17/26 10:30
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.277	J	3/23/26 10:07	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/24/26 15:38	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/24/26 15:38	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/24/26 15:38	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/24/26 15:38	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	101		3/24/26 15:38	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/24/26 16:17	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/24/26 16:17	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/24/26 16:17	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/24/26 16:17	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/24/26 16:17	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/24/26 16:17	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/24/26 16:17	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/24/26 16:17	B603527	EPA 608/SW 8082A
TCMX [surr]	%	68.0		3/24/26 16:17	B603527	EPA 608/SW 8082A
DCBP [surr]	%	85.5		3/24/26 16:17	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	0.013	J	3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	0.002	J	3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	0.003	J	3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	42.6		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	103		3/26/26 20:31	B603413	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-07					
Sample Name:		MW-2					
Date/Time Collected:		3/17/26 10:30					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/31/26	0:43	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-07					
Sample Name:		MW-2					
Date/Time Collected:		3/17/26 10:30					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Aniline	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Anthracene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Aramite	ug/L	< 60.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Benzo (a) anthracene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Benzo[a]pyrene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Benzo[b]fluoranthene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Benzo[g,h,i]perylene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Benzo[k]fluoranthene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Benzyl alcohol	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Butylbenzylphthalate	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Chlorobenzilate	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Chrysene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Diallate	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Dibenz[a,h]anthracene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Dibenzofuran	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Diethylphthalate	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Dimethoate	ug/L	< 10.0	E-01	3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Dimethylphthalate	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Di-n-butylphthalate	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Di-n-octylphthalate	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Diphenylamine	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Disulfoton	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Ethyl Methanesulfonate	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Famphur	ug/L	< 20.0	E-01	3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Fluoranthene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Fluorene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Hexachlorobenzene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Hexachlorobutadiene	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Hexachlorocyclopentadiene	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Hexachloroethane	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Hexachloropropene	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Isodrin	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Isophorone	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Isosafrole	ug/L	< 10.0	E21	3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Kepone	ug/L	< 10.0	E-01, E5	3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
m-Dinitrobenzene	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number:		2603416-07					
Sample Name:		MW-2					
Date/Time Collected:		3/17/26 10:30					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Methapyrilene	ug/L	< 20.0	E2-F	3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Methyl parathion	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Methyl Methanesulfonate	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
m-Nitroaniline	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Nitrobenzene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosodiethylamine	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosodimethylamine	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
n-Nitrosodiphenylamine	ug/L	< 20.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosomethylethylamine	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosomorpholine	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosopiperidine	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
N-Nitrosopyrrolidine	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0	E-01	3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
o-Nitroaniline	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
o-Toluidine	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Parathion	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Pentachlorobenzene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Pentachloroethane	ug/L	< 50.0	E21	3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Pentachloronitrobenzene	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Pentachlorophenol	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Phenacetin	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Phenanthrene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Phenol	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Phorate	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
p-Phenylenediamine	ug/L	< 6900	E5	3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Pronamide	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Pyrene	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Pyridine	ug/L	< 5.00		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Safrole	ug/L	< 10.0	E5	3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Sulfotep	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
sym-Trinitrobenzene	ug/L	< 10.0		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
2,4,6-Tribromophenol [surr]	%	81.2		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
2-Fluorobiphenyl [surr]	%	69.5		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
2-Fluorophenol [surr]	%	51.4		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Nitrobenzene-d5 [surr]	%	76.6		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Phenol-d5 [surr]	%	38.8		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
Terphenyl-d14 [surr]	%	107		3/31/26 0:43	B603404	SW 8270E, Rev. 6, 2018	
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-07
Sample Name: MW-2
Date/Time Collected: 3/17/26 10:30
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
Arsenic	ug/L	< 0.260		3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
Barium	ug/L	26.7		3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
Chromium	ug/L	0.365		3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.353		3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
Copper	ug/L	0.178	J	3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/20/26 12:09	B603439	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.070	J	3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/23/26 13:49	B603485	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	2.11	E21, J	3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E2-F	3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-07
Sample Name: MW-2
Date/Time Collected: 3/17/26 10:30
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromomethane	ug/L	< 2.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.6		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	88.4		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.5		3/19/26 19:58	B603422	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.83	E2	3/20/26 9:01	B603476	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/18/26 11:35	B603388	SM 4500 S2-D-2021
Temp of pH	°C	15.0		3/20/26 9:01	B603476	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-08
Sample Name: Trip Blank
Date/Time Collected: 3/17/26 14:44
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	2.76	E21, J	3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E2-F	3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	0.439	J	3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

ANALYTICAL RESULTS

Lab Number: 2603416-08
Sample Name: Trip Blank
Date/Time Collected: 3/17/26 14:44
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Methyl Methacrylate	ug/L	< 5.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	90.8		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	97.2		3/19/26 16:30	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

QUALITY CONTROL RESULTS

Wet Chemistry -- Batch: B603388 (Water)

Prepared: 18-Mar-26 11:35 By: KJ -- Analyzed: 18-Mar-26 11:35 By: KJ

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Sulfide	<0.0203 mg/L	97.0% / 106%	92.0% / NA		8.40%	

Semivolatiles -- Batch: B603404 (Water)

Prepared: 19-Mar-26 10:25 By: MB -- Analyzed: 30-Mar-26 19:47 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,2,4,5-Tetrachlorobenzene	<0.142 ug/L	66.2% / NA	74.4% / 61.4%		19.3%	E21
1,2,4-Trichlorobenzene	<1.69 ug/L	72.0% / NA	78.2% / 61.4%		24.0%	
1,4-Naphthoquinone	<3.00 ug/L	74.2% / NA	81.5% / 76.2%		6.66%	
1-Naphthylamine	<0.360 ug/L	62.6% / NA	68.8% / 70.3%		2.16%	
2,3,4,6-Tetrachlorophenol	<2.00 ug/L	88.3% / NA	93.8% / 92.8%		1.02%	
2,4,5-Trichlorophenol	<1.91 ug/L	84.1% / NA	92.4% / 88.3%		4.51%	
2,4,6-Trichlorophenol	<1.06 ug/L	80.5% / NA	89.4% / 81.6%		9.11%	
2,4-Dichlorophenol	<0.449 ug/L	82.0% / NA	92.5% / 78.2%		16.7%	
2,4-Dimethylphenol	<1.12 ug/L	101% / NA	115% / 98.0%		15.9%	
2,4-Dinitrophenol	<2.25 ug/L	104% / NA	121% / 117%		3.71%	
2,4-Dinitrotoluene	<0.656 ug/L	86.0% / NA	91.8% / 91.5%		0.251%	
2,6-Dichlorophenol	<0.354 ug/L	74.3% / NA	82.4% / 69.8%		16.6%	
2,6-Dinitrotoluene	<0.656 ug/L	93.9% / NA	102% / 98.6%		3.35%	
2-Acetylaminofluorene	<0.275 ug/L	75.9% / NA	80.2% / 80.5%		0.436%	
2-Chloronaphthalene	<1.97 ug/L	92.8% / NA	102% / 89.9%		13.0%	
2-Chlorophenol	<1.11 ug/L	75.2% / NA	85.1% / 66.5%		24.5%	
2-Methylnaphthalene	<1.54 ug/L	80.3% / NA	88.6% / 73.8%		18.2%	
2-Methylphenol	<0.462 ug/L	78.6% / NA	86.7% / 70.4%		20.8%	
2-Naphthylamine	<0.190 ug/L	63.4% / NA	70.6% / 72.0%		2.03%	
2-Nitrophenol	<1.12 ug/L	80.1% / NA	90.4% / 74.5%		19.4%	
2-Picoline	<0.0973 ug/L	55.5% / NA	71.1% / 56.3%		23.2%	D
3 & 4-Methylphenol	<0.501 ug/L	86.7% / NA	117% / 100%		15.6%	
3,3-Dichlorobenzidine	<1.30 ug/L	81.8% / NA	86.2% / 92.5%		6.97%	
3,3'-Dimethylbenzidine	<0.538 ug/L	29.1% / NA	33.8% / 41.6%		20.7%	D
3-Methylcholanthrene	<0.330 ug/L	74.2% / NA	80.5% / 80.2%		0.311%	E21
4,6-Dinitro-o-cresol	<2.96 ug/L	105% / NA	117% / 119%		1.35%	
4-Aminobiphenyl	<0.199 ug/L	109% / NA	122% / 134%		9.21%	
4-Bromophenyl-phenylether	<1.47 ug/L	85.7% / NA	93.5% / 91.2%		2.52%	
4-Chloro-3-methylphenol	<1.75 ug/L	88.6% / NA	55.9% / 54.3%		2.89%	
4-Chloroaniline	<0.609 ug/L	81.8% / NA	93.6% / 80.5%		15.0%	
4-Chlorophenyl-phenylether	<1.68 ug/L	83.7% / NA	90.4% / 84.4%		6.84%	
4-Nitroaniline	<0.953 ug/L	98.9% / NA	105% / 105%		0.338%	
4-Nitrophenol	<2.22 ug/L	67.4% / NA	70.7% / 70.4%		0.417%	
4-Nitroquinoline 1-oxide	<2.00 ug/L	84.2% / NA	94.5% / 96.6%		2.20%	E21
5-Nitro-o-toluidine	<1.00 ug/L	87.8% / NA	94.5% / 95.0%		0.580%	
7,12-Dimethylbenz(a)anthracene	<1.00 ug/L	96.2% / NA	102% / 101%		0.885%	
Acenaphthene	<1.88 ug/L	83.8% / NA	90.4% / 80.9%		11.0%	
Acenaphthylene	<1.53 ug/L	87.7% / NA	94.9% / 86.6%		9.16%	
Acetophenone	<0.323 ug/L	81.9% / NA	89.0% / 75.0%		17.1%	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

QUALITY CONTROL RESULTS**Semivolatiles -- Batch: B603404 (Water)****Prepared: 19-Mar-26 10:25 By: MB -- Analyzed: 30-Mar-26 19:47 By: MB**

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Alpha, Alpha-Dimethylphenethylamin e	<3.13 ug/L	No Rec / NA	No Rec / No Rec		%	NREC
Aniline	<1.48 ug/L	68.0% / NA	76.6% / 62.6%		20.0%	
Anthracene	<0.566 ug/L	88.1% / NA	96.0% / 94.4%		1.73%	
Aramite	<20.0 ug/L	NA / NA	NA / NA		NA	NS
Benzo (a) anthracene	<0.475 ug/L	87.5% / NA	90.7% / 89.2%		1.71%	
Benzo[a]pyrene	<0.566 ug/L	87.5% / NA	92.9% / 92.9%		0.0424%	
Benzo[b]fluoranthene	<0.482 ug/L	97.5% / NA	105% / 104%		0.682%	
Benzo[g,h,i]perylene	<0.529 ug/L	85.2% / NA	89.8% / 90.1%		0.335%	
Benzo[k]fluoranthene	<0.516 ug/L	85.9% / NA	91.7% / 92.0%		0.321%	
Benzyl alcohol	<0.992 ug/L	69.6% / NA	74.8% / 61.7%		19.3%	D
Bis(2-chloro-1-methylethyl) ether	<0.445 ug/L	73.9% / NA	83.7% / 65.1%		25.0%	D
Bis(2-chloroethoxy)methane	<1.04 ug/L	97.3% / NA	108% / 88.9%		19.4%	%D1
Bis(2-chloroethyl)ether	<1.46 ug/L	76.2% / NA	82.3% / 64.5%		24.1%	
Bis(2-ethylhexyl)phthalate	<1.50 ug/L	96.9% / NA	97.6% / 98.6%		1.00%	
Butylbenzylphthalate	<1.18 ug/L	93.3% / NA	99.8% / 99.9%		0.0891%	
Chlorobenzilate	<0.321 ug/L	89.8% / NA	97.5% / 96.5%		1.03%	
Chrysene	<0.489 ug/L	91.4% / NA	94.9% / 94.9%		0.0340%	
Diallate	<0.713 ug/L	118% / NA	126% / 123%		2.40%	
Dibenz[a,h]anthracene	<0.843 ug/L	86.4% / NA	92.4% / 93.7%		1.40%	
Dibenzofuran	<1.36 ug/L	88.4% / NA	93.7% / 87.2%		7.20%	
Diethylphthalate	<0.668 ug/L	85.1% / NA	89.2% / 88.9%		0.374%	
Dimethoate	<1.00 ug/L	NA / NA	NA / NA		NA	E-01, NS
Dimethylphthalate	<0.516 ug/L	82.4% / NA	89.8% / 86.7%		3.51%	
Di-n-butylphthalate	<1.33 ug/L	88.0% / NA	94.3% / 94.0%		0.277%	
Di-n-octylphthalate	<1.43 ug/L	97.0% / NA	103% / 102%		1.08%	
Disulfoton	<0.300 ug/L	NA / NA	NA / NA		NA	NS
Ethyl Methanesulfonate	<0.343 ug/L	74.9% / NA	84.8% / 70.7%		18.1%	
Famphur	<2.00 ug/L	NA / NA	NA / NA		NA	E-01, NS
Fluoranthene	<0.575 ug/L	92.8% / NA	99.2% / 97.9%		1.26%	
Fluorene	<1.43 ug/L	89.6% / NA	95.5% / 90.3%		5.60%	
Hexachlorobenzene	<1.27 ug/L	86.1% / NA	93.3% / 90.2%		3.31%	
Hexachlorobutadiene	<2.52 ug/L	71.1% / NA	73.4% / 57.2%		24.8%	
Hexachlorocyclopentadiene	<2.71 ug/L	68.3% / NA	71.6% / 59.8%		18.0%	
Hexachloroethane	<0.958 ug/L	57.2% / NA	55.7% / 43.9%		23.8%	
Hexachlorophene	<0.167 ug/L	NA / NA	NA / NA		NA	NS, E21, E2-A
Hexachloropropene	<0.100 ug/L	57.1% / NA	58.8% / 46.2%		24.1%	D
Indeno[1,2,3-cd]pyrene	<1.23 ug/L	83.3% / NA	90.0% / 90.6%		0.660%	
Isodrin	<0.284 ug/L	106% / NA	117% / 116%		1.08%	
Isophorone	<2.23 ug/L	82.7% / NA	92.2% / 77.8%		16.9%	
Isosafrole	<0.216 ug/L	32.4% / NA	35.6% / 29.6%		18.6%	E21
Kepone	<0.420 ug/L	221% / NA	216% / 206%		4.70%	E-01, E5
m-Dinitrobenzene	<0.359 ug/L	119% / NA	129% / 130%		0.676%	
Methapyrilene	<3.00 ug/L	NA / NA	NA / NA		%	E2-F, NS
Methyl Methanesulfonate	<0.147 ug/L	56.0% / NA	65.4% / 53.6%		19.8%	
Methyl parathion	<0.230 ug/L	NA / NA	NA / NA		NA	NS

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 17-Mar-26 14:44

QUALITY CONTROL RESULTS

Semivolatiles -- Batch: B603404 (Water)

Prepared: 19-Mar-26 10:25 By: MB -- Analyzed: 30-Mar-26 19:47 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
m-Nitroaniline	<0.308 ug/L	95.3% / NA	103% / 99.8%		3.57%	
Nitrobenzene	<1.42 ug/L	82.5% / NA	91.4% / 74.3%		20.7%	
N-Nitrosodiethylamine	<0.497 ug/L	74.8% / NA	84.4% / 68.6%		20.7%	D
N-Nitrosodimethylamine	<0.372 ug/L	49.7% / NA	56.5% / 44.7%		23.4%	D
N-Nitrosodi-n-butylamine	<0.331 ug/L	79.6% / NA	89.3% / 78.2%		13.3%	
N-Nitroso-di-n-propylamine	<0.834 ug/L	84.9% / NA	94.9% / 76.8%		21.1%	
N-Nitrosodiphenylamine/diphenylamine	<1.19 ug/L	88.0% / NA	96.0% / 91.3%		4.99%	
N-Nitrosomethylethylamine	<0.244 ug/L	68.4% / NA	75.9% / 61.2%		21.4%	D
N-Nitrosomorpholine	<1.00 ug/L	81.8% / NA	91.4% / 80.0%		13.2%	
N-Nitrosopiperidine	<0.298 ug/L	84.6% / NA	92.8% / 78.3%		17.0%	
N-Nitrosopyrrolidine	<1.00 ug/L	79.0% / NA	88.4% / 78.0%		12.4%	
O,O,O-Triethyl phosphorothioate	<0.0186 ug/L	NA / NA	NA / NA		NA	NS
o,o-Diethyl o-2-pyrazinyl	<0.204 ug/L	NA / NA	NA / NA		NA	E-01, NS
o-Nitroaniline	<1.90 ug/L	89.3% / NA	100% / 97.6%		2.53%	
o-Toluidine	<0.196 ug/L	66.7% / NA	73.4% / 63.8%		13.8%	
Parathion	<0.224 ug/L	NA / NA	NA / NA		NA	NS
p-Dimethylaminoazobenzene	<0.259 ug/L	79.6% / NA	84.2% / 84.2%		0.0594%	
Pentachlorobenzene	<0.133 ug/L	80.0% / NA	83.2% / 79.1%		4.99%	
Pentachloroethane	<5.68 ug/L	48.4% / NA	49.4% / 40.4%		20.0%	E21, J
Pentachloronitrobenzene	<0.258 ug/L	87.6% / NA	95.2% / 90.5%		5.06%	
Pentachlorophenol	<1.28 ug/L	90.5% / NA	97.6% / 93.8%		4.02%	
Phenacetin	<0.200 ug/L	90.4% / NA	93.4% / 94.6%		1.33%	
Phenanthrene	<0.572 ug/L	86.6% / NA	94.0% / 90.2%		4.11%	
Phenol	<0.348 ug/L	44.9% / NA	48.6% / 38.8%		22.4%	D
Phorate	<0.200 ug/L	NA / NA	NA / NA		NA	NS
p-Phenylenediamine	<390 ug/L	No Rec / NA	No Rec / No Rec		%	NREC
Pronamide	<0.265 ug/L	80.0% / NA	87.1% / 86.8%		0.403%	
Pyrene	<0.489 ug/L	93.1% / NA	99.9% / 96.7%		3.25%	
Pyridine	<1.39 ug/L	35.4% / NA	40.3% / 30.7%		27.1%	D
Safrole	<0.484 ug/L	177% / NA	196% / 175%		11.3%	E5
Sulfotep	<0.344 ug/L	NA / NA	NA / NA		NA	NS
sym-Trinitrobenzene	<1.00 ug/L	73.2% / NA	81.2% / 81.6%		0.614%	
2,4,6-Tribromophenol [surr]	72.8 %	86.8% / NA	96.2% / 89.8%		NA	
2-Fluorobiphenyl [surr]	69.1 %	69.3% / NA	81.7% / 70.1%		NA	
2-Fluorophenol [surr]	52.4 %	53.2% / NA	57.3% / 44.3%		NA	
Nitrobenzene-d5 [surr]	81.0 %	78.9% / NA	86.8% / 70.3%		NA	
Phenol-d5 [surr]	41.8 %	41.9% / NA	44.7% / 35.8%		NA	
Terphenyl-d14 [surr]	109 %	99.8% / NA	105% / 103%		NA	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

QUALITY CONTROL RESULTS

Pesticides -- Batch: B603413 (Water)

Prepared: 19-Mar-26 12:27 By: MB -- Analyzed: 26-Mar-26 16:14 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
4,4'-DDD	<0.009 ug/L	117% / NA	115% / 95.3%		18.4%	
4,4'-DDE	<0.004 ug/L	96.3% / NA	90.5% / 76.1%		17.3%	D
4,4'-DDT	<0.004 ug/L	127% / NA	111% / 98.1%		12.1%	
Aldrin	<0.003 ug/L	71.8% / NA	69.1% / 58.5%		16.5%	
alpha-BHC	<0.003 ug/L	69.1% / NA	71.4% / 56.3%		23.6%	
beta-BHC	<0.005 ug/L	72.8% / NA	73.5% / 57.0%		25.3%	D, J
delta-BHC	<0.002 ug/L	80.4% / NA	76.6% / 59.4%		25.2%	D, J
Dieldrin	<0.004 ug/L	104% / NA	97.1% / 81.9%		17.0%	D
Endosulfan I	<0.003 ug/L	99.0% / NA	84.7% / 74.8%		12.5%	D
Endosulfan II	<0.005 ug/L	110% / NA	98.1% / 83.6%		15.9%	D
Endosulfan sulfate	<0.004 ug/L	116% / NA	112% / 103%		7.79%	
Endrin	<0.006 ug/L	110% / NA	103% / 91.6%		11.8%	D
Endrin aldehyde	<0.021 ug/L	134% / NA	111% / 112%		1.37%	J
gamma-BHC (Lindane)	<0.002 ug/L	95.0% / NA	105% / 77.5%		27.8%	
Heptachlor	<0.003 ug/L	72.3% / NA	71.0% / 60.3%		16.3%	
Heptachlor epoxide	<0.002 ug/L	92.7% / NA	83.7% / 64.8%		25.3%	D
Methoxychlor	<0.020 ug/L	108% / NA	120% / 111%		7.61%	
DCBP [surr]	114 %	95.9% / NA	114% / 89.4%		NA	
TCMX [surr]	52.4 %	44.3% / NA	50.3% / 31.9%		NA	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

QUALITY CONTROL RESULTS**Volatiles -- Batch: B603422 (Water)****Prepared: 19-Mar-26 13:26 By: TB -- Analyzed: 19-Mar-26 16:06 By: tb**

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<0.125 ug/L	91.0% / NA	93.3% / 99.5%		6.42%	
1,1,1-Trichloroethane	<0.261 ug/L	91.3% / NA	88.2% / 90.2%		2.23%	
1,1,2,2-Tetrachloroethane	<0.274 ug/L	100% / NA	106% / 99.9%		6.20%	
1,1,2-Trichloroethane	<0.210 ug/L	91.3% / NA	96.4% / 95.4%		1.03%	
1,1-Dichloroethane	<0.248 ug/L	93.8% / NA	94.5% / 94.7%		0.153%	
1,1-Dichloroethene	<0.303 ug/L	91.6% / NA	91.6% / 92.0%		0.426%	
1,2,3-Trichloropropane	<0.471 ug/L	90.0% / NA	98.0% / 94.9%		3.26%	
1,2-Dibromo-3-chloropropane	<0.784 ug/L	88.2% / NA	99.6% / 100%		0.519%	
1,2-Dibromoethane	<0.250 ug/L	89.4% / NA	96.5% / 92.9%		3.79%	
1,2-Dichlorobenzene	<0.173 ug/L	95.2% / NA	101% / 100%		0.311%	
1,2-Dichloroethane	<0.235 ug/L	87.8% / NA	94.8% / 91.8%		3.21%	
1,2-Dichloropropane	<0.259 ug/L	91.2% / NA	99.4% / 96.2%		3.34%	
1,3-Dichlorobenzene	<0.220 ug/L	95.0% / NA	100% / 98.6%		1.53%	
1,4-Dichlorobenzene	<0.158 ug/L	96.6% / NA	100% / 98.8%		1.32%	
2-Butanone	<0.461 ug/L	81.4% / NA	77.1% / 79.2%		2.57%	
2-Hexanone	<0.372 ug/L	81.1% / NA	86.1% / 83.4%		3.19%	
4-Methyl-2-pentanone	<0.281 ug/L	84.8% / NA	91.4% / 88.0%		3.79%	
Acetone	<1.49 ug/L	78.5% / NA	60.7% / 65.8%		6.87%	E21
Acetonitrile	<12.4 ug/L	87.7% / NA	93.7% / 88.2%		5.99%	
Acrolein	<1.00 ug/L	80.6% / NA	75.9% / 73.5%		3.31%	E2-F
Acrylonitrile	<0.389 ug/L	88.3% / NA	88.0% / 89.2%		1.26%	
Allyl chloride	<0.539 ug/L	85.5% / NA	91.0% / 91.0%		0.0253%	
Benzene	<0.263 ug/L	95.3% / NA	94.6% / 93.2%		1.53%	
Bromodichloromethane	<0.195 ug/L	95.0% / NA	100% / 95.9%		4.70%	
Bromoform	<0.278 ug/L	97.0% / NA	96.7% / 98.6%		2.00%	
Bromomethane	<0.530 ug/L	94.2% / NA	88.2% / 88.0%		0.188%	
Carbon disulfide	<0.300 ug/L	93.8% / NA	95.7% / 94.9%		0.871%	
Carbon Tetrachloride	<0.484 ug/L	95.4% / NA	94.6% / 94.8%		0.141%	
Chlorobenzene	<0.181 ug/L	95.2% / NA	102% / 97.8%		4.01%	
Chloroethane	<0.392 ug/L	94.6% / NA	92.0% / 94.3%		2.38%	
Chloroform	<0.244 ug/L	96.7% / NA	94.6% / 94.5%		0.0828%	
Chloromethane	<0.155 ug/L	84.0% / NA	85.6% / 84.3%		1.56%	
Chloroprene	<1.00 ug/L	88.4% / NA	90.2% / 88.4%		2.07%	
cis-1,3-Dichloropropene	<0.123 ug/L	88.2% / NA	92.7% / 90.7%		2.19%	
Dibromochloromethane	<0.202 ug/L	89.9% / NA	91.9% / 89.9%		2.24%	
Dibromomethane	<0.174 ug/L	92.8% / NA	98.1% / 93.8%		4.46%	
Dichlorodifluoromethane	<0.266 ug/L	84.0% / NA	83.8% / 82.9%		1.05%	E2-F
Ethyl Methacrylate	<0.843 ug/L	89.4% / NA	99.4% / 98.1%		1.34%	
Ethylbenzene	<0.274 ug/L	96.8% / NA	103% / 101%		2.03%	
Iodomethane	<0.432 ug/L	101% / NA	98.0% / 98.9%		0.944%	
Isobutyl alcohol	<1.68 ug/L	89.7% / NA	99.6% / 101%		1.48%	
m,p-Xylene	<0.500 ug/L	95.4% / NA	104% / 101%		3.31%	
Methacrylonitrile	<3.29 ug/L	89.8% / NA	94.7% / 91.1%		3.90%	
Methyl Methacrylate	<0.806 ug/L	89.5% / NA	102% / 95.2%		6.66%	
Methylene Chloride	0.240 ug/L	99.3% / NA	96.7% / 96.2%		0.529%	J
Naphthalene	<0.114 ug/L	95.5% / NA	102% / 100%		1.67%	
o-Xylene	<0.206 ug/L	96.8% / NA	103% / 100%		2.70%	
Propionitrile	<2.28 ug/L	85.7% / NA	93.2% / 90.6%		2.79%	

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

QUALITY CONTROL RESULTS

Volatiles -- Batch: B603422 (Water)

Prepared: 19-Mar-26 13:26 By: TB -- Analyzed: 19-Mar-26 16:06 By: tb

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Styrene	<0.175 ug/L	90.9% / NA	98.6% / 93.9%		4.84%	
Tetrachloroethene	<0.268 ug/L	99.2% / NA	MBI / MBI		2.32%	MBI
Toluene	<0.295 ug/L	98.0% / NA	104% / 102%		1.90%	
trans-1,2-Dichloroethene	<0.320 ug/L	90.3% / NA	95.0% / 93.3%		1.81%	
trans-1,3-Dichloropropene	<0.155 ug/L	84.5% / NA	90.1% / 88.6%		1.66%	
trans-1,4-Dichloro-2-butene	<0.430 ug/L	85.7% / NA	95.0% / 91.1%		4.28%	
Trichloroethene	<0.306 ug/L	93.4% / NA	105% / 102%		2.58%	
Trichlorofluoromethane	<0.423 ug/L	89.7% / NA	91.0% / 91.2%		0.190%	
Vinyl acetate	<0.880 ug/L	95.3% / NA	93.6% / 92.5%		1.16%	
Vinyl chloride	<0.369 ug/L	88.1% / NA	86.2% / 85.4%		0.867%	
1,2-Dichloroethane-d4 [surr]	89.5 %	96.6% / NA	88.4% / 91.9%		NA	
4-Bromofluorobenzene [surr]	100 %	98.3% / NA	97.4% / 97.2%		NA	
Toluene-d8 [surr]	97.2 %	97.4% / NA	98.9% / 97.8%		NA	

Total Metals -- Batch: B603439 (Water)

Prepared: 20-Mar-26 09:48 By: KAW -- Analyzed: 20-Mar-26 11:39 By: KAW

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Mercury	<0.0610 ug/L	94.2% / NA	99.0% / 98.4%		0.651%	

Wet Chemistry -- Batch: B603476 (Water)

Prepared: 20-Mar-26 09:01 By: JS -- Analyzed: 20-Mar-26 09:01 By: JS

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
pH	NA	100% / 100%	NA / NA		0.00%	

Anions -- Batch: B603483 (Water)

Prepared: 23-Mar-26 07:08 By: MB -- Analyzed: 23-Mar-26 15:30 By: MB

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Fluoride	<0.089 mg/L	94.0% / NA	108% / 109%		0.653%	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 17-Mar-26 14:44

QUALITY CONTROL RESULTS

Total Metals -- Batch: B603485 (Water)

Prepared: 23-Mar-26 08:04 By: JAH -- Analyzed: 23-Mar-26 15:05 By: JAH

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Antimony	<0.343 ug/L	112% / NA	111% / 103%		7.51%	
Arsenic	<0.052 ug/L	110% / NA	108% / 109%		0.992%	
Barium	<0.078 ug/L	107% / NA	101% / 92.3%		8.53%	
Beryllium	<0.074 ug/L	101% / NA	88.6% / 79.8%		10.4%	
Cadmium	<0.038 ug/L	105% / NA	109% / 109%		0.207%	
Chromium	<0.0751 ug/L	101% / NA	107% / 112%		4.75%	
Cobalt	<0.035 ug/L	107% / NA	108% / 109%		1.38%	
Copper	<0.149 ug/L	101% / NA	103% / 105%		1.99%	
Lead	<0.115 ug/L	109% / NA	106% / 97.4%		8.56%	
Nickel	<0.42 ug/L	98.6% / NA	106% / 109%		2.44%	
Selenium	<1.50 ug/L	95.5% / NA	100% / 113%		11.7%	
Silver	<0.099 ug/L	102% / NA	107% / 108%		0.905%	
Thallium	<0.035 ug/L	105% / NA	103% / 94.3%		8.48%	
Tin	<1.62 ug/L	103% / NA	99.2% / 90.6%		9.10%	
Vanadium	<0.042 ug/L	107% / NA	114% / 120%		5.24%	
Zinc	<4.89 ug/L	115% / NA	104% / 106%		1.77%	

Herbicides -- Batch: B603525 (Water)

Prepared: 24-Mar-26 08:13 By: MB -- Analyzed: 24-Mar-26 13:10 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
2,4,5-TP (Silvex)	<0.790 ug/L	103% / NA	104% / 101%		2.65%	
2,4-D	<0.964 ug/L	64.7% / NA	63.6% / 63.3%		0.448%	
DCAA [surr]	87.2 %	79.5% / NA	88.8% / 75.1%		NA	

PCBs -- Batch: B603527 (Water)

Prepared: 24-Mar-26 08:21 By: TB -- Analyzed: 24-Mar-26 12:09 By: TB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Aroclor-1016	<0.0334 ug/L	104% / NA	110% / 106%		3.97%	
Aroclor-1260	<0.0396 ug/L	85.5% / NA	87.8% / 85.0%		3.25%	
DCBP [surr]	66.5 %	73.5% / NA	90.0% / 85.5%		NA	
TCMX [surr]	67.5 %	61.0% / NA	64.0% / 60.5%		NA	

Wet Chemistry -- Batch: B603545 (Water)

Prepared: 25-Mar-26 09:35 By: KJ -- Analyzed: 25-Mar-26 09:35 By: KJ

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Cyanide (total)	<0.002 mg/L	92.0% / 95.0%	83.0% / NA		3.21%	

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 17-Mar-26 14:44

QUALIFIER(S)

*%D1:	Matrix Spike and/or Matrix Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
*%D2:	Laboratory Control Spike and/or Laboratory Control Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
*D:	RPD Value Does Not Meet Laboratory Acceptance Criteria
*E-01:	Estimated Result; This Analyte Failed "High" in the CCV; If the sample is non-detect for this analyte, the CCV demonstrated the analyte would have been detected were it present.
*E2:	Estimated Result; Analyzed Outside of Holding Time
*E20:	Estimated Result Due to Matrix Spike and/or Matrix Spike Duplicate Failure; This sample was used as the "parent sample" in MS/MSD prep.
*E21:	Estimated Result; This Analyte failed (low) in the CCV.
*E2-A:	Estimated Result due to Absence of Second Source
*E2-F:	Second Source Verification Failure
*E5:	Estimated Result Due to Quality Control Failure
*J:	Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
*MBI:	Masked By Interference
*NREC:	No Recovery
*NS:	Analyte was Not Spiked for in the QC (LCS, LCSD, MS, MSD).

All Analysis performed according to EPA approved methodology when available :

SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods.

Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

A handwritten signature in blue ink, reading "Norma James", is positioned above a horizontal line.

Reviewed by:

Norma James
Technical Director



8100 National Dr.
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description		Turnaround Time	Preservation Codes:														
Veolia Gum Springs Facility			Quarterly Groundwater Samples		1 Day (200%)	1. Cool, 6 Degrees Centigrade						4. Thiosulfate for Dechlorination								
500 East Reynolds Rd.			Appendix IX		2 Day (100%)	2. Sulfuric Acid (H ₂ SO ₄), pH < 2						5. Hydrochloric Acid (HCl)								
Arkadelphia, AR 71923			Reporting Information		3 Day (50%)	3. Nitric Acid (HNO ₃), pH < 2						6. Sodium Hydroxide (NaOH), pH > 12								
Attn: Cole Clark			Telephone: 870-245-2720		5 Day (Routine)	TEST PARAMETERS												Bottle Type Code		
			Fax: 870-246-7344		Preservative Code:	1	1,6, Zn Acetate	1,6	1,5	1,3	1	1	1	1	G = Glass; P = Plastic					
			Email: SEE BELOW		Bottle Type:	P	P	P	GV	P	GA	GA	GA	GA	V = Septum; A = Amber					
Sampler(s) Signature			Sampler(s) Printed			Arkansas Analytical Work Order Number: 2603416														
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	IDENTIFICATION/ DESCRIPTION		pH (SM 4500), Fluoride (EPA 300.0)											
	Date/s	Time/s							Sulfide (SM 4500 S2 D)											
									Cyanide (SM 4500 CN-E)											
									Appendix IX Volatiles (8260)											
									Appendix IX (6020-Sp, As, Ba, Be, Cd, Cr, Co, Cu, Pb, Ni, Se, Ag, Hg, Sn, V, Zn), (6470A-Hg)											
									Appendix IX Herbicides (8151)											
									Appendix IX Pesticides (8081) / Appendix IX PCBs (8082)											
									Appendix IX SemiVolatiles (8270)											
									Appendix IX Dioxin, Furans (SUBCONTRACT)**											
MW-16	3/17/26	0850	X		12	Water			X	X	X	X	X	X	X	X	01			
MS/MSD	3/17/26	0855	X		12	Water	MS/MSD										02			
MW-12	3/17/26	0942	X		12	Water			X	X	X	X	X	X	X	X	03			
DUP	3/17/26	0955	X		12	Water	DUP		X	X	X	X	X	X	X	X	04			
31P2-2	3/17/26	1253	X		12	Water			X	X	X	X	X	X	X	X	05			
MW-31	3/17/26	1210	X		12	Water			X	X	X	X	X	X	X	X	06			
MW-30	3/17/26	1145	X		12	Water			X	X	X	X	X	X	X	X	07			
MW-2	3/17/26	1030	X		12	Water			X	X	X	X	X	X	X	X	08			
			X		12	Water	Field Blank		X	X	X	X	X	X	X	X	09			
			X		3	Water	EQ Blank										10			
* 3-17-26 14:44 *			X		3	Water	Trip Blank										11			
1. Relinquished by: (Signature)		Date/Time		2. Received by: (Signature)		SAMPLE CONDITION UPON RECEIPT IN LAB						REMARKS / SAMPLE COMMENTS								
		1400 3-17-26				1. CUSTODY SEALS: Yes ___ No ___						Email:								
						2. CONTAINERS CORRECT: Yes ___ No ___						Cole Clark - cole.clark@veolia.com								
						3. COC/LABELS AGREE: Yes ___ No ___						David Jaros - david.jaros@terracon.com								
3. Relinquished by: (Signature)		Date/Time		4. Received by lab: (Signature)		4. RECEIVED ON ICE: Yes ___ No ___						Paul Gramling - paul.gramling@terracon.com								
		3-17-26 14:44				5. TEMPERATURE ON RECEIPT: 2 °C						Matt Acree - Matt.Acree@terracon.com								
						6. TEMPERATURE GUN ID: HHT#						* Lab Added Site + Time to Trip Blank								
FOR COMPLETION BY LAB ONLY																				



8100 National Dr. - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

23 April 2026

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

SDG Number: 2603490

Enclosed are the results of analyses for samples received by the laboratory on 18-Mar-26 15:47. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

Custody Seals	✓
Containers Correct	✓
COC/Labels Agree	✓
Received On Ice	✓
Temperature on Receipt	4.0°C

Sincerely,

A handwritten signature in blue ink that reads "Norma James".

Norma James
Technical Director

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

CASE NARRATIVE

Sample Delivery Group – 2603490

One OR more of the qualifiers described below may appear in this report. Qualifiers in **RED apply to this SDG (Sample Delivery Group).**

pH QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
E2	Result qualified as it was received and analyzed outside of holding time. Analysis is considered a "Field" analysis.

ANALYTICAL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
EDL	Result was non-detect at an elevated detection limit due to one or more of the following: Sample Matrix, Sample Dilution, or Limited Sample Volume.
EX	Result exceeds DAILY MAXIMUM and/or MONTHLY AVERAGE.
J	At client request, J-Values are reported. J-Values are considered "estimated" results as they are below the limit of quantitation yet above the method detection limit (MDL).

CALIBRATION QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
CR	Result above highest calibration standard, but within linear calibration range.
Est3	Result at the instrument was above the concentration of the highest standard in the calibration curve.
E2-A	Estimated Result Due to Absence of Second Source
E2-F	Second Source Verification Failure
E11	Initial Calibration Minimum Response Factor Failure
E21	CCV Low
E-01	CCV High
E35	Low Level CCV Failure

QUALITY CONTROL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
E20	Sample used as "parent" for the associated analytical batch.
%D3/S-01/MBI	Surrogate failed to recover within acceptance criteria (%D3/S-01/Masked by Interference).
E1	Results associated with this surrogate were qualified as "estimated" (E1).
B	Present in the Associated Blank
B1	Present in Blank, but Not In the Sample.
%D2 / E5/NREC	Laboratory Control Spike (LCS) and/or Laboratory Control Spike Duplicate (LCSD) failed to recover with acceptance criteria (%D2). Associated results were qualified as "estimated" (E5 and/or NREC (No Recovery)).
%D1	Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) failed acceptance criteria.
MBA	Failed criteria due to the high concentration of analyte in the parent sample.
MBI	Failed criteria due to an interference in the parent sample.
%D3	Quality Control Surrogate failed acceptance criteria.
NREC	Quality Control failed: No Recovery.
NS	Quality Control failed: Not Spiked.

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-01
Sample Name: Leachate - 2
Date/Time Collected: 3/18/26 13:15
Sample Matrix: Liquid

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	2310		3/23/26 14:13	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 40.0		3/24/26 16:14	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 30.0		3/24/26 16:14	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 10.0		3/24/26 16:14	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 25.0		3/24/26 16:14	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	94.4		3/24/26 16:14	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 5.00		3/24/26 16:42	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 5.00		3/24/26 16:42	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 5.00		3/24/26 16:42	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 5.00		3/24/26 16:42	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 5.00		3/24/26 16:42	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 5.00		3/24/26 16:42	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 5.00		3/24/26 16:42	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 5.00		3/24/26 16:42	B603527	EPA 608/SW 8082A
TCMX [surr]	%	75.0		3/24/26 16:42	B603527	EPA 608/SW 8082A
DCBP [surr]	%	109		3/24/26 16:42	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.300		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	0.074	J	3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.100		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.200		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.200		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 1.00		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.100		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.200		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.200		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.100		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 1.00		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	0.060	J	3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.100		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.200		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.200		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	0.044	J	3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.100		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 1.50		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 1.00		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	34.3		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	92.1		3/26/26 20:49	B603413	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-01							
Sample Name:		Leachate - 2							
Date/Time Collected:		3/18/26 13:15							
Sample Matrix:		Liquid							
Semivolatiles	Units	Result	Qualifier(s)	Date/Time Analyzed		Batch	Method		
1,2,4,5-Tetrachlorobenzene	ug/L	< 50.0	E21	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
1,2,4-Trichlorobenzene	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
1,4-Naphthoquinone	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
1-Naphthylamine	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2,3,4,6-Tetrachlorophenol	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2,4,5-Trichlorophenol	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2,4,6-Trichlorophenol	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2,4-Dichlorophenol	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2,4-Dimethylphenol	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2,4-Dinitrophenol	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2,4-Dinitrotoluene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2-Chloronaphthalene	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2,6-Dichlorophenol	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2-Chlorophenol	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2,6-Dinitrotoluene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2-Acetylaminofluorene	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2-Methylnaphthalene	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2-Methylphenol	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2-Naphthylamine	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2-Nitrophenol	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
2-Picoline	ug/L	< 100	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018			
3 & 4-Methylphenol	ug/L	< 50.0	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018			
3,3'-Dimethylbenzidine	ug/L	< 50.0	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018			
3,3-Dichlorobenzidine	ug/L	< 50.0	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018			
3-Methylcholanthrene	ug/L	< 50.0	E21	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
4,6-Dinitro-o-cresol	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
4-Aminobiphenyl	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
4-Bromophenyl-phenylether	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
4-Chloro-3-methylphenol	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
4-Chlorophenyl-phenylether	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
4-Chloroaniline	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018		
4-Nitroquinoline 1-oxide	ug/L	< 100		E21	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018	
5-Nitro-o-toluidine	ug/L	< 100			3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018	
4-Nitroaniline	ug/L	< 50.0			3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018	
7,12-Dimethylbenz(a)anthracene	ug/L	< 50.0			3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018	
4-Nitrophenol	ug/L	< 50.0			3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018	
Acenaphthene	ug/L	< 100			3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018	
Acenaphthylene	ug/L	< 100			3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018	
Acetophenone	ug/L	< 100			3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018	
Alpha,	ug/L	< 500			E5	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Alpha-Dimethylphenethylamine						3/31/26	1:06	B603404	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-01					
Sample Name:		Leachate - 2					
Date/Time Collected:		3/18/26 13:15					
Sample Matrix:		Liquid					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 600		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 100	E-01	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 200	E-01	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 500	E21, E2-A	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 100	E21	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 100	E-01, E5	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-01					
Sample Name:		Leachate - 2					
Date/Time Collected:		3/18/26 13:15					
Sample Matrix:		Liquid					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Methapyrilene	ug/L	< 200	E2-F	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Methyl parathion	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Methyl Methanesulfonate	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
m-Nitroaniline	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodiethylamine	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodimethylamine	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodi-n-butylamine	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
n-Nitrosodiphenylamine	ug/L	< 200		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
N-Nitroso-di-n-propylamine	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomethylethylamine	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomorpholine	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopiperidine	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopyrrolidine	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
O,O,O-Triethyl phosphorothioate	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
o,o-Diethyl o-2-pyrazinyl	ug/L	< 100	E-01	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
o-Nitroaniline	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
p-Dimethylaminoazobenzene	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Parathion	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Pentachlorobenzene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Pentachloroethane	ug/L	< 500	E21	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Pentachloronitrobenzene	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Pentachlorophenol	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Phenacetin	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Phenanthrene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Phenol	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Phorate	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
p-Phenylenediamine	ug/L	< 69000	E5	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Pronamide	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Pyrene	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Pyridine	ug/L	< 50.0		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Safrole	ug/L	< 100	E5	3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Sulfotep	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
sym-Trinitrobenzene	ug/L	< 100		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Tribromophenol [surr]	%	83.6		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
2-Fluorobiphenyl [surr]	%	72.8		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
2-Fluorophenol [surr]	%	44.5		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene-d5 [surr]	%	79.3		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Phenol-d5 [surr]	%	34.4		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
Terphenyl-d14 [surr]	%	105		3/31/26	1:06	B603404	SW 8270E, Rev. 6, 2018
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-01
Sample Name: Leachate - 2
Date/Time Collected: 3/18/26 13:15
Sample Matrix: Liquid

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	45.2	J	3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	4180		3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	56.9		3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 6.50		3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 6.50		3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	58.7		3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	27.4		3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	11.8	J	3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	< 10.4		3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 2.00		3/20/26 12:12	B603439	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 39.0		3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	215		3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	3.69	J	3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	0.936	J	3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 520		3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	10800		3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	< 520		3/25/26 15:37	B603496	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 200		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 200		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 300		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 200		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	< 500	E21	3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 5000		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 400	E2-F	3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 200		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 200		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-01
Sample Name: Leachate - 2
Date/Time Collected: 3/18/26 13:15
Sample Matrix: Liquid

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromoform	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 200		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 200		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 200		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 200		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 500		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 100	E2-F	3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 300		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 200		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 1000		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 5000		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 500		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 200		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 1000		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 200		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 100		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 500		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 200		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 200		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 400		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 200		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.6		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	88.2		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	95.2		3/19/26 22:40	B603422	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	15.8		3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	11.3	E2	3/23/26 13:56	B603554	SM 4500-H+ B-2021
Sulfide	mg/L	< 1.50		3/23/26 9:02	B603501	SM 4500 S2-D-2021

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:	2603490-01					
Sample Name:	Leachate - 2					
Date/Time Collected:	3/18/26 13:15					
Sample Matrix:	Liquid					
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Temp of pH	°C	27.9		3/23/26 13:56	B603554	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-02
Sample Name: MW-29
Date/Time Collected: 3/18/26 12:31
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.451	J	3/23/26 10:58	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/24/26 16:33	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/24/26 16:33	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/24/26 16:33	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/24/26 16:33	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	95.2		3/24/26 16:33	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/24/26 17:07	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/24/26 17:07	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/24/26 17:07	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/24/26 17:07	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/24/26 17:07	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/24/26 17:07	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/24/26 17:07	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/24/26 17:07	B603527	EPA 608/SW 8082A
TCMX [surr]	%	78.0		3/24/26 17:07	B603527	EPA 608/SW 8082A
DCBP [surr]	%	110		3/24/26 17:07	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	0.002	J	3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	30.2		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	45.3		3/26/26 21:08	B603413	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-02				
Sample Name:		MW-29				
Date/Time Collected:		3/18/26 12:31				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/31/26 1:29	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-02					
Sample Name:		MW-29					
Date/Time Collected:		3/18/26 12:31					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-02					
Sample Name:		MW-29					
Date/Time Collected:		3/18/26 12:31					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Methapyrilene	ug/L	< 20.0	E2-F	3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Methyl parathion	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Methyl Methanesulfonate	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
m-Nitroaniline	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodiethylamine	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodimethylamine	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
n-Nitrosodiphenylamine	ug/L	< 20.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomethylethylamine	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomorpholine	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopiperidine	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopyrrolidine	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0		E-01	3/31/26	1:29	B603404
o-Nitroaniline	ug/L	< 10.0	3/31/26		1:29	B603404	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 10.0	3/31/26		1:29	B603404	SW 8270E, Rev. 6, 2018
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Parathion	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Pentachlorobenzene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Pentachloroethane	ug/L	< 50.0	E21	3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Pentachloronitrobenzene	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Pentachlorophenol	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Phenacetin	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Phenanthrene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Phenol	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Phorate	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
p-Phenylenediamine	ug/L	< 6900	E5	3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Pronamide	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Pyrene	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Pyridine	ug/L	< 5.00		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Safrole	ug/L	< 10.0	E5	3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Sulfotep	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
sym-Trinitrobenzene	ug/L	< 10.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Tribromophenol [surr]	%	61.1		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
2-Fluorobiphenyl [surr]	%	50.7		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
2-Fluorophenol [surr]	%	35.5		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene-d5 [surr]	%	57.5		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Phenol-d5 [surr]	%	26.7		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
Terphenyl-d14 [surr]	%	94.0		3/31/26	1:29	B603404	SW 8270E, Rev. 6, 2018
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-02
Sample Name: MW-29
Date/Time Collected: 3/18/26 12:31
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08	J	3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.055		3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	11.1		3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.352	J	3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	0.345		3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/20/26 12:16	B603439	SW7470A/EPA245.1,3,0- 1994
Nickel	ug/L	< 1.56		3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/25/26 15:40	B603496	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00	E21, J E2-F	3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	1.71		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-02
Sample Name: MW-29
Date/Time Collected: 3/18/26 12:31
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromomethane	ug/L	< 2.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.6		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	88.3		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.5		3/19/26 20:22	B603422	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	7.44	E2	3/23/26 13:56	B603554	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021
Temp of pH	°C	29.0		3/23/26 13:56	B603554	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-03
Sample Name: MW-4
Date/Time Collected: 3/18/26 11:27
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.272	J	3/23/26 11:18	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/24/26 16:51	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/24/26 16:51	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/24/26 16:51	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/24/26 16:51	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	103		3/24/26 16:51	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/24/26 17:31	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/24/26 17:31	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/24/26 17:31	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/24/26 17:31	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/24/26 17:31	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/24/26 17:31	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/24/26 17:31	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/24/26 17:31	B603527	EPA 608/SW 8082A
TCMX [surr]	%	73.0		3/24/26 17:31	B603527	EPA 608/SW 8082A
DCBP [surr]	%	87.5		3/24/26 17:31	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	0.002	J	3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	29.2		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	52.7		3/26/26 21:27	B603413	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-03					
Sample Name:		MW-4					
Date/Time Collected:		3/18/26 11:27					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-03					
Sample Name:		MW-4					
Date/Time Collected:		3/18/26 11:27					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-03					
Sample Name:		MW-4					
Date/Time Collected:		3/18/26 11:27					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Methapyrilene	ug/L	< 20.0	E2-F	3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Methyl parathion	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Methyl Methanesulfonate	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
m-Nitroaniline	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodiethylamine	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodimethylamine	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
n-Nitrosodiphenylamine	ug/L	< 20.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomethylethylamine	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomorpholine	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopiperidine	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopyrrolidine	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0	E-01	3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
o-Nitroaniline	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Parathion	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Pentachlorobenzene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Pentachloroethane	ug/L	< 50.0	E21	3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Pentachloronitrobenzene	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Pentachlorophenol	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Phenacetin	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Phenanthrene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Phenol	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Phorate	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
p-Phenylenediamine	ug/L	< 6900	E5	3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Pronamide	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Pyrene	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Pyridine	ug/L	< 5.00		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Safrole	ug/L	< 10.0	E5	3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Sulfotep	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
sym-Trinitrobenzene	ug/L	< 10.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Tribromophenol [surr]	%	66.3		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2-Fluorobiphenyl [surr]	%	53.7		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
2-Fluorophenol [surr]	%	39.7		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene-d5 [surr]	%	61.0		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Phenol-d5 [surr]	%	30.2		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
Terphenyl-d14 [surr]	%	96.2		3/31/26	1:51	B603404	SW 8270E, Rev. 6, 2018
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-03
Sample Name: MW-4
Date/Time Collected: 3/18/26 11:27
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	2.29		3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	39.4		3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.419		3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.870		3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	0.326	J	3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/20/26 12:19	B603439	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.46	J	3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.045	J	3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/25/26 15:44	B603496	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	3.54	E21, J	3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E2-F	3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-03
Sample Name: MW-4
Date/Time Collected: 3/18/26 11:27
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromomethane	ug/L	< 2.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.1		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	88.9		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	95.0		3/19/26 20:45	B603422	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.45	E2	3/23/26 13:56	B603554	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021
Temp of pH	°C	29.8		3/23/26 13:56	B603554	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-04
Sample Name: MW-18
Date/Time Collected: 3/18/26 10:35
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.247	J	3/23/26 11:37	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/24/26 17:09	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/24/26 17:09	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/24/26 17:09	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/24/26 17:09	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	93.9		3/24/26 17:09	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/24/26 17:56	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/24/26 17:56	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/24/26 17:56	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/24/26 17:56	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/24/26 17:56	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/24/26 17:56	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/24/26 17:56	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/24/26 17:56	B603527	EPA 608/SW 8082A
TCMX [surr]	%	71.5		3/24/26 17:56	B603527	EPA 608/SW 8082A
DCBP [surr]	%	77.5		3/24/26 17:56	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	0.011	J	3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	0.007	J	3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	35.4		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	72.9		3/26/26 21:45	B603413	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-04					
Sample Name:		MW-18					
Date/Time Collected:		3/18/26 10:35					
Sample Matrix:		Water					
Semivolatiles	Units	Result	Qualifier(s)	Date/Time Analyzed		Batch	Method
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Alpha,	ug/L	< 50.0	E5	3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Alpha-Dimethylphenethylamine							

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-04					
Sample Name:		MW-18					
Date/Time Collected:		3/18/26 10:35					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Aniline	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Anthracene	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Aramite	ug/L	< 60.0		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Benzo (a) anthracene	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Benzo[a]pyrene	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Benzo[b]fluoranthene	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Benzo[g,h,i]perylene	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Benzo[k]fluoranthene	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Benzyl alcohol	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Butylbenzylphthalate	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Chlorobenzilate	ug/L	< 10.0		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Chrysene	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Diallate	ug/L	< 10.0		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Dibenz[a,h]anthracene	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Dibenzofuran	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Diethylphthalate	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Dimethoate	ug/L	< 10.0	E-01	3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Dimethylphthalate	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Di-n-butylphthalate	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Di-n-octylphthalate	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Diphenylamine	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Disulfoton	ug/L	< 10.0		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Ethyl Methanesulfonate	ug/L	< 10.0		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Famphur	ug/L	< 20.0	E-01	3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Fluoranthene	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Fluorene	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Hexachlorobenzene	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Hexachlorobutadiene	ug/L	< 10.0		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Hexachlorocyclopentadiene	ug/L	< 10.0		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Hexachloroethane	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Hexachloropropene	ug/L	< 10.0		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Isodrin	ug/L	< 10.0		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Isophorone	ug/L	< 10.0		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Isosafrole	ug/L	< 10.0	E21	3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
Kepone	ug/L	< 10.0	E-01, E5	3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	
m-Dinitrobenzene	ug/L	< 10.0		3/31/26 2:14	B603404	SW 8270E, Rev. 6, 2018	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-04					
Sample Name:		MW-18					
Date/Time Collected:		3/18/26 10:35					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Methapyrilene	ug/L	< 20.0	E2-F	3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Methyl parathion	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Methyl Methanesulfonate	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
m-Nitroaniline	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodiethylamine	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodimethylamine	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
n-Nitrosodiphenylamine	ug/L	< 20.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomethylethylamine	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomorpholine	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopiperidine	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopyrrolidine	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0		E-01	3/31/26	2:14	B603404
o-Nitroaniline	ug/L	< 10.0	3/31/26		2:14	B603404	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 10.0	3/31/26		2:14	B603404	SW 8270E, Rev. 6, 2018
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Parathion	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Pentachlorobenzene	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Pentachloroethane	ug/L	< 50.0	E21	3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Pentachloronitrobenzene	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Pentachlorophenol	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Phenacetin	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Phenanthrene	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Phenol	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Phorate	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
p-Phenylenediamine	ug/L	< 6900	E5	3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Pronamide	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Pyrene	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Pyridine	ug/L	< 5.00		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Safrole	ug/L	< 10.0	E5	3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Sulfotep	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
sym-Trinitrobenzene	ug/L	< 10.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Tribromophenol [surr]	%	71.0		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2-Fluorobiphenyl [surr]	%	64.3		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
2-Fluorophenol [surr]	%	45.9		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene-d5 [surr]	%	69.8		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Phenol-d5 [surr]	%	35.5		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
Terphenyl-d14 [surr]	%	91.5		3/31/26	2:14	B603404	SW 8270E, Rev. 6, 2018
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-04
Sample Name: MW-18
Date/Time Collected: 3/18/26 10:35
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.287		3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	10.2		3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.384		3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.037	J	3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	0.272	J	3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/20/26 12:22	B603439	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/25/26 15:48	B603496	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	1.72	E21, J	3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E2-F	3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-04
Sample Name: MW-18
Date/Time Collected: 3/18/26 10:35
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromomethane	ug/L	< 2.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	0.212	J	3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.7		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	88.9		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	95.0		3/19/26 21:08	B603422	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.56	E2	3/23/26 13:56	B603554	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021
Temp of pH	°C	29.9		3/23/26 13:56	B603554	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-05
Sample Name: Leachate - 3-8
Date/Time Collected: 3/18/26 13:40
Sample Matrix: Liquid

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	284		3/23/26 16:28	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	821		3/24/26 17:28	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 30.0		3/24/26 17:28	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	0.708	J	3/24/26 17:28	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 25.0		3/24/26 17:28	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	95.6		3/24/26 17:28	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 5.00		3/24/26 18:21	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 5.00		3/24/26 18:21	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 5.00		3/24/26 18:21	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 5.00		3/24/26 18:21	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 5.00		3/24/26 18:21	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 5.00		3/24/26 18:21	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 5.00		3/24/26 18:21	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 5.00		3/24/26 18:21	B603527	EPA 608/SW 8082A
TCMX [surr]	%	102		3/24/26 18:21	B603527	EPA 608/SW 8082A
DCBP [surr]	%	91.0		3/24/26 18:21	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.300		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.200		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.100		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.200		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.200		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 1.00		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.100		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.200		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	0.045	J	3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	0.027	J	3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 1.00		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.200		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.100		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.200		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.200		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.100		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.100		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 1.50		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 1.00		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	18.4		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	63.4		3/26/26 22:03	B603413	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-05				
Sample Name:		Leachate - 3-8				
Date/Time Collected:		3/18/26 13:40				
Sample Matrix:		Liquid				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 50.0	E21	3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 50.0	E21	3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 100	E21	3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 500	E5	3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-05					
Sample Name:		Leachate - 3-8					
Date/Time Collected:		3/18/26 13:40					
Sample Matrix:		Liquid					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Aniline	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Anthracene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Aramite	ug/L	< 600		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Benzo (a) anthracene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Benzo[a]pyrene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Benzo[b]fluoranthene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Benzo[g,h,i]perylene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Benzo[k]fluoranthene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Benzyl alcohol	ug/L	279		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Bis(2-chloro-1-methylethyl) ether	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Bis(2-chloroethoxy)methane	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Bis(2-chloroethyl)ether	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Bis(2-ethylhexyl)phthalate	ug/L	63.9		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Butylbenzylphthalate	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Chlorobenzilate	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Chrysene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Diallate	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Dibenz[a,h]anthracene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Dibenzofuran	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Diethylphthalate	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Dimethoate	ug/L	< 100	E-01	3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Dimethylphthalate	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Di-n-butylphthalate	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Di-n-octylphthalate	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Diphenylamine	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Disulfoton	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Ethyl Methanesulfonate	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Famphur	ug/L	< 200	E-01	3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Fluoranthene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Fluorene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Hexachlorobenzene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Hexachlorobutadiene	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Hexachlorocyclopentadiene	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Hexachloroethane	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Hexachlorophene	ug/L	< 500	E21, E2-A	3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Hexachloropropene	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Indeno[1,2,3-cd]pyrene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Isodrin	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Isophorone	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Isosafrole	ug/L	< 100	E21	3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
Kepone	ug/L	< 100	E-01, E5	3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	
m-Dinitrobenzene	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-05				
Sample Name:		Leachate - 3-8				
Date/Time Collected:		3/18/26 13:40				
Sample Matrix:		Liquid				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Methapyrilene	ug/L	< 200	E2-F	3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Methyl parathion	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Methyl Methanesulfonate	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
m-Nitroaniline	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodiethylamine	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodimethylamine	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodi-n-butylamine	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
n-Nitrosodiphenylamine	ug/L	< 200		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
N-Nitroso-di-n-propylamine	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomethylethylamine	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomorpholine	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopiperidine	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopyrrolidine	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
O,O,O-Triethyl phosphorothioate	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
o,o-Diethyl o-2-pyrazinyl	ug/L	< 100	E-01	3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
o-Nitroaniline	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
p-Dimethylaminoazobenzene	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Parathion	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Pentachlorobenzene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Pentachloroethane	ug/L	< 500	E21	3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Pentachloronitrobenzene	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Pentachlorophenol	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Phenacetin	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Phenanthrene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Phenol	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Phorate	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
p-Phenylenediamine	ug/L	< 69000	E5	3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Pronamide	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Pyrene	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Pyridine	ug/L	< 50.0		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Safrole	ug/L	< 100	E5	3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Sulfotep	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
sym-Trinitrobenzene	ug/L	< 100		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Tribromophenol [surr]	%	70.4		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2-Fluorobiphenyl [surr]	%	49.6		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
2-Fluorophenol [surr]	%	33.7		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene-d5 [surr]	%	61.2		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Phenol-d5 [surr]	%	28.1		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
Terphenyl-d14 [surr]	%	86.7		3/31/26 2:37	B603404	SW 8270E, Rev. 6, 2018
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-05
Sample Name: Leachate - 3-8
Date/Time Collected: 3/18/26 13:40
Sample Matrix: Liquid

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	197		3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	7770		3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	35.5		3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 6.50		3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	5.10	J	3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	159		3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	27.9		3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	379		3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	949		3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 2.00		3/20/26 12:25	B603439	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	295		3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	55.5	J	3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	4.39	J	3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	1.04	J	3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	63.5	J	3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	786		3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	280	J	3/25/26 16:14	B603496	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 200		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 200		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 300		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 200		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	592	E21	3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 5000		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 400	E2-F	3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 200		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 200		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-05
Sample Name: Leachate - 3-8
Date/Time Collected: 3/18/26 13:40
Sample Matrix: Liquid

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromoform	ug/L	< 100	J	3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 200		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	102		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 200		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 200		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 500		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 300		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 100	E2-F	3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 200		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 1000		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 5000		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	57.2		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 500		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 200		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 1000		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 200		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 100		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 500		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 200	J	3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 200		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 400		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 200		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	98.8		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	87.9		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	94.2		3/19/26 23:04	B603422	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	0.600	E2	3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	10.2		3/23/26 13:56	B603554	SM 4500-H+ B-2021
Sulfide	mg/L	0.740		3/23/26 9:02	B603501	SM 4500 S2-D-2021

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:	2603490-05					
Sample Name:	Leachate - 3-8					
Date/Time Collected:	3/18/26 13:40					
Sample Matrix:	Liquid					
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Temp of pH	°C	29.4		3/23/26 13:56	B603554	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-06
Sample Name: Leachate - 1
Date/Time Collected: 3/18/26 13:06
Sample Matrix: Liquid

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	742		3/23/26 14:51	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 40.0		3/24/26 17:46	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 30.0		3/24/26 17:46	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 10.0		3/24/26 17:46	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 25.0		3/24/26 17:46	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	98.9		3/24/26 17:46	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 5.00		3/24/26 18:46	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 5.00		3/24/26 18:46	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 5.00		3/24/26 18:46	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 5.00		3/24/26 18:46	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 5.00		3/24/26 18:46	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 5.00		3/24/26 18:46	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 5.00		3/24/26 18:46	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 5.00		3/24/26 18:46	B603527	EPA 608/SW 8082A
TCMX [surr]	%	69.5		3/24/26 18:46	B603527	EPA 608/SW 8082A
DCBP [surr]	%	104		3/24/26 18:46	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.300		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.200		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.100		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.200		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.200		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 1.00		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.100		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.200		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.200		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.100		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	0.305	J	3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.200		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.100		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.200		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.200		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.100		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.100		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 1.50		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 1.00		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	43.3		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	93.7		3/26/26 22:21	B603413	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-06					
Sample Name:		Leachate - 1					
Date/Time Collected:		3/18/26 13:06					
Sample Matrix:		Liquid					
Semivolatiles	Units	Result	Qualifier(s)	Date/Time Analyzed		Batch	Method
1,2,4,5-Tetrachlorobenzene	ug/L	< 50.0	E21	3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 50.0	E21	3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 100	E21	3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 500	E5	3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-06					
Sample Name:		Leachate - 1					
Date/Time Collected:		3/18/26 13:06					
Sample Matrix:		Liquid					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 600		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	55.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 100	E-01	3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 200	E-01	3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 500	E21, E2-A	3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 100	E21	3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 100	E-01, E5	3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-06					
Sample Name:		Leachate - 1					
Date/Time Collected:		3/18/26 13:06					
Sample Matrix:		Liquid					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Methapyrilene	ug/L	< 200	E2-F	3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Methyl parathion	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Methyl Methanesulfonate	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
m-Nitroaniline	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodiethylamine	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodimethylamine	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodi-n-butylamine	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
n-Nitrosodiphenylamine	ug/L	< 200		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
N-Nitroso-di-n-propylamine	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomethylethylamine	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomorpholine	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopiperidine	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopyrrolidine	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
O,O,O-Triethyl phosphorothioate	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
o,o-Diethyl o-2-pyrazinyl	ug/L	< 100		E-01	3/31/26	3:00	B603404
o-Nitroaniline	ug/L	< 100	3/31/26		3:00	B603404	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 100	3/31/26		3:00	B603404	SW 8270E, Rev. 6, 2018
p-Dimethylaminoazobenzene	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Parathion	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Pentachlorobenzene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Pentachloroethane	ug/L	< 500	E21	3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Pentachloronitrobenzene	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Pentachlorophenol	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Phenacetin	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Phenanthrene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Phenol	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Phorate	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
p-Phenylenediamine	ug/L	< 69000	E5	3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Pronamide	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Pyrene	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Pyridine	ug/L	< 50.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Safrole	ug/L	< 100	E5	3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Sulfotep	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
sym-Trinitrobenzene	ug/L	< 100		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Tribromophenol [surr]	%	71.9		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2-Fluorobiphenyl [surr]	%	61.0		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
2-Fluorophenol [surr]	%	41.5		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene-d5 [surr]	%	70.6		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Phenol-d5 [surr]	%	37.5		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
Terphenyl-d14 [surr]	%	96.4		3/31/26	3:00	B603404	SW 8270E, Rev. 6, 2018
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-06
Sample Name: Leachate - 1
Date/Time Collected: 3/18/26 13:06
Sample Matrix: Liquid

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	14.0	J	3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	5610		3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	451		3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 6.50		3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	2.42	J	3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	41.8		3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	35.6		3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	17.8		3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	13.1		3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 2.00		3/20/26 12:29	B603439	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 39.0		3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	368		3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	9.91		3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	< 6.50		3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 520		3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	6610		3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	< 520		3/25/26 16:18	B603496	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 200		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 200		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 300		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 200		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	< 500	E21	3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 5000		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 400	E2-F	3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 200		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 200		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-06					
Sample Name:		Leachate - 1					
Date/Time Collected:		3/18/26 13:06					
Sample Matrix:		Liquid					
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Bromoform	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Bromomethane	ug/L	< 200		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Carbon disulfide	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
2-Butanone	ug/L	< 200		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Carbon Tetrachloride	ug/L	< 200		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Chlorobenzene	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Chloroethane	ug/L	< 200		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Chloroform	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Chloromethane	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Chloroprene	ug/L	< 500		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
cis-1,3-Dichloropropene	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Dibromochloromethane	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Dibromomethane	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Dichlorodifluoromethane	ug/L	< 100	E2-F	3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Ethyl Methacrylate	ug/L	< 300		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Ethylbenzene	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Iodomethane	ug/L	< 200		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Isobutyl alcohol	ug/L	< 1000		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Methacrylonitrile	ug/L	< 5000		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Methylene Chloride	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Methyl Methacrylate	ug/L	< 500		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
m,p-Xylene	ug/L	< 200		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Naphthalene	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
o-Xylene	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Propionitrile	ug/L	< 1000		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Styrene	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Tetrachloroethene	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Toluene	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
trans-1,2-Dichloroethene	ug/L	< 200		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
trans-1,3-Dichloropropene	ug/L	< 100		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
trans-1,4-Dichloro-2-butene	ug/L	< 500		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Trichloroethene	ug/L	< 200		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Trichlorofluoromethane	ug/L	< 200		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Vinyl acetate	ug/L	< 400		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Vinyl chloride	ug/L	< 200		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
4-Bromofluorobenzene [surr]	%	101		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
1,2-Dichloroethane-d4 [surr]	%	89.5		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
Toluene-d8 [surr]	%	94.7		3/19/26 23:27	B603422	SW 8260C, Rev 3, 2006	
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Cyanide (total)	mg/L	23.0		3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021	
pH	S.U.	12.1	E2	3/23/26 13:56	B603554	SM 4500-H+ B-2021	
Sulfide	mg/L	< 1.50		3/23/26 9:02	B603501	SM 4500 S2-D-2021	

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:	2603490-06					
Sample Name:	Leachate - 1					
Date/Time Collected:	3/18/26 13:06					
Sample Matrix:	Liquid					
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Temp of pH	°C	29.6		3/23/26 13:56	B603554	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-07
Sample Name: MW-6
Date/Time Collected: 3/18/26 11:15
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.471	J	3/23/26 12:35	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/24/26 18:04	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/24/26 18:04	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/24/26 18:04	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/24/26 18:04	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	102		3/24/26 18:04	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/24/26 19:10	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/24/26 19:10	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/24/26 19:10	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/24/26 19:10	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/24/26 19:10	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/24/26 19:10	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/24/26 19:10	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/24/26 19:10	B603527	EPA 608/SW 8082A
TCMX [surr]	%	80.0		3/24/26 19:10	B603527	EPA 608/SW 8082A
DCBP [surr]	%	112		3/24/26 19:10	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	0.007	J	3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	45.9		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	84.8		3/26/26 22:39	B603413	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-07					
Sample Name:		MW-6					
Date/Time Collected:		3/18/26 11:15					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
e							

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-07					
Sample Name:		MW-6					
Date/Time Collected:		3/18/26 11:15					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-07					
Sample Name:		MW-6					
Date/Time Collected:		3/18/26 11:15					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Methapyrilene	ug/L	< 20.0	E2-F	3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Methyl parathion	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Methyl Methanesulfonate	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
m-Nitroaniline	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodiethylamine	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodimethylamine	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
n-Nitrosodiphenylamine	ug/L	< 20.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomethylethylamine	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomorpholine	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopiperidine	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopyrrolidine	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0		E-01	3/31/26	3:23	B603404
o-Nitroaniline	ug/L	< 10.0	3/31/26		3:23	B603404	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 10.0	3/31/26		3:23	B603404	SW 8270E, Rev. 6, 2018
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Parathion	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Pentachlorobenzene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Pentachloroethane	ug/L	< 50.0	E21	3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Pentachloronitrobenzene	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Pentachlorophenol	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Phenacetin	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Phenanthrene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Phenol	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Phorate	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
p-Phenylenediamine	ug/L	< 6900	E5	3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Pronamide	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Pyrene	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Pyridine	ug/L	< 5.00		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Safrole	ug/L	< 10.0	E5	3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Sulfotep	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
sym-Trinitrobenzene	ug/L	< 10.0		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Tribromophenol [surr]	%	68.6		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2-Fluorobiphenyl [surr]	%	52.3		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
2-Fluorophenol [surr]	%	38.9		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene-d5 [surr]	%	59.1		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Phenol-d5 [surr]	%	29.4		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
Terphenyl-d14 [surr]	%	83.7		3/31/26	3:23	B603404	SW 8270E, Rev. 6, 2018
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-07
Sample Name: MW-6
Date/Time Collected: 3/18/26 11:15
Sample Matrix: Water

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	5.77		3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	62.1		3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.278		3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	1.76		3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	0.243	J	3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/20/26 12:32	B603439	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.15	J	3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	0.037	J	3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.047	J	3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/25/26 16:22	B603496	SW 6020B, Rev 2-2014
Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	< 5.00	E21	3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E2-F	3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-07
Sample Name: MW-6
Date/Time Collected: 3/18/26 11:15
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromomethane	ug/L	< 2.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	89.1		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	95.1		3/19/26 21:31	B603422	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	9.64	E2	3/23/26 13:56	B603554	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021
Temp of pH	°C	29.6		3/23/26 13:56	B603554	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-08
Sample Name: MW-8
Date/Time Collected: 3/18/26 9:25
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.575		3/23/26 12:55	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/24/26 18:23	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/24/26 18:23	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/24/26 18:23	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/24/26 18:23	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	94.2		3/24/26 18:23	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/24/26 19:35	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/24/26 19:35	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/24/26 19:35	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/24/26 19:35	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/24/26 19:35	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/24/26 19:35	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/24/26 19:35	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/24/26 19:35	B603527	EPA 608/SW 8082A
TCMX [surr]	%	81.0		3/24/26 19:35	B603527	EPA 608/SW 8082A
DCBP [surr]	%	118		3/24/26 19:35	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	36.1		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	76.9		3/26/26 22:57	B603413	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-08					
Sample Name:		MW-8					
Date/Time Collected:		3/18/26 9:25					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-08					
Sample Name:		MW-8					
Date/Time Collected:		3/18/26 9:25					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-08					
Sample Name:		MW-8					
Date/Time Collected:		3/18/26 9:25					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Methapyrilene	ug/L	< 20.0	E2-F	3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Methyl parathion	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Methyl Methanesulfonate	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
m-Nitroaniline	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodiethylamine	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodimethylamine	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
n-Nitrosodiphenylamine	ug/L	< 20.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomethylethylamine	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomorpholine	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopiperidine	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopyrrolidine	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0		E-01	3/31/26	3:45	B603404
o-Nitroaniline	ug/L	< 10.0	3/31/26		3:45	B603404	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 10.0	3/31/26		3:45	B603404	SW 8270E, Rev. 6, 2018
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Parathion	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Pentachlorobenzene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Pentachloroethane	ug/L	< 50.0	E21	3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Pentachloronitrobenzene	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Pentachlorophenol	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Phenacetin	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Phenanthrene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Phenol	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Phorate	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
p-Phenylenediamine	ug/L	< 6900	E5	3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Pronamide	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Pyrene	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Pyridine	ug/L	< 5.00		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Safrole	ug/L	< 10.0	E5	3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Sulfotep	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
sym-Trinitrobenzene	ug/L	< 10.0		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Tribromophenol [surr]	%	71.3		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2-Fluorobiphenyl [surr]	%	51.2		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
2-Fluorophenol [surr]	%	38.6		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene-d5 [surr]	%	58.4		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Phenol-d5 [surr]	%	29.2		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
Terphenyl-d14 [surr]	%	90.7		3/31/26	3:45	B603404	SW 8270E, Rev. 6, 2018
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-08
Sample Name: MW-8
Date/Time Collected: 3/18/26 9:25
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	3.39		3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	69.1		3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.079	J	3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.641		3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	1.05		3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	0.942		3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	0.904		3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/20/26 12:35	B603439	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.73		3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	0.043	J	3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	1.46		3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/25/26 16:26	B603496	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	1.92	E21, J	3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E2-F	3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-08
Sample Name: MW-8
Date/Time Collected: 3/18/26 9:25
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromoform	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	98.7		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	87.5		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	95.8		3/19/26 21:54	B603422	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	7.13	E2	3/23/26 13:56	B603554	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-08
Sample Name: MW-8
Date/Time Collected: 3/18/26 9:25
Sample Matrix: Water

<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Temp of pH	°C	29.8		3/23/26 13:56	B603554	SM 2550 B-2010

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-09
Sample Name: Field Blank
Date/Time Collected: 3/18/26 11:40
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	< 0.500		3/23/26 13:14	B603483	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/24/26 19:00	B603525	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/24/26 19:00	B603525	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/24/26 19:00	B603525	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/24/26 19:00	B603525	SW 8151A, Rev 1 1996
DCAA [surr]	%	100		3/24/26 19:00	B603525	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/24/26 20:00	B603527	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/24/26 20:00	B603527	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/24/26 20:00	B603527	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/24/26 20:00	B603527	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/24/26 20:00	B603527	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/24/26 20:00	B603527	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/24/26 20:00	B603527	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/24/26 20:00	B603527	EPA 608/SW 8082A
TCMX [surr]	%	74.5		3/24/26 20:00	B603527	EPA 608/SW 8082A
DCBP [surr]	%	58.5		3/24/26 20:00	B603527	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
TCMX [surr]	%	60.4		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
DCBP [surr]	%	58.1		3/27/26 14:20	B603413	SW 8081B, Rev 2, 2007
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-09					
Sample Name:		Field Blank					
Date/Time Collected:		3/18/26 11:40					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
e							

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-09					
Sample Name:		Field Blank					
Date/Time Collected:		3/18/26 11:40					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-09					
Sample Name:		Field Blank					
Date/Time Collected:		3/18/26 11:40					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Methapyrilene	ug/L	< 20.0	E2-F	3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Methyl parathion	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Methyl Methanesulfonate	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
m-Nitroaniline	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodiethylamine	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodimethylamine	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
n-Nitrosodiphenylamine	ug/L	< 20.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomethylethylamine	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosomorpholine	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopiperidine	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
N-Nitrosopyrrolidine	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0		E-01	3/31/26	4:08	B603404
o-Nitroaniline	ug/L	< 10.0	3/31/26		4:08	B603404	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 10.0	3/31/26		4:08	B603404	SW 8270E, Rev. 6, 2018
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Parathion	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Pentachlorobenzene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Pentachloroethane	ug/L	< 50.0	E21	3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Pentachloronitrobenzene	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Pentachlorophenol	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Phenacetin	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Phenanthrene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Phenol	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Phorate	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
p-Phenylenediamine	ug/L	< 6900	E5	3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Pronamide	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Pyrene	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Pyridine	ug/L	< 5.00		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Safrole	ug/L	< 10.0	E5	3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Sulfotep	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
sym-Trinitrobenzene	ug/L	< 10.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2,4,6-Tribromophenol [surr]	%	77.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2-Fluorobiphenyl [surr]	%	71.1		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
2-Fluorophenol [surr]	%	52.0		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Nitrobenzene-d5 [surr]	%	77.5		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Phenol-d5 [surr]	%	39.5		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
Terphenyl-d14 [surr]	%	96.2		3/31/26	4:08	B603404	SW 8270E, Rev. 6, 2018
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-09
Sample Name: Field Blank
Date/Time Collected: 3/18/26 11:40
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	< 0.260		3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	0.142	J	3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.448		3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	0.259	J	3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/20/26 12:39	B603439	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/25/26 16:29	B603496	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Acetone	ug/L	3.08	E21, J	3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E2-F	3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-09
Sample Name: Field Blank
Date/Time Collected: 3/18/26 11:40
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromomethane	ug/L	< 2.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	0.267	J	3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	100		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	90.5		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.7		3/19/26 17:16	B603422	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.80	E2	3/23/26 13:56	B603554	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021
Temp of pH	°C	29.4		3/23/26 13:56	B603554	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-10					
Sample Name:		Equipment Blank					
Date/Time Collected:		3/18/26 11:26					
Sample Matrix:		Water					
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
2-Hexanone	ug/L	< 2.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Acetone	ug/L	2.42	E21, J	3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Acetonitrile	ug/L	< 50.0		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Acrolein	ug/L	< 4.00	E2-F	3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Acrylonitrile	ug/L	< 2.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Allyl chloride	ug/L	< 2.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Benzene	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Bromodichloromethane	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Bromoform	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Bromomethane	ug/L	< 2.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Carbon disulfide	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
2-Butanone	ug/L	< 2.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Chlorobenzene	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Chloroethane	ug/L	< 2.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Chloroform	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Chloromethane	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Chloroprene	ug/L	< 5.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Dibromochloromethane	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Dibromomethane	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Ethylbenzene	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Iodomethane	ug/L	< 2.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Isobutyl alcohol	ug/L	< 10.0		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Methacrylonitrile	ug/L	< 50.0		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	
Methylene Chloride	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-10
Sample Name: Equipment Blank
Date/Time Collected: 3/18/26 11:26
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Methyl Methacrylate	ug/L	< 5.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	101		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	88.2		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.0		3/19/26 22:17	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number:		2603490-11					
Sample Name:		Trip Blank					
Date/Time Collected:		3/18/26 15:47					
Sample Matrix:		Water					
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
1,1,1-Trichloroethane	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
1,1,2-Trichloroethane	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
1,1-Dichloroethane	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
1,1-Dichloroethene	ug/L	< 2.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
1,2,3-Trichloropropane	ug/L	< 2.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
1,2-Dibromoethane	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
1,2-Dichloroethane	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
1,2-Dichloropropane	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
1,3-Dichlorobenzene	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
1,2-Dichlorobenzene	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
2-Hexanone	ug/L	< 2.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
4-Methyl-2-pentanone	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Acetone	ug/L	3.79	E21, J	3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Acetonitrile	ug/L	< 50.0		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Acrolein	ug/L	< 4.00	E2-F	3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Acrylonitrile	ug/L	< 2.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Allyl chloride	ug/L	< 2.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
1,4-Dichlorobenzene	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Benzene	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Bromodichloromethane	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Bromoform	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Bromomethane	ug/L	< 2.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Carbon disulfide	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
2-Butanone	ug/L	< 2.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Carbon Tetrachloride	ug/L	< 2.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Chlorobenzene	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Chloroethane	ug/L	< 2.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Chloroform	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Chloromethane	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Chloroprene	ug/L	< 5.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
cis-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Dibromochloromethane	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Dibromomethane	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Ethyl Methacrylate	ug/L	< 3.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Ethylbenzene	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Iodomethane	ug/L	< 2.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Isobutyl alcohol	ug/L	< 10.0		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Methacrylonitrile	ug/L	< 50.0		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	
Methylene Chloride	ug/L	0.368	J	3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

ANALYTICAL RESULTS

Lab Number: 2603490-11
Sample Name: Trip Blank
Date/Time Collected: 3/18/26 15:47
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Methyl Methacrylate	ug/L	< 5.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	100		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	91.5		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	96.8		3/19/26 16:53	B603422	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

QUALITY CONTROL RESULTS**Semivolatiles -- Batch: B603404 (Water)****Prepared: 19-Mar-26 10:25 By: MB -- Analyzed: 30-Mar-26 19:47 By: MB**

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,2,4,5-Tetrachlorobenzene	<0.142 ug/L	66.2% / NA	74.4% / 61.4%		19.3%	E21
1,2,4-Trichlorobenzene	<1.69 ug/L	72.0% / NA	78.2% / 61.4%		24.0%	
1,4-Naphthoquinone	<3.00 ug/L	74.2% / NA	81.5% / 76.2%		6.66%	
1-Naphthylamine	<0.360 ug/L	62.6% / NA	68.8% / 70.3%		2.16%	
2,3,4,6-Tetrachlorophenol	<2.00 ug/L	88.3% / NA	93.8% / 92.8%		1.02%	
2,4,5-Trichlorophenol	<1.91 ug/L	84.1% / NA	92.4% / 88.3%		4.51%	
2,4,6-Trichlorophenol	<1.06 ug/L	80.5% / NA	89.4% / 81.6%		9.11%	
2,4-Dichlorophenol	<0.449 ug/L	82.0% / NA	92.5% / 78.2%		16.7%	
2,4-Dimethylphenol	<1.12 ug/L	101% / NA	115% / 98.0%		15.9%	
2,4-Dinitrophenol	<2.25 ug/L	104% / NA	121% / 117%		3.71%	
2,4-Dinitrotoluene	<0.656 ug/L	86.0% / NA	91.8% / 91.5%		0.251%	
2,6-Dichlorophenol	<0.354 ug/L	74.3% / NA	82.4% / 69.8%		16.6%	
2,6-Dinitrotoluene	<0.656 ug/L	93.9% / NA	102% / 98.6%		3.35%	
2-Acetylaminofluorene	<0.275 ug/L	75.9% / NA	80.2% / 80.5%		0.436%	
2-Chloronaphthalene	<1.97 ug/L	92.8% / NA	102% / 89.9%		13.0%	
2-Chlorophenol	<1.11 ug/L	75.2% / NA	85.1% / 66.5%		24.5%	
2-Methylnaphthalene	<1.54 ug/L	80.3% / NA	88.6% / 73.8%		18.2%	
2-Methylphenol	<0.462 ug/L	78.6% / NA	86.7% / 70.4%		20.8%	
2-Naphthylamine	<0.190 ug/L	63.4% / NA	70.6% / 72.0%		2.03%	
2-Nitrophenol	<1.12 ug/L	80.1% / NA	90.4% / 74.5%		19.4%	
2-Picoline	<0.0973 ug/L	55.5% / NA	71.1% / 56.3%		23.2%	D
3 & 4-Methylphenol	<0.501 ug/L	86.7% / NA	117% / 100%		15.6%	
3,3-Dichlorobenzidine	<1.30 ug/L	81.8% / NA	86.2% / 92.5%		6.97%	
3,3'-Dimethylbenzidine	<0.538 ug/L	29.1% / NA	33.8% / 41.6%		20.7%	D
3-Methylcholanthrene	<0.330 ug/L	74.2% / NA	80.5% / 80.2%		0.311%	E21
4,6-Dinitro-o-cresol	<2.96 ug/L	105% / NA	117% / 119%		1.35%	
4-Aminobiphenyl	<0.199 ug/L	109% / NA	122% / 134%		9.21%	
4-Bromophenyl-phenylether	<1.47 ug/L	85.7% / NA	93.5% / 91.2%		2.52%	
4-Chloro-3-methylphenol	<1.75 ug/L	88.6% / NA	55.9% / 54.3%		2.89%	
4-Chloroaniline	<0.609 ug/L	81.8% / NA	93.6% / 80.5%		15.0%	
4-Chlorophenyl-phenylether	<1.68 ug/L	83.7% / NA	90.4% / 84.4%		6.84%	
4-Nitroaniline	<0.953 ug/L	98.9% / NA	105% / 105%		0.338%	
4-Nitrophenol	<2.22 ug/L	67.4% / NA	70.7% / 70.4%		0.417%	
4-Nitroquinoline 1-oxide	<2.00 ug/L	84.2% / NA	94.5% / 96.6%		2.20%	E21
5-Nitro-o-toluidine	<1.00 ug/L	87.8% / NA	94.5% / 95.0%		0.580%	
7,12-Dimethylbenz(a)anthracene	<1.00 ug/L	96.2% / NA	102% / 101%		0.885%	
Acenaphthene	<1.88 ug/L	83.8% / NA	90.4% / 80.9%		11.0%	
Acenaphthylene	<1.53 ug/L	87.7% / NA	94.9% / 86.6%		9.16%	
Acetophenone	<0.323 ug/L	81.9% / NA	89.0% / 75.0%		17.1%	
Alpha, Alpha-Dimethylphenethylamine	<3.13 ug/L	No Rec / NA	No Rec / No Rec		%	NREC
Aniline	<1.48 ug/L	68.0% / NA	76.6% / 62.6%		20.0%	
Anthracene	<0.566 ug/L	88.1% / NA	96.0% / 94.4%		1.73%	
Aramite	<20.0 ug/L	NA / NA	NA / NA		NA	NS
Benzo (a) anthracene	<0.475 ug/L	87.5% / NA	90.7% / 89.2%		1.71%	
Benzo[a]pyrene	<0.566 ug/L	87.5% / NA	92.9% / 92.9%		0.0424%	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026
Date Received: 18-Mar-26 15:47

QUALITY CONTROL RESULTS**Semivolatiles -- Batch: B603404 (Water)****Prepared: 19-Mar-26 10:25 By: MB -- Analyzed: 30-Mar-26 19:47 By: MB**

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Benzo[b]fluoranthene	<0.482 ug/L	97.5% / NA	105% / 104%		0.682%	
Benzo[g,h,i]perylene	<0.529 ug/L	85.2% / NA	89.8% / 90.1%		0.335%	
Benzo[k]fluoranthene	<0.516 ug/L	85.9% / NA	91.7% / 92.0%		0.321%	
Benzyl alcohol	<0.992 ug/L	69.6% / NA	74.8% / 61.7%		19.3%	D
Bis(2-chloro-1-methylethyl) ether	<0.445 ug/L	73.9% / NA	83.7% / 65.1%		25.0%	D
Bis(2-chloroethoxy)methane	<1.04 ug/L	97.3% / NA	108% / 88.9%		19.4%	%D1
Bis(2-chloroethyl)ether	<1.46 ug/L	76.2% / NA	82.3% / 64.5%		24.1%	
Bis(2-ethylhexyl)phthalate	<1.50 ug/L	96.9% / NA	97.6% / 98.6%		1.00%	
Butylbenzylphthalate	<1.18 ug/L	93.3% / NA	99.8% / 99.9%		0.0891%	
Chlorobenzilate	<0.321 ug/L	89.8% / NA	97.5% / 96.5%		1.03%	
Chrysene	<0.489 ug/L	91.4% / NA	94.9% / 94.9%		0.0340%	
Diallate	<0.713 ug/L	118% / NA	126% / 123%		2.40%	
Dibenz[a,h]anthracene	<0.843 ug/L	86.4% / NA	92.4% / 93.7%		1.40%	
Dibenzofuran	<1.36 ug/L	88.4% / NA	93.7% / 87.2%		7.20%	
Diethylphthalate	<0.668 ug/L	85.1% / NA	89.2% / 88.9%		0.374%	
Dimethoate	<1.00 ug/L	NA / NA	NA / NA		NA	E-01, NS
Dimethylphthalate	<0.516 ug/L	82.4% / NA	89.8% / 86.7%		3.51%	
Di-n-butylphthalate	<1.33 ug/L	88.0% / NA	94.3% / 94.0%		0.277%	
Di-n-octylphthalate	<1.43 ug/L	97.0% / NA	103% / 102%		1.08%	
Disulfoton	<0.300 ug/L	NA / NA	NA / NA		NA	NS
Ethyl Methanesulfonate	<0.343 ug/L	74.9% / NA	84.8% / 70.7%		18.1%	
Famphur	<2.00 ug/L	NA / NA	NA / NA		NA	E-01, NS
Fluoranthene	<0.575 ug/L	92.8% / NA	99.2% / 97.9%		1.26%	
Fluorene	<1.43 ug/L	89.6% / NA	95.5% / 90.3%		5.60%	
Hexachlorobenzene	<1.27 ug/L	86.1% / NA	93.3% / 90.2%		3.31%	
Hexachlorobutadiene	<2.52 ug/L	71.1% / NA	73.4% / 57.2%		24.8%	
Hexachlorocyclopentadiene	<2.71 ug/L	68.3% / NA	71.6% / 59.8%		18.0%	
Hexachloroethane	<0.958 ug/L	57.2% / NA	55.7% / 43.9%		23.8%	
Hexachlorophene	<0.167 ug/L	NA / NA	NA / NA		NA	E21, E2-A, NS
Hexachloropropene	<0.100 ug/L	57.1% / NA	58.8% / 46.2%		24.1%	D
Indeno[1,2,3-cd]pyrene	<1.23 ug/L	83.3% / NA	90.0% / 90.6%		0.660%	
Isodrin	<0.284 ug/L	106% / NA	117% / 116%		1.08%	
Isophorone	<2.23 ug/L	82.7% / NA	92.2% / 77.8%		16.9%	
Isosafrole	<0.216 ug/L	32.4% / NA	35.6% / 29.6%		18.6%	E21
Kepone	<0.420 ug/L	221% / NA	216% / 206%		4.70%	E-01, E5
m-Dinitrobenzene	<0.359 ug/L	119% / NA	129% / 130%		0.676%	
Methapyrilene	<3.00 ug/L	NA / NA	NA / NA		%	E2-F, NS
Methyl Methanesulfonate	<0.147 ug/L	56.0% / NA	65.4% / 53.6%		19.8%	
Methyl parathion	<0.230 ug/L	NA / NA	NA / NA		NA	NS
m-Nitroaniline	<0.308 ug/L	95.3% / NA	103% / 99.8%		3.57%	
Nitrobenzene	<1.42 ug/L	82.5% / NA	91.4% / 74.3%		20.7%	
N-Nitrosodiethylamine	<0.497 ug/L	74.8% / NA	84.4% / 68.6%		20.7%	D
N-Nitrosodimethylamine	<0.372 ug/L	49.7% / NA	56.5% / 44.7%		23.4%	D
N-Nitrosodi-n-butylamine	<0.331 ug/L	79.6% / NA	89.3% / 78.2%		13.3%	
N-Nitroso-di-n-propylamine	<0.834 ug/L	84.9% / NA	94.9% / 76.8%		21.1%	
N-Nitrosodiphenylamine/diphenylamine	<1.19 ug/L	88.0% / NA	96.0% / 91.3%		4.99%	
N-Nitrosomethylethylamine	<0.244 ug/L	68.4% / NA	75.9% / 61.2%		21.4%	D

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026
Date Received: 18-Mar-26 15:47

QUALITY CONTROL RESULTS

Semivolatiles -- Batch: B603404 (Water)

Prepared: 19-Mar-26 10:25 By: MB -- Analyzed: 30-Mar-26 19:47 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
N-Nitrosomorpholine	<1.00 ug/L	81.8% / NA	91.4% / 80.0%		13.2%	
N-Nitrosopiperidine	<0.298 ug/L	84.6% / NA	92.8% / 78.3%		17.0%	
N-Nitrosopyrrolidine	<1.00 ug/L	79.0% / NA	88.4% / 78.0%		12.4%	
O,O,O-Triethyl phosphorothioate	<0.0186 ug/L	NA / NA	NA / NA		NA	NS
o,o-Diethyl o-2-pyrazinyl	<0.204 ug/L	NA / NA	NA / NA		NA	E-01, NS
o-Nitroaniline	<1.90 ug/L	89.3% / NA	100% / 97.6%		2.53%	
o-Toluidine	<0.196 ug/L	66.7% / NA	73.4% / 63.8%		13.8%	
Parathion	<0.224 ug/L	NA / NA	NA / NA		NA	NS
p-Dimethylaminoazobenzene	<0.259 ug/L	79.6% / NA	84.2% / 84.2%		0.0594%	
Pentachlorobenzene	<0.133 ug/L	80.0% / NA	83.2% / 79.1%		4.99%	
Pentachloroethane	<5.68 ug/L	48.4% / NA	49.4% / 40.4%		20.0%	E21, J
Pentachloronitrobenzene	<0.258 ug/L	87.6% / NA	95.2% / 90.5%		5.06%	
Pentachlorophenol	<1.28 ug/L	90.5% / NA	97.6% / 93.8%		4.02%	
Phenacetin	<0.200 ug/L	90.4% / NA	93.4% / 94.6%		1.33%	
Phenanthrene	<0.572 ug/L	86.6% / NA	94.0% / 90.2%		4.11%	
Phenol	<0.348 ug/L	44.9% / NA	48.6% / 38.8%		22.4%	D
Phorate	<0.200 ug/L	NA / NA	NA / NA		NA	NS
p-Phenylenediamine	<390 ug/L	No Rec / NA	No Rec / No Rec		%	NREC
Pronamide	<0.265 ug/L	80.0% / NA	87.1% / 86.8%		0.403%	
Pyrene	<0.489 ug/L	93.1% / NA	99.9% / 96.7%		3.25%	
Pyridine	<1.39 ug/L	35.4% / NA	40.3% / 30.7%		27.1%	D
Safrole	<0.484 ug/L	177% / NA	196% / 175%		11.3%	E5
Sulfotep	<0.344 ug/L	NA / NA	NA / NA		NA	NS
sym-Trinitrobenzene	<1.00 ug/L	73.2% / NA	81.2% / 81.6%		0.614%	
2,4,6-Tribromophenol [surr]	72.8 %	86.8% / NA	96.2% / 89.8%		NA	
2-Fluorobiphenyl [surr]	69.1 %	69.3% / NA	81.7% / 70.1%		NA	
2-Fluorophenol [surr]	52.4 %	53.2% / NA	57.3% / 44.3%		NA	
Nitrobenzene-d5 [surr]	81.0 %	78.9% / NA	86.8% / 70.3%		NA	
Phenol-d5 [surr]	41.8 %	41.9% / NA	44.7% / 35.8%		NA	
Terphenyl-d14 [surr]	109 %	99.8% / NA	105% / 103%		NA	

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

QUALITY CONTROL RESULTS

Pesticides -- Batch: B603413 (Water)

Prepared: 19-Mar-26 12:27 By: MB -- Analyzed: 26-Mar-26 16:14 By: MB

Analyte	BLK	LCS / LCSD		MS / MSD		Dup	RPD	Qualifiers
4,4'-DDD	<0.009 ug/L	117%	/ NA	115%	/ 95.3%		18.4%	
4,4'-DDE	<0.004 ug/L	96.3%	/ NA	90.5%	/ 76.1%		17.3%	D
4,4'-DDT	<0.004 ug/L	127%	/ NA	111%	/ 98.1%		12.1%	
Aldrin	<0.003 ug/L	71.8%	/ NA	69.1%	/ 58.5%		16.5%	
alpha-BHC	<0.003 ug/L	69.1%	/ NA	71.4%	/ 56.3%		23.6%	
beta-BHC	<0.005 ug/L	72.8%	/ NA	73.5%	/ 57.0%		25.3%	D, J
delta-BHC	<0.002 ug/L	80.4%	/ NA	76.6%	/ 59.4%		25.2%	D, J
Dieldrin	<0.004 ug/L	104%	/ NA	97.1%	/ 81.9%		17.0%	D
Endosulfan I	<0.003 ug/L	99.0%	/ NA	84.7%	/ 74.8%		12.5%	D
Endosulfan II	<0.005 ug/L	110%	/ NA	98.1%	/ 83.6%		15.9%	D
Endosulfan sulfate	<0.004 ug/L	116%	/ NA	112%	/ 103%		7.79%	
Endrin	<0.006 ug/L	110%	/ NA	103%	/ 91.6%		11.8%	D
Endrin aldehyde	<0.021 ug/L	134%	/ NA	111%	/ 112%		1.37%	J
gamma-BHC (Lindane)	<0.002 ug/L	95.0%	/ NA	105%	/ 77.5%		27.8%	
Heptachlor	<0.003 ug/L	72.3%	/ NA	71.0%	/ 60.3%		16.3%	
Heptachlor epoxide	<0.002 ug/L	92.7%	/ NA	83.7%	/ 64.8%		25.3%	D
Methoxychlor	<0.020 ug/L	108%	/ NA	120%	/ 111%		7.61%	
DCBP [surr]	114 %	95.9%	/ NA	114%	/ 89.4%		NA	
TCMX [surr]	52.4 %	44.3%	/ NA	50.3%	/ 31.9%		NA	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

QUALITY CONTROL RESULTS**Volatiles -- Batch: B603422 (Water)****Prepared: 19-Mar-26 13:26 By: TB -- Analyzed: 19-Mar-26 16:06 By: tb**

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<0.125 ug/L	91.0% / NA	93.3% / 99.5%		6.42%	
1,1,1-Trichloroethane	<0.261 ug/L	91.3% / NA	88.2% / 90.2%		2.23%	
1,1,2,2-Tetrachloroethane	<0.274 ug/L	100% / NA	106% / 99.9%		6.20%	
1,1,2-Trichloroethane	<0.210 ug/L	91.3% / NA	96.4% / 95.4%		1.03%	
1,1-Dichloroethane	<0.248 ug/L	93.8% / NA	94.5% / 94.7%		0.153%	
1,1-Dichloroethene	<0.303 ug/L	91.6% / NA	91.6% / 92.0%		0.426%	
1,2,3-Trichloropropane	<0.471 ug/L	90.0% / NA	98.0% / 94.9%		3.26%	
1,2-Dibromo-3-chloropropane	<0.784 ug/L	88.2% / NA	99.6% / 100%		0.519%	
1,2-Dibromoethane	<0.250 ug/L	89.4% / NA	96.5% / 92.9%		3.79%	
1,2-Dichlorobenzene	<0.173 ug/L	95.2% / NA	101% / 100%		0.311%	
1,2-Dichloroethane	<0.235 ug/L	87.8% / NA	94.8% / 91.8%		3.21%	
1,2-Dichloropropane	<0.259 ug/L	91.2% / NA	99.4% / 96.2%		3.34%	
1,3-Dichlorobenzene	<0.220 ug/L	95.0% / NA	100% / 98.6%		1.53%	
1,4-Dichlorobenzene	<0.158 ug/L	96.6% / NA	100% / 98.8%		1.32%	
2-Butanone	<0.461 ug/L	81.4% / NA	77.1% / 79.2%		2.57%	
2-Hexanone	<0.372 ug/L	81.1% / NA	86.1% / 83.4%		3.19%	
4-Methyl-2-pentanone	<0.281 ug/L	84.8% / NA	91.4% / 88.0%		3.79%	
Acetone	<1.49 ug/L	78.5% / NA	60.7% / 65.8%		6.87%	E21
Acetonitrile	<12.4 ug/L	87.7% / NA	93.7% / 88.2%		5.99%	
Acrolein	<1.00 ug/L	80.6% / NA	75.9% / 73.5%		3.31%	E2-F
Acrylonitrile	<0.389 ug/L	88.3% / NA	88.0% / 89.2%		1.26%	
Allyl chloride	<0.539 ug/L	85.5% / NA	91.0% / 91.0%		0.0253%	
Benzene	<0.263 ug/L	95.3% / NA	94.6% / 93.2%		1.53%	
Bromodichloromethane	<0.195 ug/L	95.0% / NA	100% / 95.9%		4.70%	
Bromoform	<0.278 ug/L	97.0% / NA	96.7% / 98.6%		2.00%	
Bromomethane	<0.530 ug/L	94.2% / NA	88.2% / 88.0%		0.188%	
Carbon disulfide	<0.300 ug/L	93.8% / NA	95.7% / 94.9%		0.871%	
Carbon Tetrachloride	<0.484 ug/L	95.4% / NA	94.6% / 94.8%		0.141%	
Chlorobenzene	<0.181 ug/L	95.2% / NA	102% / 97.8%		4.01%	
Chloroethane	<0.392 ug/L	94.6% / NA	92.0% / 94.3%		2.38%	
Chloroform	<0.244 ug/L	96.7% / NA	94.6% / 94.5%		0.0828%	
Chloromethane	<0.155 ug/L	84.0% / NA	85.6% / 84.3%		1.56%	
Chloroprene	<1.00 ug/L	88.4% / NA	90.2% / 88.4%		2.07%	
cis-1,3-Dichloropropene	<0.123 ug/L	88.2% / NA	92.7% / 90.7%		2.19%	
Dibromochloromethane	<0.202 ug/L	89.9% / NA	91.9% / 89.9%		2.24%	
Dibromomethane	<0.174 ug/L	92.8% / NA	98.1% / 93.8%		4.46%	
Dichlorodifluoromethane	<0.266 ug/L	84.0% / NA	83.8% / 82.9%		1.05%	E2-F
Ethyl Methacrylate	<0.843 ug/L	89.4% / NA	99.4% / 98.1%		1.34%	
Ethylbenzene	<0.274 ug/L	96.8% / NA	103% / 101%		2.03%	
Iodomethane	<0.432 ug/L	101% / NA	98.0% / 98.9%		0.944%	
Isobutyl alcohol	<1.68 ug/L	89.7% / NA	99.6% / 101%		1.48%	
m,p-Xylene	<0.500 ug/L	95.4% / NA	104% / 101%		3.31%	
Methacrylonitrile	<3.29 ug/L	89.8% / NA	94.7% / 91.1%		3.90%	
Methyl Methacrylate	<0.806 ug/L	89.5% / NA	102% / 95.2%		6.66%	
Methylene Chloride	0.240 ug/L	99.3% / NA	96.7% / 96.2%		0.529%	J
Naphthalene	<0.114 ug/L	95.5% / NA	102% / 100%		1.67%	
o-Xylene	<0.206 ug/L	96.8% / NA	103% / 100%		2.70%	
Propionitrile	<2.28 ug/L	85.7% / NA	93.2% / 90.6%		2.79%	

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

QUALITY CONTROL RESULTS

Volatiles -- Batch: B603422 (Water)

Prepared: 19-Mar-26 13:26 By: TB -- Analyzed: 19-Mar-26 16:06 By: tb

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Styrene	<0.175 ug/L	90.9% / NA	98.6% / 93.9%		4.84%	
Tetrachloroethene	<0.268 ug/L	99.2% / NA	MBI / MBI		2.32%	MBI
Toluene	<0.295 ug/L	98.0% / NA	104% / 102%		1.90%	
trans-1,2-Dichloroethene	<0.320 ug/L	90.3% / NA	95.0% / 93.3%		1.81%	
trans-1,3-Dichloropropene	<0.155 ug/L	84.5% / NA	90.1% / 88.6%		1.66%	
trans-1,4-Dichloro-2-butene	<0.430 ug/L	85.7% / NA	95.0% / 91.1%		4.28%	
Trichloroethene	<0.306 ug/L	93.4% / NA	105% / 102%		2.58%	
Trichlorofluoromethane	<0.423 ug/L	89.7% / NA	91.0% / 91.2%		0.190%	
Vinyl acetate	<0.880 ug/L	95.3% / NA	93.6% / 92.5%		1.16%	
Vinyl chloride	<0.369 ug/L	88.1% / NA	86.2% / 85.4%		0.867%	
1,2-Dichloroethane-d4 [surr]	89.5 %	96.6% / NA	88.4% / 91.9%		NA	
4-Bromofluorobenzene [surr]	100 %	98.3% / NA	97.4% / 97.2%		NA	
Toluene-d8 [surr]	97.2 %	97.4% / NA	98.9% / 97.8%		NA	

Total Metals -- Batch: B603439 (Water)

Prepared: 20-Mar-26 09:48 By: KAW -- Analyzed: 20-Mar-26 11:39 By: KAW

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Mercury	<0.0610 ug/L	94.2% / NA	99.0% / 98.4%		0.651%	

Anions -- Batch: B603483 (Water)

Prepared: 23-Mar-26 07:08 By: MB -- Analyzed: 23-Mar-26 15:30 By: MB

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Fluoride	<0.089 mg/L	94.0% / NA	108% / 109%		0.653%	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026
Date Received: 18-Mar-26 15:47

QUALITY CONTROL RESULTS**Total Metals -- Batch: B603496 (Water)**

Prepared: 23-Mar-26 08:52 By: JAH -- Analyzed: 25-Mar-26 15:33 By: JAH

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Antimony	<0.343 ug/L	109% / NA	107% / 105%		2.35%	
Arsenic	<0.052 ug/L	106% / NA	107% / 112%		4.68%	
Barium	<0.078 ug/L	115% / NA	112% / 112%		0.0664%	
Beryllium	<0.074 ug/L	114% / NA	89.6% / 86.1%		3.99%	
Cadmium	<0.038 ug/L	106% / NA	107% / 109%		2.22%	
Chromium	<0.0751 ug/L	99.6% / NA	97.4% / 95.6%		1.83%	
Cobalt	<0.035 ug/L	107% / NA	108% / 111%		2.68%	
Copper	<0.149 ug/L	102% / NA	98.1% / 101%		2.45%	
Lead	<0.115 ug/L	110% / NA	106% / 103%		3.08%	
Nickel	<0.42 ug/L	107% / NA	107% / 110%		2.73%	
Selenium	<1.50 ug/L	111% / NA	106% / 110%		4.08%	
Silver	<0.099 ug/L	102% / NA	101% / 104%		3.77%	
Thallium	<0.035 ug/L	111% / NA	107% / 104%		2.45%	
Tin	<1.62 ug/L	113% / NA	MBI / 118%		167%	D1, MBI
Vanadium	<0.042 ug/L	109% / NA	110% / 113%		3.01%	
Zinc	<4.89 ug/L	111% / NA	115% / 118%		2.49%	

Wet Chemistry -- Batch: B603501 (Water)

Prepared: 23-Mar-26 09:02 By: KJ -- Analyzed: 23-Mar-26 09:02 By: KJ

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Sulfide	<0.0203 mg/L	93.5% / 88.0%	105% / NA		6.06%	

Herbicides -- Batch: B603525 (Water)

Prepared: 24-Mar-26 08:13 By: MB -- Analyzed: 24-Mar-26 13:10 By: MB

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
2,4,5-TP (Silvex)	<0.790 ug/L	103% / NA	104% / 101%		2.65%	
2,4-D	<0.964 ug/L	64.7% / NA	63.6% / 63.3%		0.448%	
DCAA [surr]	87.2 %	79.5% / NA	88.8% / 75.1%		NA	

PCBs -- Batch: B603527 (Water)

Prepared: 24-Mar-26 08:21 By: TB -- Analyzed: 24-Mar-26 12:09 By: TB

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Aroclor-1016	<0.0334 ug/L	104% / NA	110% / 106%		3.97%	
Aroclor-1260	<0.0396 ug/L	85.5% / NA	87.8% / 85.0%		3.25%	
DCBP [surr]	66.5 %	73.5% / NA	90.0% / 85.5%		NA	
TCMX [surr]	67.5 %	61.0% / NA	64.0% / 60.5%		NA	

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 18-Mar-26 15:47

QUALITY CONTROL RESULTS

Wet Chemistry -- Batch: B603545 (Water)

Prepared: 25-Mar-26 09:35 By: KJ -- Analyzed: 25-Mar-26 09:35 By: KJ

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Cyanide (total)	<0.002 mg/L	92.0% / 95.0%	83.0% / NA		3.21%	

Wet Chemistry -- Batch: B603554 (Water)

Prepared: 23-Mar-26 13:56 By: CGF -- Analyzed: 23-Mar-26 13:56 By: CGF

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
pH	NA	101% / 101%	NA / NA		0.00%	

QUALIFIER(S)

- *%D1: Matrix Spike and/or Matrix Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
- *%D2: Laboratory Control Spike and/or Laboratory Control Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
- *D: RPD Value Does Not Meet Laboratory Acceptance Criteria
- *D1: RPD Value Does Not Meet Laboratory Acceptance Criteria.
- *E-01: Estimated Result; This Analyte Failed "High" in the CCV; If the sample is non-detect for this analyte, the CCV demonstrated the analyte would have been detected were it present.
- *E2: Estimated Result; Analyzed Outside of Holding Time
- *E21: Estimated Result; This Analyte failed (low) in the CCV.
- *E2-A: Estimated Result due to Absence of Second Source
- *E2-F: Second Source Verification Failure
- *E5: Estimated Result Due to Quality Control Failure
- *J: Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
- *MBI: Masked By Interference
- *NREC: No Recovery
- *NS: Analyte was Not Spiked for in the QC (LCS, LCSD, MS, MSD).

All Analysis performed according to EPA approved methodology when available :

SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods.

Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

A handwritten signature in blue ink that reads "Norma James".

Reviewed by:

Norma James
Technical Director



8100 National Dr.
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description			Turnaround Time		Preservation Codes:													
Veolia Gum Springs Facility			Quarterly Groundwater Samples			1 Day (200%)		1. Cool, 6 Degrees Centigrade					4. Thiosulfate for Dechlorination								
500 East Reynolds Rd.			Appendix IX			2 Day (100%)		2. Sulfuric Acid (H ₂ SO ₄), pH < 2					5. Hydrochloric Acid(HCl)								
Arkadelphia, AR 71923			Reporting Information			3 Day (50%)		3. Nitric Acid (HNO ₃), pH < 2					6. Sodium Hydroxide (NaOH), pH > 12								
			Telephone: 870-245-2720			5 Day (Routine)		TEST PARAMETERS										Bottle Type Code			
Attn: Cole Clark			Fax: 870-246-7344			Preservative Code:		1	1,6, Zn Acetate	1,6	1,5	1,3	1	1	1	1	G = Glass; P = Plastic				
			Email: SEE BELOW			Bottle Type:		P	P	P	GV	P	GA	GA	GA	GA	V = Septum; A = Amber				
Sampler(s) Signature			Sampler(s) Printed															Arkansas Analytical Work Order Number:			
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION		pH (SM 4500), Fluoride (EPA 300.0)	Sulfide (SM 4500 S2 D)	Cyanide (SM 4500 CN-E)	Appendix IX Volatiles (8260)	Appendix IX (6020-Sb, As, Ba, Be, Cd, Cr, Co, Cu, Pb, Ni, Se, Ag, Ti, Sn, V, Zn), (7470A-Hg)	Appendix IX Herbicides (8151)	Appendix IX Pesticides (8081) / Appendix IX PCBs (8082)	Appendix IX SemiVolatiles (8270)	**Appendix IX Dioxin, Furans (SUBCONTRACT)**				
	Date/s	Time/s																			
	3/18/26	1315	X		12	Water	Leachate - 2	X	X	X	X	X	X	X	X	X	X	X	01		
MW-29	3/18/26	1231	X		12	Water		X	X	X	X	X	X	X	X	X	X	X	02		
MW-4	3/18/26	1127	X		12	Water		X	X	X	X	X	X	X	X	X	X	X	03		
MW-18	3/18/26	1035	X		12	Water		X	X	X	X	X	X	X	X	X	X	X	04		
	3/18/26	1340	X		12	Water	Leachate - 3-8	X	X	X	X	X	X	X	X	X	X	X	05		
	3/18/26	1306	X		12	Water	Leachate - 1	X	X	X	X	X	X	X	X	X	X	X	06		
MW-6	3/18/26	1115	X		12	Water		X	X	X	X	X	X	X	X	X	X	X	07		
MW-8	3/18/26	0925	X		12	Water		X	X	X	X	X	X	X	X	X	X	X	08		
	3/18/26	1140	X		12	Water	FB	X	X	X	X	X	X	X	X	X	X	X	09		
	3/18/26	1126	X		12	Water	Equipment Blank	X	X	X	X	X	X	X	X	X	X	X	10		
1. Relinquished by: (Signature)			Date/Time			2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB										REMARKS / SAMPLE COMMENTS		
			3/18/26 1418						1. CUSTODY SEALS: Yes No										Email:		
									2. CONTAINERS CORRECT: Yes No										Cole Clark - cole.clark@veolia.com		
									3. COC/LABELS AGREE: Yes No										David Jaros - david.jaros@terracon.com		
3. Relinquished by: (Signature)			Date/Time			4. Received by lab: (Signature)			4. RECEIVED ON ICE: Yes No										Paul Gramling - paul.gramling@terracon.com		
			3-18-26 1547			Natasha Howard			5. TEMPERATURE ON RECEIPT: 4 °C 6										Matt Acree - Matt.Acree@terracon.com		
									6. TEMPERATURE GUN ID: HHT#										*Lab Added TripBlank to COC. (N/A)		
FOR COMPLETION BY LAB ONLY																					



8100 National Dr. - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

23 April 2026

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

SDG Number: 2603515

Enclosed are the results of analyses for samples received by the laboratory on 19-Mar-26 15:30. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

Custody Seals	✓
Containers Correct	✓
COC/Labels Agree	✓
Received On Ice	✓
Temperature on Receipt	3.0°C

Sincerely,

A handwritten signature in blue ink that reads "Norma James".

Norma James
Technical Director

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

CASE NARRATIVE

Sample Delivery Group – 2603515

One OR more of the qualifiers described below may appear in this report. Qualifiers in **RED apply to this SDG (Sample Delivery Group).**

pH QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
E2	Result qualified as it was received and analyzed outside of holding time. Analysis is considered a "Field" analysis.

ANALYTICAL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
EDL	Result was non-detect at an elevated detection limit due to one or more of the following: Sample Matrix, Sample Dilution, or Limited Sample Volume.
EX	Result exceeds DAILY MAXIMUM and/or MONTHLY AVERAGE.
J	At client request, J-Values are reported. J-Values are considered "estimated" results as they are below the limit of quantitation yet above the method detection limit (MDL).

CALIBRATION QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
CR	Result above highest calibration standard, but within linear calibration range.
Est3	Result at the instrument was above the concentration of the highest standard in the calibration curve.
E2-A	Estimated Result Due to Absence of Second Source
E2-F	Second Source Verification Failure
E11	Initial Calibration Minimum Response Factor Failure
E21	CCV Low
E-01	CCV High
E35	Low Level CCV Failure

QUALITY CONTROL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
E20	Sample used as "parent" for the associated analytical batch.
%D3/S-01/MBI	Surrogate failed to recover within acceptance criteria (%D3/S-01/Masked by Interference).
E1	Results associated with this surrogate were qualified as "estimated" (E1).
B	Present in the Associated Blank
B1	Present in Blank, but Not In the Sample.
%D2 / E5/NREC	Laboratory Control Spike (LCS) and/or Laboratory Control Spike Duplicate (LCSD) failed to recover with acceptance criteria (%D2). Associated results were qualified as "estimated" (E5 and/or NREC (No Recovery)).
%D1	Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) failed acceptance criteria.
MBA	Failed criteria due to the high concentration of analyte in the parent sample.
MBI	Failed criteria due to an interference in the parent sample.
%D3	Quality Control Surrogate failed acceptance criteria.
NREC	Quality Control failed: No Recovery.
NS	Quality Control failed: Not Spiked.

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-01
Sample Name: MW-27
Date/Time Collected: 3/19/26 9:45
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.180	J	3/30/26 9:11	B603638	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/25/26 11:37	B603526	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/25/26 11:37	B603526	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/25/26 11:37	B603526	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/25/26 11:37	B603526	SW 8151A, Rev 1 1996
DCAA [surr]	%	104		3/25/26 11:37	B603526	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/25/26 12:20	B603530	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/25/26 12:20	B603530	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/25/26 12:20	B603530	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/25/26 12:20	B603530	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/25/26 12:20	B603530	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/25/26 12:20	B603530	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/25/26 12:20	B603530	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/25/26 12:20	B603530	EPA 608/SW 8082A
TCMX [surr]	%	81.0		3/25/26 12:20	B603530	EPA 608/SW 8082A
DCBP [surr]	%	102		3/25/26 12:20	B603530	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
TCMX [surr]	%	48.2		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007
DCBP [surr]	%	87.9		3/27/26 14:39	B603541	SW 8081B, Rev 2, 2007

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-01				
Sample Name:		MW-27				
Date/Time Collected:		3/19/26 9:45				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-01					
Sample Name:		MW-27					
Date/Time Collected:		3/19/26 9:45					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/30/26	14:50	B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-01				
Sample Name:		MW-27				
Date/Time Collected:		3/19/26 9:45				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Methapyrilene	ug/L	< 20.0	E2-F	3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Methyl parathion	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Methyl Methanesulfonate	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
m-Nitroaniline	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Nitrobenzene	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosodiethylamine	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosodimethylamine	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
n-Nitrosodiphenylamine	ug/L	< 20.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosomethylethylamine	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosomorpholine	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosopiperidine	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosopyrrolidine	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0	E-01	3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
o-Nitroaniline	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Parathion	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Pentachlorobenzene	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Pentachloroethane	ug/L	< 50.0	E21	3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Pentachloronitrobenzene	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Pentachlorophenol	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Phenacetin	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Phenanthrene	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Phenol	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Phorate	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
p-Phenylenediamine	ug/L	< 6900	E5	3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Pronamide	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Pyrene	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Pyridine	ug/L	< 5.00		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Safrole	ug/L	< 10.0	E5	3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Sulfotep	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
sym-Trinitrobenzene	ug/L	< 10.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2,4,6-Tribromophenol [surr]	%	80.0		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2-Fluorobiphenyl [surr]	%	65.9		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
2-Fluorophenol [surr]	%	46.8		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Nitrobenzene-d5 [surr]	%	72.6		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Phenol-d5 [surr]	%	35.4		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
Terphenyl-d14 [surr]	%	99.7		3/30/26 14:50	B603484	SW 8270E, Rev. 6, 2018
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-01
Sample Name: MW-27
Date/Time Collected: 3/19/26 9:45
Sample Matrix: Water

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	2.74		3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	69.4		3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.448		3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.239	J	3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	0.471	J	3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/24/26 10:49	B603531	SW7470A/EPA245.1,3,0- 1994
Nickel	ug/L	0.80	J	3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.046	J	3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	10.9	J	3/25/26 16:33	B603496	SW 6020B, Rev 2-2014
Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Acetone	ug/L	< 5.00	E21	3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21, E2-F	3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-01
Sample Name: MW-27
Date/Time Collected: 3/19/26 9:45
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromomethane	ug/L	< 2.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00	E21	3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.0		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	88.9		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	93.1		3/20/26 13:01	B603448	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/25/26 9:35	B603545	SM 4500-CN B,C,E,G 2021
pH	S.U.	5.89	E2	3/23/26 13:56	B603556	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021
Temp of pH	°C	27.3		3/23/26 13:56	B603556	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-02
Sample Name: MW-26
Date/Time Collected: 3/19/26 11:41
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.223	J	3/30/26 9:31	B603638	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/25/26 11:55	B603526	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/25/26 11:55	B603526	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/25/26 11:55	B603526	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/25/26 11:55	B603526	SW 8151A, Rev 1 1996
DCAA [surr]	%	107		3/25/26 11:55	B603526	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/25/26 12:45	B603530	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/25/26 12:45	B603530	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/25/26 12:45	B603530	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/25/26 12:45	B603530	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/25/26 12:45	B603530	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/25/26 12:45	B603530	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/25/26 12:45	B603530	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/25/26 12:45	B603530	EPA 608/SW 8082A
TCMX [surr]	%	59.0		3/25/26 12:45	B603530	EPA 608/SW 8082A
DCBP [surr]	%	87.5		3/25/26 12:45	B603530	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
TCMX [surr]	%	46.0		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007
DCBP [surr]	%	58.2		3/27/26 14:02	B603541	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-02				
Sample Name:		MW-26				
Date/Time Collected:		3/19/26 11:41				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E20, E5	3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-02				
Sample Name:		MW-26				
Date/Time Collected:		3/19/26 11:41				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E20, E5	3/30/26 15:13	B603484	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/24/26 15:39	B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-02						
Sample Name:		MW-26						
Date/Time Collected:		3/19/26 11:41						
Sample Matrix:		Water						
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>	
Methapyrilene	ug/L	< 20.0	E2-F	3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
Methyl parathion	ug/L	< 10.0		3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
Methyl Methanesulfonate	ug/L	< 10.0		3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
m-Nitroaniline	ug/L	< 10.0		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
Nitrobenzene	ug/L	< 5.00		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodiethylamine	ug/L	< 5.00		3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodimethylamine	ug/L	< 5.00		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
n-Nitrosodiphenylamine	ug/L	< 20.0		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosomethylethylamine	ug/L	< 10.0		3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosomorpholine	ug/L	< 10.0		3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosopiperidine	ug/L	< 10.0		3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosopyrrolidine	ug/L	< 10.0		3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0		E-01	3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018
o-Nitroaniline	ug/L	< 10.0			3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 10.0	3/30/26		15:13	B603484	SW 8270E, Rev. 6, 2018	
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
Parathion	ug/L	< 10.0		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
Pentachlorobenzene	ug/L	< 5.00		3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
Pentachloroethane	ug/L	< 50.0	E21	3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
Pentachloronitrobenzene	ug/L	< 10.0		3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
Pentachlorophenol	ug/L	< 5.00		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
Phenacetin	ug/L	< 10.0		3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
Phenanthrene	ug/L	< 5.00		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
Phenol	ug/L	< 5.00		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
Phorate	ug/L	< 10.0		3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
p-Phenylenediamine	ug/L	< 6900	E20, E5	3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
Pronamide	ug/L	< 10.0		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
Pyrene	ug/L	< 5.00		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
Pyridine	ug/L	< 5.00		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
Safrole	ug/L	< 10.0	E20, E5	3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
Sulfotep	ug/L	< 10.0		3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
sym-Trinitrobenzene	ug/L	< 10.0		3/30/26	15:13	B603484	SW 8270E, Rev. 6, 2018	
2,4,6-Tribromophenol [surr]	%	77.0		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
2-Fluorobiphenyl [surr]	%	64.9		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
2-Fluorophenol [surr]	%	46.6		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
Nitrobenzene-d5 [surr]	%	72.7		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
Phenol-d5 [surr]	%	34.9		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
Terphenyl-d14 [surr]	%	106		3/24/26	15:39	B603484	SW 8270E, Rev. 6, 2018	
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-02
Sample Name: MW-26
Date/Time Collected: 3/19/26 11:41
Sample Matrix: Water

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	1.21		3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	34.5		3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.291		3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.248	J	3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	0.530		3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/24/26 10:53	B603531	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.77	J	3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/25/26 16:37	B603496	SW 6020B, Rev 2-2014
Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00	E20	3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Acetone	ug/L	3.30	E20, E21, J	3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21, E2-F	3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-02
Sample Name: MW-26
Date/Time Collected: 3/19/26 11:41
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromomethane	ug/L	< 2.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00	E21	3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00	E20	3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	98.7		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	89.3		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	92.5		3/20/26 13:24	B603448	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	0.004	J	3/27/26 8:59	B603608	SM 4500-CN B,C,E,G 2021
pH	S.U.	5.99	E2	3/23/26 13:56	B603556	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021
Temp of pH	°C	28.0		3/23/26 13:56	B603556	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-03
Sample Name: MW-28
Date/Time Collected: 3/19/26 12:50
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.170	J	3/30/26 9:50	B603638	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/25/26 12:13	B603526	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/25/26 12:13	B603526	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/25/26 12:13	B603526	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/25/26 12:13	B603526	SW 8151A, Rev 1 1996
DCAA [surr]	%	109		3/25/26 12:13	B603526	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/25/26 13:09	B603530	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/25/26 13:09	B603530	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/25/26 13:09	B603530	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/25/26 13:09	B603530	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/25/26 13:09	B603530	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/25/26 13:09	B603530	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/25/26 13:09	B603530	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/25/26 13:09	B603530	EPA 608/SW 8082A
TCMX [surr]	%	102		3/25/26 13:09	B603530	EPA 608/SW 8082A
DCBP [surr]	%	110		3/25/26 13:09	B603530	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
TCMX [surr]	%	29.6		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007
DCBP [surr]	%	57.2		3/27/26 14:57	B603541	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-03					
Sample Name:		MW-28					
Date/Time Collected:		3/19/26 12:50					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-03					
Sample Name:		MW-28					
Date/Time Collected:		3/19/26 12:50					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-03					
Sample Name:		MW-28					
Date/Time Collected:		3/19/26 12:50					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Methapyrilene	ug/L	< 20.0	E2-F	3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Methyl parathion	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Methyl Methanesulfonate	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
m-Nitroaniline	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Nitrobenzene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosodiethylamine	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosodimethylamine	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
n-Nitrosodiphenylamine	ug/L	< 20.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosomethylethylamine	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosomorpholine	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosopiperidine	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosopyrrolidine	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0		E-01	3/30/26	15:36	B603484
o-Nitroaniline	ug/L	< 10.0	3/30/26		15:36	B603484	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 10.0	3/30/26		15:36	B603484	SW 8270E, Rev. 6, 2018
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Parathion	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Pentachlorobenzene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Pentachloroethane	ug/L	< 50.0	E21	3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Pentachloronitrobenzene	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Pentachlorophenol	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Phenacetin	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Phenanthrene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Phenol	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Phorate	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
p-Phenylenediamine	ug/L	< 6900	E5	3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Pronamide	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Pyrene	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Pyridine	ug/L	< 5.00		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Safrole	ug/L	< 10.0	E5	3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Sulfotep	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
sym-Trinitrobenzene	ug/L	< 10.0		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2,4,6-Tribromophenol [surr]	%	54.9		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2-Fluorobiphenyl [surr]	%	49.9		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
2-Fluorophenol [surr]	%	37.1		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Nitrobenzene-d5 [surr]	%	58.6		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Phenol-d5 [surr]	%	28.4		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
Terphenyl-d14 [surr]	%	87.2		3/30/26	15:36	B603484	SW 8270E, Rev. 6, 2018
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-03
Sample Name: MW-28
Date/Time Collected: 3/19/26 12:50
Sample Matrix: Water

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	< 0.260		3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	16.7		3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.375		3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	0.298	J	3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/24/26 10:56	B603531	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.059	J	3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/25/26 16:41	B603496	SW 6020B, Rev 2-2014
Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Acetone	ug/L	< 5.00	E21	3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21, E2-F	3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-03
Sample Name: MW-28
Date/Time Collected: 3/19/26 12:50
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromomethane	ug/L	< 2.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00	E21	3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.6		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	90.5		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	93.3		3/20/26 13:48	B603448	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/27/26 8:59	B603608	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.08	E2	3/23/26 13:56	B603556	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021
Temp of pH	°C	28.4		3/23/26 13:56	B603556	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-04
Sample Name: MW-8S
Date/Time Collected: 3/19/26 10:20
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.294		3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	23.3		3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.052	J	3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.668		3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.063	J	3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	1.32		3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	0.465		3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/24/26 10:59	B603531	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.87	J	3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	3.21	J	3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.413		3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	7.05	J	3/25/26 16:44	B603496	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Acetone	ug/L	3.20	E21, J	3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21, E2-F	3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-04
Sample Name: MW-8S
Date/Time Collected: 3/19/26 10:20
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromoform	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00	E21	3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.7		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	91.1		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	92.6		3/20/26 14:11	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-05
Sample Name: MW-1A
Date/Time Collected: 3/19/26 9:00
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.485	J	3/30/26 10:10	B603638	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/25/26 12:32	B603526	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/25/26 12:32	B603526	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/25/26 12:32	B603526	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/25/26 12:32	B603526	SW 8151A, Rev 1 1996
DCAA [surr]	%	95.3		3/25/26 12:32	B603526	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/25/26 13:34	B603530	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/25/26 13:34	B603530	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/25/26 13:34	B603530	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/25/26 13:34	B603530	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/25/26 13:34	B603530	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/25/26 13:34	B603530	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/25/26 13:34	B603530	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/25/26 13:34	B603530	EPA 608/SW 8082A
TCMX [surr]	%	86.5		3/25/26 13:34	B603530	EPA 608/SW 8082A
DCBP [surr]	%	89.0		3/25/26 13:34	B603530	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
TCMX [surr]	%	20.3		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007
DCBP [surr]	%	67.9		3/27/26 15:15	B603541	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-05				
Sample Name:		MW-1A				
Date/Time Collected:		3/19/26 9:00				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/30/26 15:59	B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-05					
Sample Name:		MW-1A					
Date/Time Collected:		3/19/26 9:00					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-05						
Sample Name:		MW-1A						
Date/Time Collected:		3/19/26 9:00						
Sample Matrix:		Water						
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>	
Methapyrilene	ug/L	< 20.0	E2-F	3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Methyl parathion	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Methyl Methanesulfonate	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
m-Nitroaniline	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Nitrobenzene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodiethylamine	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodimethylamine	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
n-Nitrosodiphenylamine	ug/L	< 20.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosomethylethylamine	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosomorpholine	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosopiperidine	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosopyrrolidine	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0		E-01	3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
o-Nitroaniline	ug/L	< 10.0			3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 10.0	3/30/26		15:59	B603484	SW 8270E, Rev. 6, 2018	
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Parathion	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Pentachlorobenzene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Pentachloroethane	ug/L	< 50.0	E21	3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Pentachloronitrobenzene	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Pentachlorophenol	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Phenacetin	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Phenanthrene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Phenol	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Phorate	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
p-Phenylenediamine	ug/L	< 6900	E5	3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Pronamide	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Pyrene	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Pyridine	ug/L	< 5.00		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Safrole	ug/L	< 10.0	E5	3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Sulfotep	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
sym-Trinitrobenzene	ug/L	< 10.0		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
2,4,6-Tribromophenol [surr]	%	83.2		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
2-Fluorobiphenyl [surr]	%	66.4		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
2-Fluorophenol [surr]	%	46.4		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Nitrobenzene-d5 [surr]	%	72.5		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Phenol-d5 [surr]	%	39.1		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
Terphenyl-d14 [surr]	%	101		3/30/26	15:59	B603484	SW 8270E, Rev. 6, 2018	
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-05
Sample Name: MW-1A
Date/Time Collected: 3/19/26 9:00
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	0.500	J	3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.678		3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	69.2		3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.927		3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.080	J	3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	1.14		3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	0.392	J	3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/24/26 11:03	B603531	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.58	J	3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	1.70		3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/25/26 16:48	B603496	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Acetone	ug/L	2.84	E21, J	3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21, E2-F	3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-05
Sample Name: MW-1A
Date/Time Collected: 3/19/26 9:00
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromoform	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	0.862	J	3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00	E21	3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.8		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	91.8		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	93.3		3/20/26 14:34	B603448	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/27/26 8:59	B603608	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.94	E2	3/23/26 13:56	B603556	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-05
Sample Name: MW-1A
Date/Time Collected: 3/19/26 9:00
Sample Matrix: Water

<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Temp of pH	°C	28.7		3/23/26 13:56	B603556	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-06
Sample Name: MW-25
Date/Time Collected: 3/19/26 13:11
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.291	J	3/30/26 10:29	B603638	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/25/26 12:50	B603526	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/25/26 12:50	B603526	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/25/26 12:50	B603526	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/25/26 12:50	B603526	SW 8151A, Rev 1 1996
DCAA [surr]	%	104		3/25/26 12:50	B603526	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/25/26 13:59	B603530	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/25/26 13:59	B603530	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/25/26 13:59	B603530	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/25/26 13:59	B603530	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/25/26 13:59	B603530	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/25/26 13:59	B603530	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/25/26 13:59	B603530	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/25/26 13:59	B603530	EPA 608/SW 8082A
TCMX [surr]	%	74.0		3/25/26 13:59	B603530	EPA 608/SW 8082A
DCBP [surr]	%	94.5		3/25/26 13:59	B603530	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
TCMX [surr]	%	22.2		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007
DCBP [surr]	%	66.0		3/27/26 16:31	B603541	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-06					
Sample Name:		MW-25					
Date/Time Collected:		3/19/26 13:11					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
1,4-Naphthoquinone	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
1-Naphthylamine	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2,4,5-Trichlorophenol	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2,4,6-Trichlorophenol	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2,4-Dichlorophenol	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2,4-Dimethylphenol	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2,4-Dinitrophenol	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2,4-Dinitrotoluene	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2-Chloronaphthalene	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2,6-Dichlorophenol	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2-Chlorophenol	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2,6-Dinitrotoluene	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2-Acetylaminofluorene	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2-Methylnaphthalene	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2-Methylphenol	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2-Naphthylamine	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2-Nitrophenol	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
2-Picoline	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
3 & 4-Methylphenol	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
3,3-Dichlorobenzidine	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
3-Methylcholanthrene	ug/L	< 5.00	E21	3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
4-Aminobiphenyl	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
4-Bromophenyl-phenylether	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
4-Chloro-3-methylphenol	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
4-Chloroaniline	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
5-Nitro-o-toluidine	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
4-Nitroaniline	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
4-Nitrophenol	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
Acenaphthene	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
Acenaphthylene	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
Acetophenone	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-06					
Sample Name:		MW-25					
Date/Time Collected:		3/19/26 13:11					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/30/26 16:21		B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-06				
Sample Name:		MW-25				
Date/Time Collected:		3/19/26 13:11				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Methapyrilene	ug/L	< 20.0	E2-F	3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Methyl parathion	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Methyl Methanesulfonate	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
m-Nitroaniline	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Nitrobenzene	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosodiethylamine	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosodimethylamine	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
n-Nitrosodiphenylamine	ug/L	< 20.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosomethylethylamine	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosomorpholine	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosopiperidine	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosopyrrolidine	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0	E-01	3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
o-Nitroaniline	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Parathion	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Pentachlorobenzene	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Pentachloroethane	ug/L	< 50.0	E21	3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Pentachloronitrobenzene	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Pentachlorophenol	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Phenacetin	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Phenanthrene	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Phenol	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Phorate	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
p-Phenylenediamine	ug/L	< 6900	E5	3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Pronamide	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Pyrene	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Pyridine	ug/L	< 5.00		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Safrole	ug/L	< 10.0	E5	3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Sulfotep	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
sym-Trinitrobenzene	ug/L	< 10.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
2,4,6-Tribromophenol [surr]	%	72.6		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
2-Fluorobiphenyl [surr]	%	55.0		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
2-Fluorophenol [surr]	%	42.1		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Nitrobenzene-d5 [surr]	%	62.6		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Phenol-d5 [surr]	%	32.4		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
Terphenyl-d14 [surr]	%	101		3/30/26 16:21	B603484	SW 8270E, Rev. 6, 2018
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-06
Sample Name: MW-25
Date/Time Collected: 3/19/26 13:11
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	0.566	J	3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.758		3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	35.3		3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.320		3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.135	J	3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	0.836		3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/24/26 11:06	B603531	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.59	J	3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	0.111	J	3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/25/26 17:15	B603496	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Acetone	ug/L	2.61	E21, J	3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21, E2-F	3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-06
Sample Name: MW-25
Date/Time Collected: 3/19/26 13:11
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromoform	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00	E21	3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	100		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	91.3		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	93.2		3/20/26 14:57	B603448	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/27/26 8:59	B603608	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.13	E2	3/23/26 13:56	B603556	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:	2603515-06					
Sample Name:	MW-25					
Date/Time Collected:	3/19/26 13:11					
Sample Matrix:	Water					
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Temp of pH	°C	28.3		3/23/26 13:56	B603556	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-07
Sample Name: DUP-2
Date/Time Collected: 3/19/26 13:25
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.309	J	3/30/26 10:49	B603638	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/25/26 13:09	B603526	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/25/26 13:09	B603526	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/25/26 13:09	B603526	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/25/26 13:09	B603526	SW 8151A, Rev 1 1996
DCAA [surr]	%	106		3/25/26 13:09	B603526	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/25/26 14:24	B603530	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/25/26 14:24	B603530	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/25/26 14:24	B603530	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/25/26 14:24	B603530	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/25/26 14:24	B603530	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/25/26 14:24	B603530	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/25/26 14:24	B603530	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/25/26 14:24	B603530	EPA 608/SW 8082A
TCMX [surr]	%	87.0		3/25/26 14:24	B603530	EPA 608/SW 8082A
DCBP [surr]	%	105		3/25/26 14:24	B603530	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
TCMX [surr]	%	21.0		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007
DCBP [surr]	%	71.4		3/27/26 16:50	B603541	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-07					
Sample Name:		DUP-2					
Date/Time Collected:		3/19/26 13:25					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
1,4-Naphthoquinone	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
1-Naphthylamine	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2,4,5-Trichlorophenol	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2,4,6-Trichlorophenol	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2,4-Dichlorophenol	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2,4-Dimethylphenol	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2,4-Dinitrophenol	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2,4-Dinitrotoluene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2-Chloronaphthalene	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2,6-Dichlorophenol	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2-Chlorophenol	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2,6-Dinitrotoluene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2-Acetylaminofluorene	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2-Methylnaphthalene	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2-Methylphenol	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2-Naphthylamine	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2-Nitrophenol	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2-Picoline	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
3 & 4-Methylphenol	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
3,3-Dichlorobenzidine	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
3-Methylcholanthrene	ug/L	< 5.00	E21	3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
4-Aminobiphenyl	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
4-Bromophenyl-phenylether	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
4-Chloro-3-methylphenol	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
4-Chloroaniline	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
5-Nitro-o-toluidine	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
4-Nitroaniline	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
4-Nitrophenol	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Acenaphthene	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Acenaphthylene	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Acetophenone	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-07					
Sample Name:		DUP-2					
Date/Time Collected:		3/19/26 13:25					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Aniline	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Anthracene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Aramite	ug/L	< 60.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Benzo (a) anthracene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Benzo[a]pyrene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Benzo[b]fluoranthene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Benzo[g,h,i]perylene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Benzo[k]fluoranthene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Benzyl alcohol	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Butylbenzylphthalate	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Chlorobenzilate	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Chrysene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Diallate	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Dibenz[a,h]anthracene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Dibenzofuran	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Diethylphthalate	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Dimethoate	ug/L	< 10.0	E-01	3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Dimethylphthalate	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Di-n-butylphthalate	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Di-n-octylphthalate	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Diphenylamine	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Disulfoton	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Ethyl Methanesulfonate	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Famphur	ug/L	< 20.0	E-01	3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Fluoranthene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Fluorene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Hexachlorobenzene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Hexachlorobutadiene	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Hexachlorocyclopentadiene	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Hexachloroethane	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Hexachloropropene	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Isodrin	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Isophorone	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Isosafrole	ug/L	< 10.0	E21	3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Kepone	ug/L	< 10.0	E-01, E5	3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
m-Dinitrobenzene	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-07					
Sample Name:		DUP-2					
Date/Time Collected:		3/19/26 13:25					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Methapyrilene	ug/L	< 20.0	E2-F	3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Methyl parathion	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Methyl Methanesulfonate	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
m-Nitroaniline	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Nitrobenzene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodiethylamine	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodimethylamine	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
n-Nitrosodiphenylamine	ug/L	< 20.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosomethylethylamine	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosomorpholine	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosopiperidine	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosopyrrolidine	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0	E-01	3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
o-Nitroaniline	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
o-Toluidine	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Parathion	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Pentachlorobenzene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Pentachloroethane	ug/L	< 50.0	E21	3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Pentachloronitrobenzene	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Pentachlorophenol	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Phenacetin	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Phenanthrene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Phenol	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Phorate	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
p-Phenylenediamine	ug/L	< 6900	E5	3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Pronamide	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Pyrene	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Pyridine	ug/L	< 5.00		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Safrole	ug/L	< 10.0	E5	3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Sulfotep	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
sym-Trinitrobenzene	ug/L	< 10.0		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2,4,6-Tribromophenol [surr]	%	67.1		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2-Fluorobiphenyl [surr]	%	52.2		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
2-Fluorophenol [surr]	%	40.4		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Nitrobenzene-d5 [surr]	%	58.4		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Phenol-d5 [surr]	%	31.3		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
Terphenyl-d14 [surr]	%	96.2		3/30/26 16:44	B603484	SW 8270E, Rev. 6, 2018	
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-07
Sample Name: DUP-2
Date/Time Collected: 3/19/26 13:25
Sample Matrix: Water

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.680		3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	27.0		3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.343		3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.150	J	3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	0.396	J	3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/24/26 11:16	B603531	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.61	J	3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/25/26 17:18	B603496	SW 6020B, Rev 2-2014
Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Acetone	ug/L	3.76	E21, J	3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21, E2-F	3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-07
Sample Name: DUP-2
Date/Time Collected: 3/19/26 13:25
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromomethane	ug/L	< 2.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00	E21	3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.2		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	91.7		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	91.9		3/20/26 15:21	B603448	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/27/26 8:59	B603608	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.01	E2	3/23/26 13:56	B603556	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021
Temp of pH	°C	28.3		3/23/26 13:56	B603556	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-08
Sample Name: 24-PZ-2
Date/Time Collected: 3/19/26 11:59
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.284	J	3/30/26 11:08	B603638	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/25/26 13:45	B603526	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/25/26 13:45	B603526	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/25/26 13:45	B603526	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/25/26 13:45	B603526	SW 8151A, Rev 1 1996
DCAA [surr]	%	110		3/25/26 13:45	B603526	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/25/26 15:40	B603530	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/25/26 15:40	B603530	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/25/26 15:40	B603530	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/25/26 15:40	B603530	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/25/26 15:40	B603530	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/25/26 15:40	B603530	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/25/26 15:40	B603530	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/25/26 15:40	B603530	EPA 608/SW 8082A
TCMX [surr]	%	79.0		3/25/26 15:40	B603530	EPA 608/SW 8082A
DCBP [surr]	%	104		3/25/26 15:40	B603530	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
TCMX [surr]	%	34.7		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007
DCBP [surr]	%	84.4		3/27/26 17:09	B603541	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-08					
Sample Name:		24-PZ-2					
Date/Time Collected:		3/19/26 11:59					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/30/26	17:07	B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-08					
Sample Name:		24-PZ-2					
Date/Time Collected:		3/19/26 11:59					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/30/26 17:07		B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-08					
Sample Name:		24-PZ-2					
Date/Time Collected:		3/19/26 11:59					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Methapyrilene	ug/L	< 20.0	E2-F	3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Methyl parathion	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Methyl Methanesulfonate	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
m-Nitroaniline	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Nitrobenzene	ug/L	< 5.00		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodiethylamine	ug/L	< 5.00		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodimethylamine	ug/L	< 5.00		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
n-Nitrosodiphenylamine	ug/L	< 20.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosomethylethylamine	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosomorpholine	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosopiperidine	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosopyrrolidine	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0	E-01	3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
o-Nitroaniline	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
o-Toluidine	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Parathion	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Pentachlorobenzene	ug/L	< 5.00		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Pentachloroethane	ug/L	< 50.0	E21	3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Pentachloronitrobenzene	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Pentachlorophenol	ug/L	< 5.00		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Phenacetin	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Phenanthrene	ug/L	< 5.00		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Phenol	ug/L	< 5.00		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Phorate	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
p-Phenylenediamine	ug/L	< 6900	E5	3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Pronamide	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Pyrene	ug/L	< 5.00		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Pyridine	ug/L	< 5.00		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Safrole	ug/L	< 10.0	E5	3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Sulfotep	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
sym-Trinitrobenzene	ug/L	< 10.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
2,4,6-Tribromophenol [surr]	%	83.3		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
2-Fluorobiphenyl [surr]	%	67.6		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
2-Fluorophenol [surr]	%	51.0		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Nitrobenzene-d5 [surr]	%	75.5		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Phenol-d5 [surr]	%	39.1		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
Terphenyl-d14 [surr]	%	106		3/30/26 17:07	B603484	SW 8270E, Rev. 6, 2018	
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-08
Sample Name: 24-PZ-2
Date/Time Collected: 3/19/26 11:59
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	2.28		3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	56.1		3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.045	J	3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	1.16		3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.797		3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	2.86		3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	5.22		3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/24/26 11:19	B603531	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.76		3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	1.23		3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	8.54	J	3/25/26 17:22	B603496	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Acetone	ug/L	3.21	E21, J	3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21, E2-F	3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-08
Sample Name: 24-PZ-2
Date/Time Collected: 3/19/26 11:59
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromoform	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00	E21	3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	96.5		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	91.5		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	91.1		3/20/26 15:44	B603448	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/27/26 8:59	B603608	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.06	E2	3/23/26 13:56	B603556	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:	2603515-08					
Sample Name:	24-PZ-2					
Date/Time Collected:	3/19/26 11:59					
Sample Matrix:	Water					
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Temp of pH	°C	28.4		3/23/26 13:56	B603556	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-09
Sample Name: MW-24
Date/Time Collected: 3/19/26 11:00
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.213	J	3/30/26 11:28	B603638	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/25/26 14:04	B603526	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/25/26 14:04	B603526	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/25/26 14:04	B603526	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/25/26 14:04	B603526	SW 8151A, Rev 1 1996
DCAA [surr]	%	122		3/25/26 14:04	B603526	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/25/26 16:05	B603530	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/25/26 16:05	B603530	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/25/26 16:05	B603530	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/25/26 16:05	B603530	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/25/26 16:05	B603530	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/25/26 16:05	B603530	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/25/26 16:05	B603530	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/25/26 16:05	B603530	EPA 608/SW 8082A
TCMX [surr]	%	86.0		3/25/26 16:05	B603530	EPA 608/SW 8082A
DCBP [surr]	%	91.0		3/25/26 16:05	B603530	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
TCMX [surr]	%	31.1		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007
DCBP [surr]	%	82.7		3/27/26 17:28	B603541	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-09				
Sample Name:		MW-24				
Date/Time Collected:		3/19/26 11:00				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-09				
Sample Name:		MW-24				
Date/Time Collected:		3/19/26 11:00				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-09					
Sample Name:		MW-24					
Date/Time Collected:		3/19/26 11:00					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Methapyrilene	ug/L	< 20.0	E2-F	3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Methyl parathion	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Methyl Methanesulfonate	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
m-Nitroaniline	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Nitrobenzene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodiethylamine	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodimethylamine	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
n-Nitrosodiphenylamine	ug/L	< 20.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosomethylethylamine	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosomorpholine	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosopiperidine	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosopyrrolidine	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0	E-01	3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
o-Nitroaniline	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
o-Toluidine	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Parathion	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Pentachlorobenzene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Pentachloroethane	ug/L	< 50.0	E21	3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Pentachloronitrobenzene	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Pentachlorophenol	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Phenacetin	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Phenanthrene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Phenol	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Phorate	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
p-Phenylenediamine	ug/L	< 6900	E5	3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Pronamide	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Pyrene	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Pyridine	ug/L	< 5.00		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Safrole	ug/L	< 10.0	E5	3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Sulfotep	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
sym-Trinitrobenzene	ug/L	< 10.0		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
2,4,6-Tribromophenol [surr]	%	78.3		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
2-Fluorobiphenyl [surr]	%	58.6		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
2-Fluorophenol [surr]	%	46.1		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Nitrobenzene-d5 [surr]	%	68.3		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Phenol-d5 [surr]	%	36.1		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
Terphenyl-d14 [surr]	%	106		3/30/26 17:30	B603484	SW 8270E, Rev. 6, 2018	
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-09
Sample Name: MW-24
Date/Time Collected: 3/19/26 11:00
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	2.83		3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	117		3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.321		3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.509		3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	0.442	J	3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	< 0.416		3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/24/26 11:22	B603531	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	< 0.260		3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/25/26 17:26	B603496	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Acetone	ug/L	1.76	E21, J	3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21, E2-F	3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-09
Sample Name: MW-24
Date/Time Collected: 3/19/26 11:00
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromomethane	ug/L	< 2.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00	E21	3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	97.6		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	92.0		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	92.3		3/20/26 16:07	B603448	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/27/26 8:59	B603608	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.16	E2	3/23/26 13:56	B603556	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021
Temp of pH	°C	28.3		3/23/26 13:56	B603556	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-10
Sample Name: MW-4S
Date/Time Collected: 3/19/26 12:00
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.603		3/30/26 11:47	B603638	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/25/26 14:22	B603526	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/25/26 14:22	B603526	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/25/26 14:22	B603526	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/25/26 14:22	B603526	SW 8151A, Rev 1 1996
DCAA [surr]	%	104		3/25/26 14:22	B603526	SW 8151A, Rev 1 1996
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.176	J	3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	14.7		3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.042	J	3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.579		3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.040	J	3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	0.883		3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	0.139	J	3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/24/26 11:26	B603531	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.56	J	3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	9.86		3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	< 0.260		3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	0.345		3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	5.04	J	3/25/26 17:30	B603496	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-10					
Sample Name:		MW-4S					
Date/Time Collected:		3/19/26 12:00					
Sample Matrix:		Water					
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
4-Methyl-2-pentanone	ug/L	< 1.00	E21	3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Acetone	ug/L	5.26		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0	E21, E2-F	3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00	E2-F E21	3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00	3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006	
Propionitrile	ug/L	< 10.0	3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006	
Styrene	ug/L	< 1.00	3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006	
Tetrachloroethene	ug/L	< 1.00	3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006	
Toluene	ug/L	< 1.00	3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006	
trans-1,2-Dichloroethene	ug/L	< 2.00	3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006	
trans-1,3-Dichloropropene	ug/L	< 1.00	3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006	
trans-1,4-Dichloro-2-butene	ug/L	< 5.00	3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006	
Trichloroethene	ug/L	< 2.00	3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006	
Trichlorofluoromethane	ug/L	< 2.00	3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006	
Vinyl acetate	ug/L	< 4.00	3/20/26	16:31	B603448	SW 8260C, Rev 3, 2006	

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-10
Sample Name: MW-4S
Date/Time Collected: 3/19/26 12:00
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Vinyl chloride	ug/L	< 2.00		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	97.5		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	92.6		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	91.5		3/20/26 16:31	B603448	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/27/26 8:59	B603608	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.98	E2	3/23/26 13:56	B603556	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021
Temp of pH	°C	28.2		3/23/26 13:56	B603556	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-11
Sample Name: MW-6S
Date/Time Collected: 3/19/26 12:40
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.492	J	3/30/26 12:06	B603638	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/25/26 14:40	B603526	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/25/26 14:40	B603526	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/25/26 14:40	B603526	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/25/26 14:40	B603526	SW 8151A, Rev 1 1996
DCAA [surr]	%	105		3/25/26 14:40	B603526	SW 8151A, Rev 1 1996
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.366		3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
Barium	ug/L	22.8		3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
Cadmium	ug/L	0.055	J	3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
Chromium	ug/L	0.705		3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.122	J	3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
Copper	ug/L	1.16		3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
Lead	ug/L	0.994		3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/24/26 11:29	B603531	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	1.16	J	3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
Selenium	ug/L	8.36		3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
Thallium	ug/L	0.036	J	3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
Vanadium	ug/L	1.14		3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
Zinc	ug/L	22.4		3/25/26 17:33	B603496	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-11						
Sample Name:		MW-6S						
Date/Time Collected:		3/19/26 12:40						
Sample Matrix:		Water						
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>	
4-Methyl-2-pentanone	ug/L	< 1.00	E21	3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Acetone	ug/L	< 5.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Acetonitrile	ug/L	< 50.0		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Acrolein	ug/L	< 4.00	E21, E2-F	3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Acrylonitrile	ug/L	< 2.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Allyl chloride	ug/L	< 2.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
1,4-Dichlorobenzene	ug/L	< 1.00	E2-F	3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Benzene	ug/L	< 1.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Bromodichloromethane	ug/L	< 1.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Bromoform	ug/L	< 1.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Bromomethane	ug/L	< 2.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Carbon disulfide	ug/L	< 1.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
2-Butanone	ug/L	< 2.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Carbon Tetrachloride	ug/L	< 2.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Chlorobenzene	ug/L	< 1.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Chloroethane	ug/L	< 2.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Chloroform	ug/L	< 1.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Chloromethane	ug/L	< 1.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Chloroprene	ug/L	< 5.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Dibromochloromethane	ug/L	< 1.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Dibromomethane	ug/L	< 1.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Dichlorodifluoromethane	ug/L	< 1.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Ethyl Methacrylate	ug/L	< 3.00		E21	3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Iodomethane	ug/L	< 2.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Isobutyl alcohol	ug/L	< 10.0		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Methacrylonitrile	ug/L	< 50.0		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Methylene Chloride	ug/L	< 1.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Methyl Methacrylate	ug/L	< 5.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
m,p-Xylene	ug/L	< 2.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
Naphthalene	ug/L	< 1.00		3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006	
o-Xylene	ug/L	< 1.00	3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006		
Propionitrile	ug/L	< 10.0	3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006		
Styrene	ug/L	< 1.00	3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006		
Tetrachloroethene	ug/L	< 1.00	3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006		
Toluene	ug/L	< 1.00	3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006		
trans-1,2-Dichloroethene	ug/L	< 2.00	3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006		
trans-1,3-Dichloropropene	ug/L	< 1.00	3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006		
trans-1,4-Dichloro-2-butene	ug/L	< 5.00	3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006		
Trichloroethene	ug/L	< 2.00	3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006		
Trichlorofluoromethane	ug/L	< 2.00	3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006		
Vinyl acetate	ug/L	< 4.00	3/20/26	16:54	B603448	SW 8260C, Rev 3, 2006		

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-11
Sample Name: MW-6S
Date/Time Collected: 3/19/26 12:40
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Vinyl chloride	ug/L	< 2.00		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	97.6		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	93.4		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	90.1		3/20/26 16:54	B603448	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/27/26 8:59	B603608	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.93	E2	3/23/26 13:56	B603556	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 9:02	B603501	SM 4500 S2-D-2021
Temp of pH	°C	27.4		3/23/26 13:56	B603556	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number:		2603515-12					
Sample Name:		Trip Blank					
Date/Time Collected:		3/19/26 15:30					
Sample Matrix:		Water					
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Acetone	ug/L	1.52	E21, J	3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21, E2-F	3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00	E21	3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	0.466	J	3/20/26	12:38	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

ANALYTICAL RESULTS

Lab Number: 2603515-12
Sample Name: Trip Blank
Date/Time Collected: 3/19/26 15:30
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Methyl Methacrylate	ug/L	< 5.00		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	98.7		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	89.0		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	92.9		3/20/26 12:38	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

QUALITY CONTROL RESULTS**Volatiles -- Batch: B603448 (Water)****Prepared: 20-Mar-26 08:41 By: TB -- Analyzed: 20-Mar-26 12:15 By: tb**

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<0.125 ug/L	94.3% / NA	90.1% / 87.7%		2.67%	
1,1,1-Trichloroethane	<0.261 ug/L	84.5% / NA	79.9% / 75.7%		5.37%	%D1
1,1,2,2-Tetrachloroethane	<0.274 ug/L	103% / NA	99.7% / 104%		4.68%	
1,1,2-Trichloroethane	<0.210 ug/L	84.5% / NA	79.8% / 80.4%		0.679%	
1,1-Dichloroethane	<0.248 ug/L	90.0% / NA	84.6% / 81.7%		3.50%	
1,1-Dichloroethene	<0.303 ug/L	76.1% / NA	73.6% / 71.7%		2.64%	E21
1,2,3-Trichloropropane	<0.471 ug/L	92.7% / NA	87.2% / 98.9%		12.6%	
1,2-Dibromo-3-chloropropane	<0.784 ug/L	96.9% / NA	93.5% / 89.6%		4.23%	
1,2-Dibromoethane	<0.250 ug/L	87.3% / NA	81.4% / 82.5%		1.37%	
1,2-Dichlorobenzene	<0.173 ug/L	94.7% / NA	87.8% / 93.5%		6.29%	
1,2-Dichloroethane	<0.235 ug/L	94.0% / NA	89.5% / 90.7%		1.24%	
1,2-Dichloropropane	<0.259 ug/L	89.5% / NA	86.0% / 90.4%		4.93%	
1,3-Dichlorobenzene	<0.220 ug/L	95.0% / NA	87.5% / 93.9%		7.03%	
1,4-Dichlorobenzene	<0.158 ug/L	94.1% / NA	90.1% / 93.5%		3.78%	
2-Butanone	<0.461 ug/L	81.2% / NA	65.7% / 69.0%		4.90%	
2-Hexanone	<0.372 ug/L	80.7% / NA	76.3% / 81.0%		6.01%	
4-Methyl-2-pentanone	<0.281 ug/L	85.7% / NA	79.9% / 86.9%		8.42%	
Acetone	<1.49 ug/L	78.2% / NA	61.8% / 59.3%		3.20%	%D1, E21
Acetonitrile	<12.4 ug/L	80.7% / NA	73.9% / 75.3%		1.79%	
Acrolein	<1.00 ug/L	78.7% / NA	72.3% / 68.4%		5.50%	E21, E2-F
Acrylonitrile	<0.389 ug/L	93.1% / NA	84.1% / 83.6%		0.577%	
Allyl chloride	<0.539 ug/L	80.8% / NA	83.6% / 82.2%		1.68%	
Benzene	<0.263 ug/L	90.2% / NA	84.1% / 81.3%		3.45%	
Bromodichloromethane	<0.195 ug/L	98.4% / NA	96.1% / 95.3%		0.792%	
Bromoform	<0.278 ug/L	100% / NA	98.5% / 98.6%		0.0773%	
Bromomethane	<0.530 ug/L	88.7% / NA	92.2% / 88.7%		3.80%	
Carbon disulfide	<0.300 ug/L	89.8% / NA	87.7% / 81.3%		7.61%	
Carbon Tetrachloride	<0.484 ug/L	95.5% / NA	92.0% / 88.6%		3.74%	
Chlorobenzene	<0.181 ug/L	93.0% / NA	92.4% / 92.8%		0.510%	
Chloroethane	<0.392 ug/L	91.7% / NA	87.3% / 84.5%		3.23%	
Chloroform	<0.244 ug/L	95.9% / NA	88.0% / 86.5%		1.73%	
Chloromethane	<0.155 ug/L	86.6% / NA	85.3% / 82.8%		3.00%	
Chloroprene	<1.00 ug/L	85.5% / NA	91.8% / 91.0%		0.916%	
cis-1,3-Dichloropropene	<0.123 ug/L	82.9% / NA	80.3% / 83.3%		3.65%	
Dibromochloromethane	<0.202 ug/L	88.9% / NA	83.9% / 84.3%		0.431%	
Dibromomethane	<0.174 ug/L	85.3% / NA	83.7% / 85.6%		2.24%	
Dichlorodifluoromethane	<0.266 ug/L	100% / NA	98.9% / 93.9%		5.08%	E2-F
Ethyl Methacrylate	<0.843 ug/L	79.6% / NA	84.9% / 85.9%		1.12%	E21
Ethylbenzene	<0.274 ug/L	92.3% / NA	92.6% / 93.8%		1.32%	
Iodomethane	<0.432 ug/L	91.1% / NA	90.1% / 91.3%		1.35%	
Isobutyl alcohol	<1.68 ug/L	81.5% / NA	82.3% / 83.3%		1.22%	
m,p-Xylene	<0.500 ug/L	93.6% / NA	93.4% / 92.8%		0.593%	
Methacrylonitrile	<3.29 ug/L	84.9% / NA	80.1% / 82.5%		2.90%	
Methyl Methacrylate	<0.806 ug/L	82.7% / NA	81.7% / 84.7%		3.66%	
Methylene Chloride	<0.212 ug/L	93.5% / NA	86.8% / 84.1%		3.12%	
Naphthalene	<0.114 ug/L	92.6% / NA	87.4% / 91.7%		4.87%	
o-Xylene	<0.206 ug/L	92.5% / NA	93.0% / 93.8%		0.853%	
Propionitrile	<2.28 ug/L	81.8% / NA	75.6% / 77.3%		2.31%	

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

QUALITY CONTROL RESULTS

Volatiles -- Batch: B603448 (Water)

Prepared: 20-Mar-26 08:41 By: TB -- Analyzed: 20-Mar-26 12:15 By: tb

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Styrene	<0.175 ug/L	86.9% / NA	84.4% / 85.6%		1.36%	
Tetrachloroethene	<0.268 ug/L	92.9% / NA	97.0% / 96.9%		0.0580%	
Toluene	<0.295 ug/L	87.6% / NA	89.0% / 89.0%		0.0532%	
trans-1,2-Dichloroethene	<0.320 ug/L	82.8% / NA	79.1% / 74.9%		5.50%	%D1
trans-1,3-Dichloropropene	<0.155 ug/L	82.2% / NA	79.9% / 80.2%		0.334%	
trans-1,4-Dichloro-2-butene	<0.430 ug/L	87.7% / NA	87.9% / 85.7%		2.57%	
Trichloroethene	<0.306 ug/L	86.1% / NA	90.6% / 91.3%		0.772%	
Trichlorofluoromethane	<0.423 ug/L	90.2% / NA	86.8% / 83.9%		3.41%	
Vinyl acetate	<0.880 ug/L	92.2% / NA	83.6% / 83.7%		0.214%	
Vinyl chloride	<0.369 ug/L	89.3% / NA	93.4% / 86.1%		8.07%	
1,2-Dichloroethane-d4 [surr]	89.0 %	101% / NA	95.2% / 90.2%		NA	
4-Bromofluorobenzene [surr]	98.4 %	95.8% / NA	95.6% / 95.2%		NA	
Toluene-d8 [surr]	92.7 %	92.3% / NA	91.4% / 91.0%		NA	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 19-Mar-26 15:30

QUALITY CONTROL RESULTS

Semivolatiles -- Batch: B603484 (Water)

Prepared: 23-Mar-26 07:27 By: MB -- Analyzed: 30-Mar-26 14:27 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,2,4,5-Tetrachlorobenzene	<0.142 ug/L	65.1% / NA	61.5% / 61.7%		0.426%	E21
1,2,4-Trichlorobenzene	<1.69 ug/L	73.8% / NA	65.9% / 64.2%		2.62%	
1,4-Naphthoquinone	<3.00 ug/L	76.2% / NA	75.8% / 76.0%		0.181%	
1-Naphthylamine	<0.360 ug/L	70.6% / NA	71.0% / 69.2%		2.60%	
2,3,4,6-Tetrachlorophenol	<2.00 ug/L	88.2% / NA	91.1% / 91.4%		0.307%	
2,4,5-Trichlorophenol	<1.91 ug/L	83.0% / NA	82.8% / 87.0%		4.91%	
2,4,6-Trichlorophenol	<1.06 ug/L	80.0% / NA	80.1% / 79.7%		0.490%	
2,4-Dichlorophenol	<0.449 ug/L	80.6% / NA	77.5% / 77.6%		0.0673%	
2,4-Dimethylphenol	<1.12 ug/L	100% / NA	97.6% / 95.5%		2.20%	
2,4-Dinitrophenol	<2.25 ug/L	94.6% / NA	101% / 99.7%		1.64%	
2,4-Dinitrotoluene	<0.656 ug/L	82.2% / NA	85.9% / 86.8%		1.03%	
2,6-Dichlorophenol	<0.354 ug/L	71.0% / NA	69.3% / 67.8%		2.08%	
2,6-Dinitrotoluene	<0.656 ug/L	92.4% / NA	94.3% / 94.5%		0.182%	
2-Acetylaminofluorene	<0.275 ug/L	74.6% / NA	76.0% / 76.8%		1.05%	
2-Chloronaphthalene	<1.97 ug/L	93.1% / NA	91.5% / 95.3%		4.05%	
2-Chlorophenol	<1.11 ug/L	73.3% / NA	69.6% / 67.3%		3.39%	
2-Methylnaphthalene	<1.54 ug/L	78.8% / NA	74.5% / 73.2%		1.78%	
2-Methylphenol	<0.462 ug/L	75.2% / NA	71.4% / 69.4%		2.84%	
2-Naphthylamine	<0.190 ug/L	71.7% / NA	71.5% / 71.8%		0.417%	
2-Nitrophenol	<1.12 ug/L	76.3% / NA	73.9% / 72.0%		2.71%	
2-Picoline	<0.0973 ug/L	55.2% / NA	60.3% / 55.5%		8.27%	
3 & 4-Methylphenol	<0.501 ug/L	83.8% / NA	93.0% / 91.7%		1.32%	
3,3-Dichlorobenzidine	<1.30 ug/L	83.8% / NA	84.0% / 87.6%		4.10%	
3,3'-Dimethylbenzidine	<0.538 ug/L	39.2% / NA	38.0% / 39.0%		2.59%	
3-Methylcholanthrene	<0.330 ug/L	72.3% / NA	72.6% / 76.8%		5.58%	E21
4,6-Dinitro-o-cresol	<2.96 ug/L	103% / NA	108% / 112%		4.06%	
4-Aminobiphenyl	<0.199 ug/L	120% / NA	129% / 130%		0.693%	
4-Bromophenyl-phenylether	<1.47 ug/L	86.9% / NA	89.1% / 90.5%		1.57%	
4-Chloro-3-methylphenol	<1.75 ug/L	91.6% / NA	68.7% / 89.5%		26.3%	D
4-Chloroaniline	<0.609 ug/L	82.8% / NA	78.8% / 80.1%		1.66%	
4-Chlorophenyl-phenylether	<1.68 ug/L	82.9% / NA	83.5% / 81.4%		2.59%	
4-Nitroaniline	<0.953 ug/L	93.3% / NA	98.8% / 100%		1.36%	
4-Nitrophenol	<2.22 ug/L	64.0% / NA	63.6% / 63.6%		0.0362%	
4-Nitroquinoline 1-oxide	<2.00 ug/L	81.8% / NA	87.4% / 87.2%		0.180%	E21
5-Nitro-o-toluidine	<1.00 ug/L	87.3% / NA	88.7% / 90.0%		1.45%	
7,12-Dimethylbenz(a)anthracene	<1.00 ug/L	92.8% / NA	94.2% / 96.2%		2.07%	
Acenaphthene	<1.88 ug/L	81.1% / NA	81.4% / 79.6%		2.25%	
Acenaphthylene	<1.53 ug/L	85.6% / NA	84.1% / 83.1%		1.21%	
Acetophenone	<0.323 ug/L	77.8% / NA	77.1% / 73.4%		5.03%	
Alpha, Alpha-Dimethylphenethylamine	<3.13 ug/L	No Rec / NA	No Rec / No Rec		%	NREC
Aniline	<1.48 ug/L	70.3% / NA	62.9% / 61.9%		1.50%	
Anthracene	<0.566 ug/L	86.9% / NA	90.4% / 91.6%		1.25%	
Aramite	<20.0 ug/L	NA / NA	NA / NA		%	NS
Benzo (a) anthracene	<0.475 ug/L	83.1% / NA	84.3% / 87.1%		3.26%	
Benzo[a]pyrene	<0.566 ug/L	86.8% / NA	86.3% / 88.4%		2.41%	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 19-Mar-26 15:30

QUALITY CONTROL RESULTS

Semivolatiles -- Batch: B603484 (Water)

Prepared: 23-Mar-26 07:27 By: MB -- Analyzed: 24-Mar-26 15:16 By: MB

Analyte	BLK	LCS / LCSD		MS / MSD		Dup	RPD	Qualifiers
Benzo[b]fluoranthene	<0.482 ug/L	94.4%	/ NA	96.5%	/ 97.8%		1.34%	
Benzo[g,h,i]perylene	<0.529 ug/L	81.7%	/ NA	85.5%	/ 85.8%		0.303%	
Benzo[k]fluoranthene	<0.516 ug/L	85.1%	/ NA	85.9%	/ 86.9%		1.18%	
Benzyl alcohol	<0.992 ug/L	67.3%	/ NA	59.7%	/ 61.2%		2.40%	
Bis(2-chloro-1-methylethyl) ether	<0.445 ug/L	74.6%	/ NA	69.8%	/ 67.0%		4.03%	
Bis(2-chloroethoxy)methane	<1.04 ug/L	96.7%	/ NA	92.7%	/ 90.9%		1.96%	
Bis(2-chloroethyl)ether	<1.46 ug/L	74.1%	/ NA	70.0%	/ 66.7%		4.79%	
Bis(2-ethylhexyl)phthalate	<1.50 ug/L	97.9%	/ NA	91.0%	/ 93.5%		2.73%	
Butylbenzylphthalate	<1.18 ug/L	90.1%	/ NA	92.9%	/ 95.1%		2.40%	
Chlorobenzilate	<0.321 ug/L	90.0%	/ NA	94.3%	/ 93.7%		0.557%	
Chrysene	<0.489 ug/L	88.0%	/ NA	88.1%	/ 91.8%		4.14%	
Diallate	<0.713 ug/L	115%	/ NA	118%	/ 119%		0.733%	
Dibenz[a,h]anthracene	<0.843 ug/L	82.8%	/ NA	86.7%	/ 88.9%		2.46%	
Dibenzofuran	<1.36 ug/L	86.0%	/ NA	83.4%	/ 84.8%		1.56%	
Diethylphthalate	<0.668 ug/L	83.4%	/ NA	85.3%	/ 86.3%		1.10%	
Dimethoate	<1.00 ug/L	NA	/ NA	NA	/ NA		NA	E-01, NS
Dimethylphthalate	<0.516 ug/L	82.7%	/ NA	84.5%	/ 84.8%		0.427%	
Di-n-butylphthalate	<1.33 ug/L	86.7%	/ NA	89.7%	/ 90.9%		1.27%	
Di-n-octylphthalate	<1.43 ug/L	92.8%	/ NA	95.3%	/ 98.6%		3.38%	
Disulfoton	<0.300 ug/L	NA	/ NA	NA	/ NA		NA	NS
Ethyl Methanesulfonate	<0.343 ug/L	74.4%	/ NA	72.6%	/ 69.7%		4.00%	
Famphur	<2.00 ug/L	NA	/ NA	NA	/ NA		%	E-01, NS
Fluoranthene	<0.575 ug/L	91.4%	/ NA	92.5%	/ 94.7%		2.37%	
Fluorene	<1.43 ug/L	85.0%	/ NA	86.9%	/ 85.8%		1.25%	
Hexachlorobenzene	<1.27 ug/L	87.6%	/ NA	88.1%	/ 88.1%		0.0736%	
Hexachlorobutadiene	<2.52 ug/L	74.8%	/ NA	62.9%	/ 59.6%		5.32%	
Hexachlorocyclopentadiene	<2.71 ug/L	72.2%	/ NA	67.6%	/ 67.2%		0.625%	
Hexachloroethane	<0.958 ug/L	59.9%	/ NA	48.5%	/ 46.7%		3.71%	
Hexachlorophene	<0.167 ug/L	NA	/ NA	NA	/ NA		NA	E21, E2-A, NS
Hexachloropropene	<0.100 ug/L	58.3%	/ NA	49.3%	/ 48.0%		2.78%	
Indeno[1,2,3-cd]pyrene	<1.23 ug/L	81.4%	/ NA	84.2%	/ 86.7%		2.91%	
Isodrin	<0.284 ug/L	108%	/ NA	112%	/ 112%		0.345%	
Isophorone	<2.23 ug/L	80.0%	/ NA	75.6%	/ 75.2%		0.519%	
Isosafrole	<0.216 ug/L	31.5%	/ NA	29.8%	/ 29.3%		1.50%	E21
Kepone	<0.420 ug/L	281%	/ NA	279%	/ 229%		19.7%	%D1, %D2, E-01, E5
m-Dinitrobenzene	<0.359 ug/L	117%	/ NA	124%	/ 125%		1.25%	
Methapyrilene	<3.00 ug/L	NA	/ NA	NA	/ NA		%	E2-F, NS
Methyl Methanesulfonate	<0.147 ug/L	56.3%	/ NA	52.3%	/ 51.5%		1.63%	
Methyl parathion	<0.230 ug/L	NA	/ NA	NA	/ NA		%	NS
m-Nitroaniline	<0.308 ug/L	93.0%	/ NA	96.7%	/ 96.1%		0.675%	
Nitrobenzene	<1.42 ug/L	79.9%	/ NA	76.4%	/ 74.4%		2.69%	
N-Nitrosodiethylamine	<0.497 ug/L	75.2%	/ NA	72.6%	/ 69.8%		3.95%	
N-Nitrosodimethylamine	<0.372 ug/L	50.2%	/ NA	46.0%	/ 45.1%		1.88%	
N-Nitrosodi-n-butylamine	<0.331 ug/L	78.1%	/ NA	75.2%	/ 74.6%		0.801%	
N-Nitroso-di-n-propylamine	<0.834 ug/L	82.3%	/ NA	76.5%	/ 75.7%		1.09%	
N-Nitrosodiphenylamine/diphenylamine	<1.19 ug/L	86.7%	/ NA	90.8%	/ 90.6%		0.276%	
N-Nitrosomethylethylamine	<0.244 ug/L	66.8%	/ NA	63.7%	/ 60.7%		4.96%	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

QUALITY CONTROL RESULTS

Semivolatiles -- Batch: B603484 (Water)

Prepared: 23-Mar-26 07:27 By: MB -- Analyzed: 30-Mar-26 14:27 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
N-Nitrosomorpholine	<1.00 ug/L	71.3% / NA	76.2% / 68.9%		10.1%	
N-Nitrosopiperidine	<0.298 ug/L	82.0% / NA	77.6% / 77.3%		0.461%	
N-Nitrosopyrrolidine	<1.00 ug/L	77.3% / NA	75.3% / 74.8%		0.606%	
O,O,O-Triethyl phosphorothioate	<0.0186 ug/L	NA / NA	NA / NA		NA	NS
o,o-Diethyl o-2-pyrazinyl	<0.204 ug/L	NA / NA	NA / NA		NA	E-01, NS
o-Nitroaniline	<1.90 ug/L	90.1% / NA	94.5% / 95.2%		0.733%	
o-Toluidine	<0.196 ug/L	67.1% / NA	62.0% / 61.6%		0.668%	
Parathion	<0.224 ug/L	NA / NA	NA / NA		NA	NS
p-Dimethylaminoazobenzene	<0.259 ug/L	77.6% / NA	80.2% / 81.2%		1.18%	
Pentachlorobenzene	<0.133 ug/L	78.3% / NA	77.4% / 77.4%		0.103%	
Pentachloroethane	<5.68 ug/L	50.0% / NA	44.0% / 42.4%		3.61%	E21, J
Pentachloronitrobenzene	<0.258 ug/L	85.7% / NA	89.3% / 89.2%		0.181%	
Pentachlorophenol	<1.28 ug/L	88.6% / NA	92.2% / 93.4%		1.35%	
Phenacetin	<0.200 ug/L	86.1% / NA	90.4% / 91.6%		1.29%	
Phenanthrene	<0.572 ug/L	85.4% / NA	88.6% / 88.2%		0.491%	
Phenol	<0.348 ug/L	43.1% / NA	39.2% / 38.9%		0.564%	
Phorate	<0.200 ug/L	NA / NA	NA / NA		NA	NS
p-Phenylenediamine	<390 ug/L	No Rec / NA	No Rec / No Rec		%	NREC
Pronamide	<0.265 ug/L	80.0% / NA	83.8% / 83.4%		0.359%	
Pyrene	<0.489 ug/L	91.2% / NA	93.2% / 95.8%		2.73%	
Pyridine	<1.39 ug/L	35.6% / NA	34.4% / 30.6%		11.6%	
Safrole	<0.484 ug/L	178% / NA	174% / 171%		1.48%	%D1, %D2, E5
Sulfotep	<0.344 ug/L	NA / NA	NA / NA		NA	NS
sym-Trinitrobenzene	<1.00 ug/L	69.7% / NA	72.2% / 72.6%		0.540%	
2,4,6-Tribromophenol [surr]	86.4 %	84.8% / NA	83.8% / 86.0%		NA	
2-Fluorobiphenyl [surr]	67.7 %	61.0% / NA	68.8% / 66.7%		NA	
2-Fluorophenol [surr]	56.2 %	49.4% / NA	45.5% / 44.4%		NA	
Nitrobenzene-d5 [surr]	80.8 %	72.1% / NA	70.4% / 67.4%		NA	
Phenol-d5 [surr]	42.1 %	38.2% / NA	35.0% / 34.7%		NA	
Terphenyl-d14 [surr]	109 %	91.7% / NA	94.7% / 95.5%		NA	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 19-Mar-26 15:30

QUALITY CONTROL RESULTS

Total Metals -- Batch: B603496 (Water)

Prepared: 23-Mar-26 08:52 By: JAH -- Analyzed: 25-Mar-26 15:33 By: JAH

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Antimony	<0.343 ug/L	109% / NA	107% / 105%		2.35%	
Arsenic	<0.052 ug/L	106% / NA	107% / 112%		4.68%	
Barium	<0.078 ug/L	115% / NA	112% / 112%		0.0664%	
Beryllium	<0.074 ug/L	114% / NA	89.6% / 86.1%		3.99%	
Cadmium	<0.038 ug/L	106% / NA	107% / 109%		2.22%	
Chromium	<0.0751 ug/L	99.6% / NA	97.4% / 95.6%		1.83%	
Cobalt	<0.035 ug/L	107% / NA	108% / 111%		2.68%	
Copper	<0.149 ug/L	102% / NA	98.1% / 101%		2.45%	
Lead	<0.115 ug/L	110% / NA	106% / 103%		3.08%	
Nickel	<0.42 ug/L	107% / NA	107% / 110%		2.73%	
Selenium	<1.50 ug/L	111% / NA	106% / 110%		4.08%	
Silver	<0.099 ug/L	102% / NA	101% / 104%		3.77%	
Thallium	<0.035 ug/L	111% / NA	107% / 104%		2.45%	
Tin	<1.62 ug/L	113% / NA	MBI / 118%		167%	D1, MBI
Vanadium	<0.042 ug/L	109% / NA	110% / 113%		3.01%	
Zinc	<4.89 ug/L	111% / NA	115% / 118%		2.49%	

Wet Chemistry -- Batch: B603501 (Water)

Prepared: 23-Mar-26 09:02 By: KJ -- Analyzed: 23-Mar-26 09:02 By: KJ

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Sulfide	<0.0203 mg/L	93.5% / 88.0%	105% / NA		6.06%	

Herbicides -- Batch: B603526 (Water)

Prepared: 24-Mar-26 08:14 By: MB -- Analyzed: 25-Mar-26 11:18 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
2,4,5-TP (Silvex)	<0.790 ug/L	127% / NA	131% / 130%		1.20%	
2,4-D	<0.964 ug/L	81.3% / NA	73.3% / 82.9%		12.3%	
DCAA [surr]	95.0 %	93.2% / NA	102% / 103%		NA	

PCBs -- Batch: B603530 (Water)

Prepared: 24-Mar-26 11:26 By: TB -- Analyzed: 25-Mar-26 11:55 By: TB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Aroclor-1016	<0.0334 ug/L	105% / NA	104% / 109%		4.39%	
Aroclor-1260	<0.0396 ug/L	82.8% / NA	84.5% / 85.0%		0.614%	
DCBP [surr]	68.5 %	73.5% / NA	86.5% / 74.5%		NA	
TCMX [surr]	75.0 %	64.0% / NA	66.5% / 76.5%		NA	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

QUALITY CONTROL RESULTS

Total Metals -- Batch: B603531 (Water)

Prepared: 24-Mar-26 09:34 By: KAW -- Analyzed: 24-Mar-26 10:46 By: KAW

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Mercury	<0.0610 ug/L	101% / NA	101% / 100%		0.355%	

Pesticides -- Batch: B603541 (Water)

Prepared: 25-Mar-26 07:49 By: MB -- Analyzed: 27-Mar-26 13:25 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
4,4'-DDD	<0.009 ug/L	85.7% / NA	89.4% / 73.7%		19.2%	
4,4'-DDE	<0.004 ug/L	66.3% / NA	68.5% / 59.7%		13.8%	D
4,4'-DDT	<0.004 ug/L	72.2% / NA	75.7% / 68.6%		9.97%	
Aldrin	<0.003 ug/L	54.9% / NA	59.3% / 46.5%		24.3%	D
alpha-BHC	<0.003 ug/L	55.1% / NA	59.8% / 44.7%		28.8%	
beta-BHC	<0.005 ug/L	59.6% / NA	65.9% / 51.8%		24.0%	D, J
delta-BHC	<0.002 ug/L	58.2% / NA	63.0% / 50.0%		22.9%	D, J
Dieldrin	<0.004 ug/L	71.5% / NA	73.5% / 67.1%		9.12%	D
Endosulfan I	<0.003 ug/L	64.0% / NA	64.7% / 56.2%		14.0%	D
Endosulfan II	<0.005 ug/L	72.3% / NA	82.9% / 68.4%		19.3%	D
Endosulfan sulfate	<0.004 ug/L	85.5% / NA	93.0% / 78.1%		17.4%	
Endrin	<0.006 ug/L	84.8% / NA	88.5% / 82.8%		6.66%	
Endrin aldehyde	<0.021 ug/L	99.9% / NA	109% / 95.5%		13.5%	J
gamma-BHC (Lindane)	<0.002 ug/L	70.7% / NA	96.5% / 112%		15.0%	
Heptachlor	<0.003 ug/L	53.4% / NA	67.1% / 46.6%		36.1%	D
Heptachlor epoxide	<0.002 ug/L	62.8% / NA	63.0% / 51.0%		21.2%	D
Methoxychlor	<0.020 ug/L	97.3% / NA	97.5% / 83.6%		15.3%	
DCBP [surr]	97.0 %	66.2% / NA	68.9% / 58.4%		NA	
TCMX [surr]	50.4 %	46.1% / NA	54.1% / 44.7%		NA	

Wet Chemistry -- Batch: B603545 (Water)

Prepared: 25-Mar-26 09:35 By: KJ -- Analyzed: 25-Mar-26 09:35 By: KJ

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Cyanide (total)	<0.002 mg/L	92.0% / 95.0%	83.0% / NA		3.21%	

Wet Chemistry -- Batch: B603556 (Water)

Prepared: 23-Mar-26 13:56 By: CGF -- Analyzed: 23-Mar-26 13:56 By: CGF

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
pH	NA	101% / 101%	NA / NA		0.00%	

Wet Chemistry -- Batch: B603608 (Water)

Prepared: 27-Mar-26 08:59 By: KJ -- Analyzed: 27-Mar-26 08:59 By: KJ

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Cyanide (total)	<0.002 mg/L	89.0% / 94.0%	92.5% / NA		5.46%	

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 19-Mar-26 15:30

QUALITY CONTROL RESULTS

Anions -- Batch: B603638 (Water)

Prepared: 30-Mar-26 08:23 By: MB -- Analyzed: 30-Mar-26 15:01 By: MB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Fluoride	<0.089 mg/L	103% / NA	109% / 109%		0.0691%	

QUALIFIER(S)

*%D1: Matrix Spike and/or Matrix Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
*%D2: Laboratory Control Spike and/or Laboratory Control Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
*D: RPD Value Does Not Meet Laboratory Acceptance Criteria
*D1: RPD Value Does Not Meet Laboratory Acceptance Criteria.
*E-01: Estimated Result; This Analyte Failed "High" in the CCV; If the sample is non-detect for this analyte, the CCV demonstrated the analyte would have been detected were it present.
*E2: Estimated Result; Analyzed Outside of Holding Time
*E20: Estimated Result Due to Matrix Spike and/or Matrix Spike Duplicate Failure; This sample was used as the "parent sample" in MS/MSD prep.
*E21: Estimated Result; This Analyte failed (low) in the CCV.
*E2-A: Estimated Result due to Absence of Second Source
*E2-F: Second Source Verification Failure
*E5: Estimated Result Due to Quality Control Failure
*J: Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
*MBI: Masked By Interference
*NREC: No Recovery
*NS: Analyte was Not Spiked for in the QC (LCS, LCSD, MS, MSD).

All Analysis performed according to EPA approved methodology when available :

SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods.

Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

A handwritten signature in blue ink, reading "Norma James", is written over a horizontal line.

Reviewed by:

Norma James
Technical Director



8100 National Dr.
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description			Turnaround Time		Preservation Codes:														
Veolia Gum Springs Facility			Quarterly Groundwater Samples			1 Day (200%)		1. Cool, 6 Degrees Centigrade					4. Thiosulfate for Dechlorination									
500 East Reynolds Rd.			Appendix IX			2 Day (100%)		2. Sulfuric Acid (H ₂ SO ₄), pH < 2					5. Hydrochloric Acid(HCl)									
Arkadelphia, AR 71923			Reporting Information			3 Day (50%)		3. Nitric Acid (HNO ₃), pH < 2					6. Sodium Hydroxide (NaOH), pH > 12									
			Telephone: 870-245-2720			5 Day (Routine)		TEST PARAMETERS										Bottle Type Code				
Attn: Cole Clark			Fax: 870-246-7344			Preservative Code:		1	1,6, Zn Acetate	1,6	1,5	1,3	1	1	1	1	G = Glass; P = Plastic					
			Email: SEE BELOW			Bottle Type:		P	P	P	GV	P	GA	GA	GA	GA	V = Septum; A = Amber					
Sampler(s) Signature			Sampler(s) Printed																			
Field Number		SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION		pH (SM 4500), Fluoride (EPA 300.0)	Sulfide (SM 4500 S2 D)	Cyanide (SM 4500 CN-E)	Appendix IX Volatiles (8260)	Appendix IX (6020-Sb, As, Ba, Be, Cd, Cr, Co, Cu, Pb, Ni, Se, Ag, Ti, Sn, V, Zn), (7470A-Hg)	Appendix IX Herbicides (8151)	Appendix IX Pesticides (8081) / Appendix IX PCBs (8082)	Appendix IX SemiVolatiles (8270)	Appendix IX Dioxin, Furans (SUBCONTRACT)**	Arkansas Analytical Work Order Number:			
Date/s		Time/s						IDENTIFICATION/ DESCRIPTION														
	3/19/26	0945	X		12	Water	MW-27		X	X	X	X	X	X	X	X	X	X	2603515			
	3/19/26	1141	X		12	Water	MW-26 / MS/MSD		X	X	X	X	X	X	X	X	X	X	01			
	3/19/26	1250	X		12	Water	MW-28		X	X	X	X	X	X	X	X	X	X	02			
	3/19/26	1020	X		12	Water	MW-8s		X	X	X	X	X	X	X	X	X	X	03			
	3/19/26	0900	X		12	Water	MW-1A		X	X	X	X	X	X	X	X	X	X	04			
	3/19/26	1311	X		12	Water	MW-25		X	X	X	X	X	X	X	X	X	X	05			
	3/19/26	1325	X		12	Water	DUP-2		X	X	X	X	X	X	X	X	X	X	06			
	3/19/26	1159	X		12	Water	24-PZ-2		X	X	X	X	X	X	X	X	X	X	07			
	3/19/26	1100	X		12	Water	MW-24		X	X	X	X	X	X	X	X	X	X	08			
	3/19/26	1200	X		12	Water	MW-4s		X	X	X	X	X	X	X	X	X	X	09			
1. Relinquished by: (Signature)			Date/Time		2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB										REMARKS / SAMPLE COMMENTS				
3/19/26			1400		3/19/26			1. CUSTODY SEALS: Yes No										Email:				
								2. CONTAINERS CORRECT: Yes No										Cole Clark - cole.clark@veolia.com				
								3. COC/LABELS AGREE: Yes No										David Jaros - david.jaros@terracon.com				
3. Relinquished by: (Signature)			Date/Time		4. Received by lab: (Signature)			4. RECEIVED ON ICE: Yes No										Paul Gramling - paul.gramling@terracon.com				
3-19-26			15:30		Natasha Howard			5. TEMPERATURE ON RECEIPT: 3 °C 6										Matt Acree - Matt.Acree@terracon.com				
								6. TEMPERATURE GUN ID: HHT#														
FOR COMPLETION BY LAB ONLY																						



8100 National Dr.
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description		Turnaround Time	Preservation Codes:														
Veolia Gum Springs Facility			Quarterly Groundwater Samples		1 Day (200%)	1. Cool, 6 Degrees Centigrade						4. Thiosulfate for Dechlorination								
500 East Reynolds Rd.			Appendix IX		2 Day (100%)	2. Sulfuric Acid (H ₂ SO ₄), pH < 2						5. Hydrochloric Acid(HCl)								
Arkadelphia, AR 71923			Reporting Information		3 Day (50%)	3. Nitric Acid (HNO ₃), pH < 2						6. Sodium Hydroxide (NaOH), pH > 12								
			Telephone: 870-245-2720		5 Day (Routine)	TEST PARAMETERS												Bottle Type Code		
Attn: Cole Clark			Fax: 870-246-7344		Preservative Code:	1	1,6, Zn Acetate	1,6	1,5	1,3	1	1	1	1	G = Glass; P = Plastic					
			Email: SEE BELOW		Bottle Type:	P	P	P	GV	P	GA	GA	GA	GA	V = Septum; A = Amber					
Sampler(s) Signature			Sampler(s) Printed			Arkansas Analytical Work Order Number:														
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION													
	Date/s	Time/s							pH (SM 4500), Fluoride (EPA 300.0)	Sulfide (SM 4500 S2 D)	Cyanide (SM 4500 CN-E)	Appendix IX Volatiles (8260)	Appendix IX (6020-Sb, As, Ba, Be, Cd, Cr, Co, Cu, Pb, Ni, Se, Ag, Ti, Sn, V, Zn), (7470A-Hg)	Appendix IX Herbicides (8151)	Appendix IX Pesticides (8081) / Appendix IX PCBs (8082)	Appendix IX SemiVolatiles (8270)	Appendix IX Dioxin, Furans (SUBCONTRACT)**			
	3/18/26	1240	X		8	Water	MW-6s		X	X	X	X	X	X					I 11 I	
	3/19/26	1150	X		12	Water	M/S - M/S/D #24												12	
	* 3-19-26 *	15:30 *	X		3	Water	Trip Blank					X								
			X		12	Water														
			X		12	Water														
			X		12	Water														
			X		12	Water														
			X		12	Water														
			X		12	Water	Field Blank		X	X	X	X	X	X	X	X	X			
			X		3	Water	EQ Blank					X								
			X		3	Water	Trip Blank					X								
1. Relinquished by: (Signature)			Date/Time		2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB						REMARKS / SAMPLE COMMENTS						
3/19/26			1400		Matt Man			1. CUSTODY SEALS: Yes ___ No ___ 2. CONTAINERS CORRECT: Yes ___ No ___ 3. COC/LABELS AGREE: Yes ___ No ___ 4. RECEIVED ON ICE: Yes ___ No ___ 5. TEMPERATURE ON RECEIPT: 3°C 6. TEMPERATURE GUN ID: HHT#						Email: Cole Clark - cole.clark@veolia.com David Jaros - david.jaros@terracon.com Paul Gramling - paul.gramling@terracon.com Matt Acree - Matt.Acree@terracon.com * Lab Added Trip Blank to coc. (NH)						
3-19-26			15:30		Natasha Howard			FOR COMPLETION BY LAB ONLY						3-20-26						



8100 National Dr. - Little Rock, AR 72209
501-455-3233 Fax 501-455-6118

23 April 2026

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

SDG Number: 2603517

Enclosed are the results of analyses for samples received by the laboratory on 20-Mar-26 10:25. If you have any questions concerning this report, please feel free to contact me.

Sample Receipt Information:

Custody Seals	✓
Containers Correct	✓
COC/Labels Agree	✓
Received On Ice	✓
Temperature on Receipt	3.0°C

Sincerely,

A handwritten signature in blue ink that reads "Norma James".

Norma James
Technical Director

This document is intended only for the use of the person(s) to whom it is expressly addressed. This document may contain information that is confidential and legally privileged. If you are not the intended recipient, you are notified that any disclosure, distribution, or copying of this document is strictly prohibited. If you have received this document in error, please destroy.

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

CASE NARRATIVE

Sample Delivery Group – 2603517

One OR more of the qualifiers described below may appear in this report. Qualifiers in **RED apply to this SDG (Sample Delivery Group).**

pH QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
E2	Result qualified as it was received and analyzed outside of holding time. Analysis is considered a "Field" analysis.

ANALYTICAL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
EDL	Result was non-detect at an elevated detection limit due to one or more of the following: Sample Matrix, Sample Dilution, or Limited Sample Volume.
EX	Result exceeds DAILY MAXIMUM and/or MONTHLY AVERAGE.
J	At client request, J-Values are reported. J-Values are considered "estimated" results as they are below the limit of quantitation yet above the method detection limit (MDL).

CALIBRATION QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
CR	Result above highest calibration standard, but within linear calibration range.
Est3	Result at the instrument was above the concentration of the highest standard in the calibration curve.
E2-A	Estimated Result Due to Absence of Second Source
E2-F	Second Source Verification Failure
E11	Initial Calibration Minimum Response Factor Failure
E21	CCV Low
E-01	CCV High
E35	Low Level CCV Failure

QUALITY CONTROL QUALIFIERS:

<u>Qualifier</u>	<u>Description</u>
E20	Sample used as "parent" for the associated analytical batch.
%D3/S-01/MBI	Surrogate failed to recover within acceptance criteria (%D3/S-01/Masked by Interference).
E1	Results associated with this surrogate were qualified as "estimated" (E1).
B	Present in the Associated Blank
B1	Present in Blank, but Not In the Sample.
%D2 / E5/NREC	Laboratory Control Spike (LCS) and/or Laboratory Control Spike Duplicate (LCSD) failed to recover with acceptance criteria (%D2). Associated results were qualified as "estimated" (E5 and/or NREC (No Recovery)).
%D1	Matrix Spike (MS) and/or Matrix Spike Duplicate (MSD) failed acceptance criteria.
MBA	Failed criteria due to the high concentration of analyte in the parent sample.
MBI	Failed criteria due to an interference in the parent sample.
%D3	Quality Control Surrogate failed acceptance criteria.
NREC	Quality Control failed: No Recovery.
NS	Quality Control failed: Not Spiked.

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number: 2603517-01
Sample Name: MW-25-PZ-2
Date/Time Collected: 3/20/26 8:50
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.930		3/30/26 13:05	B603638	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/25/26 14:59	B603526	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/25/26 14:59	B603526	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/25/26 14:59	B603526	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/25/26 14:59	B603526	SW 8151A, Rev 1 1996
DCAA [surr]	%	108		3/25/26 14:59	B603526	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/25/26 16:55	B603530	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/25/26 16:55	B603530	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/25/26 16:55	B603530	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/25/26 16:55	B603530	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/25/26 16:55	B603530	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/25/26 16:55	B603530	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/25/26 16:55	B603530	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/25/26 16:55	B603530	EPA 608/SW 8082A
TCMX [surr]	%	85.5		3/25/26 16:55	B603530	EPA 608/SW 8082A
DCBP [surr]	%	99.0		3/25/26 16:55	B603530	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
TCMX [surr]	%	18.6		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007
DCBP [surr]	%	51.7		3/27/26 17:46	B603541	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number:		2603517-01				
Sample Name:		MW-25-PZ-2				
Date/Time Collected:		3/20/26 8:50				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number:		2603517-01					
Sample Name:		MW-25-PZ-2					
Date/Time Collected:		3/20/26 8:50					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Aniline	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Anthracene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Aramite	ug/L	< 60.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Benzo (a) anthracene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Benzo[a]pyrene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Benzo[b]fluoranthene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Benzo[g,h,i]perylene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Benzo[k]fluoranthene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Benzyl alcohol	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Butylbenzylphthalate	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Chlorobenzilate	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Chrysene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Diallate	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Dibenz[a,h]anthracene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Dibenzofuran	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Diethylphthalate	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Dimethoate	ug/L	< 10.0	E-01	3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Dimethylphthalate	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Di-n-butylphthalate	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Di-n-octylphthalate	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Diphenylamine	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Disulfoton	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Ethyl Methanesulfonate	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Famphur	ug/L	< 20.0	E-01	3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Fluoranthene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Fluorene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Hexachlorobenzene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Hexachlorobutadiene	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Hexachlorocyclopentadiene	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Hexachloroethane	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Hexachloropropene	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Isodrin	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Isophorone	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Isosafrole	ug/L	< 10.0	E21	3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Kepone	ug/L	< 10.0	E-01, E5	3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
m-Dinitrobenzene	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number:		2603517-01					
Sample Name:		MW-25-PZ-2					
Date/Time Collected:		3/20/26 8:50					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	
Methapyrilene	ug/L	< 20.0	E2-F	3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Methyl parathion	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Methyl Methanesulfonate	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
m-Nitroaniline	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Nitrobenzene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodiethylamine	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodimethylamine	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
n-Nitrosodiphenylamine	ug/L	< 20.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosomethylethylamine	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosomorpholine	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosopiperidine	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
N-Nitrosopyrrolidine	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0	E-01	3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
o-Nitroaniline	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
o-Toluidine	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Parathion	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Pentachlorobenzene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Pentachloroethane	ug/L	< 50.0	E21	3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Pentachloronitrobenzene	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Pentachlorophenol	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Phenacetin	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Phenanthrene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Phenol	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Phorate	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
p-Phenylenediamine	ug/L	< 6900	E5	3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Pronamide	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Pyrene	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Pyridine	ug/L	< 5.00		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Safrole	ug/L	< 10.0	E5	3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Sulfotep	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
sym-Trinitrobenzene	ug/L	< 10.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
2,4,6-Tribromophenol [surr]	%	58.3		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
2-Fluorobiphenyl [surr]	%	39.8		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
2-Fluorophenol [surr]	%	32.8		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Nitrobenzene-d5 [surr]	%	49.0		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Phenol-d5 [surr]	%	25.4		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
Terphenyl-d14 [surr]	%	88.3		3/30/26 17:53	B603484	SW 8270E, Rev. 6, 2018	
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number: 2603517-01
Sample Name: MW-25-PZ-2
Date/Time Collected: 3/20/26 8:50
Sample Matrix: Water

<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
Arsenic	ug/L	0.464		3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
Barium	ug/L	43.6		3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
Chromium	ug/L	0.452		3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
Cobalt	ug/L	0.059	J	3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
Copper	ug/L	0.530		3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
Lead	ug/L	0.257	J	3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/24/26 11:32	B603531	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	0.49	J	3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
Selenium	ug/L	< 5.20		3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
Silver	ug/L	0.139	J	3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
Thallium	ug/L	0.035	J	3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
Vanadium	ug/L	1.58		3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
Zinc	ug/L	5.33	J	3/27/26 13:49	B603532	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Acetone	ug/L	2.44	E21, J	3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21, E2-F	3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number: 2603517-01
Sample Name: MW-25-PZ-2
Date/Time Collected: 3/20/26 8:50
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromoform	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00	E21	3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	97.5		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	92.3		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	91.1		3/20/26 17:40	B603448	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	0.012		3/27/26 8:59	B603608	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.47	E2	3/23/26 13:56	B603554	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 11:00	B603523	SM 4500 S2-D-2021

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number: 2603517-01
Sample Name: MW-25-PZ-2
Date/Time Collected: 3/20/26 8:50
Sample Matrix: Water

<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Temp of pH	°C	28.7		3/23/26 13:56	B603554	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number: 2603517-02
Sample Name: MW-26-PZ-2
Date/Time Collected: 3/20/26 8:20
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.514		3/30/26 13:24	B603638	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/25/26 15:18	B603526	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/25/26 15:18	B603526	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/25/26 15:18	B603526	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/25/26 15:18	B603526	SW 8151A, Rev 1 1996
DCAA [surr]	%	108		3/25/26 15:18	B603526	SW 8151A, Rev 1 1996
<u>Total Metals</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Antimony	ug/L	< 2.08		3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
Arsenic	ug/L	1.18		3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
Barium	ug/L	83.2		3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
Chromium	ug/L	0.538		3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
Copper	ug/L	0.595		3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
Lead	ug/L	0.487		3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/24/26 11:36	B603531	SW7470A/EPA245.1,3.0- 1994
Nickel	ug/L	< 1.56		3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
Selenium	ug/L	18.3		3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
Thallium	ug/L	0.100	J	3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
Vanadium	ug/L	6.11		3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/31/26 14:11	B603532	SW 6020B, Rev 2-2014
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number: 2603517-02
Sample Name: MW-26-PZ-2
Date/Time Collected: 3/20/26 8:20
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4-Methyl-2-pentanone	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Acetone	ug/L	2.50	E21, J	3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21, E2-F	3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00	E21	3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	0.272	J	3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number: 2603517-02
Sample Name: MW-26-PZ-2
Date/Time Collected: 3/20/26 8:20
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Vinyl chloride	ug/L	< 2.00		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	99.4		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	93.1		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	91.6		3/20/26 18:04	B603448	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/27/26 8:59	B603608	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.68	E2	3/23/26 13:56	B603554	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 11:00	B603523	SM 4500 S2-D-2021
Temp of pH	°C	28.9		3/23/26 13:56	B603554	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number: 2603517-03
Sample Name: MW-27-PZ-2
Date/Time Collected: 3/20/26 7:55
Sample Matrix: Water

<u>Anions</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Fluoride	mg/L	0.805		3/30/26 13:44	B603638	EPA 300.0, 2.1-1993
<u>Herbicides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
2,4-D	ug/L	< 4.00		3/25/26 15:36	B603526	SW 8151A, Rev 1 1996
2,4,5-TP (Silvex)	ug/L	< 3.00		3/25/26 15:36	B603526	SW 8151A, Rev 1 1996
2,4,5-T	ug/L	< 1.00		3/25/26 15:36	B603526	SW 8151A, Rev 1 1996
Dinoseb	ug/L	< 2.50		3/25/26 15:36	B603526	SW 8151A, Rev 1 1996
DCAA [surr]	%	110		3/25/26 15:36	B603526	SW 8151A, Rev 1 1996
<u>PCBs</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Aroclor-1016	ug/L	< 1.00		3/25/26 17:19	B603530	EPA 608/SW 8082A
Aroclor-1260	ug/L	< 1.00		3/25/26 17:19	B603530	EPA 608/SW 8082A
Aroclor-1254	ug/L	< 1.00		3/25/26 17:19	B603530	EPA 608/SW 8082A
Aroclor-1242	ug/L	< 1.00		3/25/26 17:19	B603530	EPA 608/SW 8082A
Aroclor-1248	ug/L	< 1.00		3/25/26 17:19	B603530	EPA 608/SW 8082A
Aroclor-1221	ug/L	< 1.00		3/25/26 17:19	B603530	EPA 608/SW 8082A
Aroclor-1232	ug/L	< 1.00		3/25/26 17:19	B603530	EPA 608/SW 8082A
Aroclor 1268	ug/L	< 1.00		3/25/26 17:19	B603530	EPA 608/SW 8082A
TCMX [surr]	%	93.0		3/25/26 17:19	B603530	EPA 608/SW 8082A
DCBP [surr]	%	110		3/25/26 17:19	B603530	EPA 608/SW 8082A
<u>Pesticides</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
4,4'-DDD	ug/L	< 0.030		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
4,4'-DDE	ug/L	< 0.020		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
alpha-BHC	ug/L	< 0.010		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
beta-BHC	ug/L	< 0.020		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
delta-BHC	ug/L	< 0.020		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
Chlordane	ug/L	< 0.100		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
Endosulfan I	ug/L	< 0.010		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
Endosulfan II	ug/L	< 0.020		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
Endosulfan sulfate	ug/L	< 0.020		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
Heptachlor epoxide	ug/L	< 0.010		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
Methoxychlor	ug/L	< 0.100		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
4,4'-DDT	ug/L	< 0.020		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
Aldrin	ug/L	< 0.010		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
Dieldrin	ug/L	< 0.020		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
Endrin	ug/L	< 0.020		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
gamma-BHC (Lindane)	ug/L	< 0.010		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
Heptachlor	ug/L	< 0.010		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
Toxaphene	ug/L	< 0.150		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
Endrin aldehyde	ug/L	< 0.100		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
TCMX [surr]	%	20.5		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007
DCBP [surr]	%	58.6		3/27/26 18:05	B603541	SW 8081B, Rev 2, 2007

Cole Clark

Veolia Gum Springs Facility

500 East Reynolds Rd.

Arkadelphia, AR 71923

Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number:		2603517-03				
Sample Name:		MW-27-PZ-2				
Date/Time Collected:		3/20/26 7:55				
Sample Matrix:		Water				
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
1,2,4,5-Tetrachlorobenzene	ug/L	< 5.00	E21	3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
1,2,4-Trichlorobenzene	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
1,4-Naphthoquinone	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
1-Naphthylamine	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2,3,4,6-Tetrachlorophenol	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2,4,5-Trichlorophenol	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2,4,6-Trichlorophenol	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2,4-Dichlorophenol	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2,4-Dimethylphenol	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrophenol	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2,4-Dinitrotoluene	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2-Chloronaphthalene	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2,6-Dichlorophenol	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2-Chlorophenol	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2,6-Dinitrotoluene	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2-Acetylaminofluorene	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2-Methylnaphthalene	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2-Methylphenol	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2-Naphthylamine	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2-Nitrophenol	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
2-Picoline	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
3 & 4-Methylphenol	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
3,3'-Dimethylbenzidine	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
3,3-Dichlorobenzidine	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
3-Methylcholanthrene	ug/L	< 5.00	E21	3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
4,6-Dinitro-o-cresol	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
4-Aminobiphenyl	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
4-Bromophenyl-phenylether	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
4-Chloro-3-methylphenol	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
4-Chlorophenyl-phenylether	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
4-Chloroaniline	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
4-Nitroquinoline 1-oxide	ug/L	< 10.0	E21	3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
5-Nitro-o-toluidine	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
4-Nitroaniline	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
7,12-Dimethylbenz(a)anthracene	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
4-Nitrophenol	ug/L	< 5.00		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
Acenaphthene	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
Acenaphthylene	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
Acetophenone	ug/L	< 10.0		3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018
Alpha, Alpha-Dimethylphenethylamine	ug/L	< 50.0	E5	3/30/26 18:16	B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number:		2603517-03					
Sample Name:		MW-27-PZ-2					
Date/Time Collected:		3/20/26 7:55					
Sample Matrix:		Water					
<u>Semivolatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
Aniline	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Anthracene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Aramite	ug/L	< 60.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Benzo (a) anthracene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Benzo[a]pyrene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Benzo[b]fluoranthene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Benzo[g,h,i]perylene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Benzo[k]fluoranthene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Benzyl alcohol	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloro-1-methylethyl) ether	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethoxy)methane	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Bis(2-chloroethyl)ether	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Bis(2-ethylhexyl)phthalate	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Butylbenzylphthalate	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Chlorobenzilate	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Chrysene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Diallate	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Dibenz[a,h]anthracene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Dibenzofuran	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Diethylphthalate	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Dimethoate	ug/L	< 10.0	E-01	3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Dimethylphthalate	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Di-n-butylphthalate	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Di-n-octylphthalate	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Diphenylamine	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Disulfoton	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Ethyl Methanesulfonate	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Famphur	ug/L	< 20.0	E-01	3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Fluoranthene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Fluorene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Hexachlorobenzene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Hexachlorobutadiene	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Hexachlorocyclopentadiene	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Hexachloroethane	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Hexachlorophene	ug/L	< 50.0	E21, E2-A	3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Hexachloropropene	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Indeno[1,2,3-cd]pyrene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Isodrin	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Isophorone	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Isosafrole	ug/L	< 10.0	E21	3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Kepone	ug/L	< 10.0	E-01, E5	3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
m-Dinitrobenzene	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number:		2603517-03					
Sample Name:		MW-27-PZ-2					
Date/Time Collected:		3/20/26 7:55					
Sample Matrix:		Water					
Semivolatiles	Units	Result	Qualifier(s)	Date/Time Analyzed		Batch	Method
Methapyrilene	ug/L	< 20.0	E2-F	3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Methyl parathion	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Methyl Methanesulfonate	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
m-Nitroaniline	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Nitrobenzene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosodiethylamine	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosodimethylamine	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosodi-n-butylamine	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
n-Nitrosodiphenylamine	ug/L	< 20.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
N-Nitroso-di-n-propylamine	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosomethylethylamine	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosomorpholine	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosopiperidine	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
N-Nitrosopyrrolidine	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
O,O,O-Triethyl phosphorothioate	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
o,o-Diethyl o-2-pyrazinyl	ug/L	< 10.0	E-01	3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
o-Nitroaniline	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
o-Toluidine	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
p-Dimethylaminoazobenzene	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Parathion	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Pentachlorobenzene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Pentachloroethane	ug/L	< 50.0	E21	3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Pentachloronitrobenzene	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Pentachlorophenol	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Phenacetin	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Phenanthrene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Phenol	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Phorate	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
p-Phenylenediamine	ug/L	< 6900	E5	3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Pronamide	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Pyrene	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Pyridine	ug/L	< 5.00		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Safrole	ug/L	< 10.0	E5	3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Sulfotep	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
sym-Trinitrobenzene	ug/L	< 10.0		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
2,4,6-Tribromophenol [surr]	%	68.4		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
2-Fluorobiphenyl [surr]	%	51.2		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
2-Fluorophenol [surr]	%	39.4		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Nitrobenzene-d5 [surr]	%	59.2		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Phenol-d5 [surr]	%	30.4		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Terphenyl-d14 [surr]	%	99.9		3/30/26	18:16	B603484	SW 8270E, Rev. 6, 2018
Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed		Batch	Method

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number: 2603517-03
Sample Name: MW-27-PZ-2
Date/Time Collected: 3/20/26 7:55
Sample Matrix: Water

Total Metals	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
Antimony	ug/L	< 2.08		3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Arsenic	ug/L	1.09		3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Barium	ug/L	32.3		3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Beryllium	ug/L	< 0.260		3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Cadmium	ug/L	< 0.260		3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Chromium	ug/L	0.430		3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Cobalt	ug/L	< 0.260		3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Copper	ug/L	0.588		3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Lead	ug/L	0.384	J	3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Mercury	ug/L	< 0.200		3/24/26 11:39	B603531	SW7470A/EPA245.1,3,0- 1994
Nickel	ug/L	0.93	J	3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Selenium	ug/L	5.79		3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Silver	ug/L	< 0.312		3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Thallium	ug/L	0.118	J	3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Tin	ug/L	< 20.8		3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Vanadium	ug/L	5.78		3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Zinc	ug/L	< 20.8		3/31/26 14:15	B603532	SW 6020B, Rev 2-2014
Volatiles	Units	Result	Qualifier(s)	Date/Time Analyzed	Batch	Method
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Acetone	ug/L	1.61	E21, J	3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21, E2-F	3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number: 2603517-03
Sample Name: MW-27-PZ-2
Date/Time Collected: 3/20/26 7:55
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Bromoform	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00	E21	3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Methyl Methacrylate	ug/L	< 5.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	97.5		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	94.8		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	91.2		3/20/26 18:27	B603448	SW 8260C, Rev 3, 2006
<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Cyanide (total)	mg/L	< 0.005		3/27/26 8:59	B603608	SM 4500-CN B,C,E,G 2021
pH	S.U.	6.85	E2	3/23/26 13:56	B603554	SM 4500-H+ B-2021
Sulfide	mg/L	< 0.150		3/23/26 11:00	B603523	SM 4500 S2-D-2021

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number: 2603517-03
Sample Name: MW-27-PZ-2
Date/Time Collected: 3/20/26 7:55
Sample Matrix: Water

<u>Wet Chemistry</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Temp of pH	°C	28.3		3/23/26 13:56	B603554	SM 2550 B-2010

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number:		2603517-04					
Sample Name:		Trip Blank					
Date/Time Collected:		3/20/26 10:25					
Sample Matrix:		Water					
<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>		<u>Batch</u>	<u>Method</u>
1,1,1,2-Tetrachloroethane	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
1,1,1-Trichloroethane	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
1,1,2,2-Tetrachloroethane	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
1,1,2-Trichloroethane	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethane	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
1,1-Dichloroethene	ug/L	< 2.00	E21	3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
1,2,3-Trichloropropane	ug/L	< 2.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromo-3-chloropropane	ug/L	< 3.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
1,2-Dibromoethane	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloropropane	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
1,3-Dichlorobenzene	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
1,2-Dichlorobenzene	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
2-Hexanone	ug/L	< 2.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
4-Methyl-2-pentanone	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Acetone	ug/L	2.24	E21, J	3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Acetonitrile	ug/L	< 50.0		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Acrolein	ug/L	< 4.00	E21, E2-F	3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Acrylonitrile	ug/L	< 2.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Allyl chloride	ug/L	< 2.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
1,4-Dichlorobenzene	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Benzene	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Bromodichloromethane	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Bromoform	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Bromomethane	ug/L	< 2.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Carbon disulfide	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
2-Butanone	ug/L	< 2.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Carbon Tetrachloride	ug/L	< 2.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Chlorobenzene	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Chloroethane	ug/L	< 2.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Chloroform	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Chloromethane	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Chloroprene	ug/L	< 5.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
cis-1,3-Dichloropropene	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Dibromochloromethane	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Dibromomethane	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Dichlorodifluoromethane	ug/L	< 1.00	E2-F	3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Ethyl Methacrylate	ug/L	< 3.00	E21	3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Ethylbenzene	ug/L	< 1.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Iodomethane	ug/L	< 2.00		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Isobutyl alcohol	ug/L	< 10.0		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Methacrylonitrile	ug/L	< 50.0		3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006
Methylene Chloride	ug/L	0.342	J	3/20/26	17:17	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

ANALYTICAL RESULTS

Lab Number: 2603517-04
Sample Name: Trip Blank
Date/Time Collected: 3/20/26 10:25
Sample Matrix: Water

<u>Volatiles</u>	<u>Units</u>	<u>Result</u>	<u>Qualifier(s)</u>	<u>Date/Time Analyzed</u>	<u>Batch</u>	<u>Method</u>
Methyl Methacrylate	ug/L	< 5.00		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
m,p-Xylene	ug/L	< 2.00		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
Naphthalene	ug/L	< 1.00		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
o-Xylene	ug/L	< 1.00		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
Propionitrile	ug/L	< 10.0		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
Styrene	ug/L	< 1.00		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
Tetrachloroethene	ug/L	< 1.00		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
Toluene	ug/L	< 1.00		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
trans-1,2-Dichloroethene	ug/L	< 2.00		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
trans-1,3-Dichloropropene	ug/L	< 1.00		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
trans-1,4-Dichloro-2-butene	ug/L	< 5.00		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
Trichloroethene	ug/L	< 2.00		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
Trichlorofluoromethane	ug/L	< 2.00		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
Vinyl acetate	ug/L	< 4.00		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
Vinyl chloride	ug/L	< 2.00		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
4-Bromofluorobenzene [surr]	%	96.7		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
1,2-Dichloroethane-d4 [surr]	%	93.7		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006
Toluene-d8 [surr]	%	91.4		3/20/26 17:17	B603448	SW 8260C, Rev 3, 2006

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

QUALITY CONTROL RESULTS**Volatiles -- Batch: B603448 (Water)****Prepared: 20-Mar-26 08:41 By: TB -- Analyzed: 20-Mar-26 12:15 By: tb**

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	<0.125 ug/L	94.3% / NA	90.1% / 87.7%		2.67%	
1,1,1-Trichloroethane	<0.261 ug/L	84.5% / NA	79.9% / 75.7%		5.37%	%D1
1,1,2,2-Tetrachloroethane	<0.274 ug/L	103% / NA	99.7% / 104%		4.68%	
1,1,2-Trichloroethane	<0.210 ug/L	84.5% / NA	79.8% / 80.4%		0.679%	
1,1-Dichloroethane	<0.248 ug/L	90.0% / NA	84.6% / 81.7%		3.50%	
1,1-Dichloroethene	<0.303 ug/L	76.1% / NA	73.6% / 71.7%		2.64%	E21
1,2,3-Trichloropropane	<0.471 ug/L	92.7% / NA	87.2% / 98.9%		12.6%	
1,2-Dibromo-3-chloropropane	<0.784 ug/L	96.9% / NA	93.5% / 89.6%		4.23%	
1,2-Dibromoethane	<0.250 ug/L	87.3% / NA	81.4% / 82.5%		1.37%	
1,2-Dichlorobenzene	<0.173 ug/L	94.7% / NA	87.8% / 93.5%		6.29%	
1,2-Dichloroethane	<0.235 ug/L	94.0% / NA	89.5% / 90.7%		1.24%	
1,2-Dichloropropane	<0.259 ug/L	89.5% / NA	86.0% / 90.4%		4.93%	
1,3-Dichlorobenzene	<0.220 ug/L	95.0% / NA	87.5% / 93.9%		7.03%	
1,4-Dichlorobenzene	<0.158 ug/L	94.1% / NA	90.1% / 93.5%		3.78%	
2-Butanone	<0.461 ug/L	81.2% / NA	65.7% / 69.0%		4.90%	
2-Hexanone	<0.372 ug/L	80.7% / NA	76.3% / 81.0%		6.01%	
4-Methyl-2-pentanone	<0.281 ug/L	85.7% / NA	79.9% / 86.9%		8.42%	
Acetone	<1.49 ug/L	78.2% / NA	61.8% / 59.3%		3.20%	%D1, E21
Acetonitrile	<12.4 ug/L	80.7% / NA	73.9% / 75.3%		1.79%	
Acrolein	<1.00 ug/L	78.7% / NA	72.3% / 68.4%		5.50%	E21, E2-F
Acrylonitrile	<0.389 ug/L	93.1% / NA	84.1% / 83.6%		0.577%	
Allyl chloride	<0.539 ug/L	80.8% / NA	83.6% / 82.2%		1.68%	
Benzene	<0.263 ug/L	90.2% / NA	84.1% / 81.3%		3.45%	
Bromodichloromethane	<0.195 ug/L	98.4% / NA	96.1% / 95.3%		0.792%	
Bromoform	<0.278 ug/L	100% / NA	98.5% / 98.6%		0.0773%	
Bromomethane	<0.530 ug/L	88.7% / NA	92.2% / 88.7%		3.80%	
Carbon disulfide	<0.300 ug/L	89.8% / NA	87.7% / 81.3%		7.61%	
Carbon Tetrachloride	<0.484 ug/L	95.5% / NA	92.0% / 88.6%		3.74%	
Chlorobenzene	<0.181 ug/L	93.0% / NA	92.4% / 92.8%		0.510%	
Chloroethane	<0.392 ug/L	91.7% / NA	87.3% / 84.5%		3.23%	
Chloroform	<0.244 ug/L	95.9% / NA	88.0% / 86.5%		1.73%	
Chloromethane	<0.155 ug/L	86.6% / NA	85.3% / 82.8%		3.00%	
Chloroprene	<1.00 ug/L	85.5% / NA	91.8% / 91.0%		0.916%	
cis-1,3-Dichloropropene	<0.123 ug/L	82.9% / NA	80.3% / 83.3%		3.65%	
Dibromochloromethane	<0.202 ug/L	88.9% / NA	83.9% / 84.3%		0.431%	
Dibromomethane	<0.174 ug/L	85.3% / NA	83.7% / 85.6%		2.24%	
Dichlorodifluoromethane	<0.266 ug/L	100% / NA	98.9% / 93.9%		5.08%	E2-F
Ethyl Methacrylate	<0.843 ug/L	79.6% / NA	84.9% / 85.9%		1.12%	E21
Ethylbenzene	<0.274 ug/L	92.3% / NA	92.6% / 93.8%		1.32%	
Iodomethane	<0.432 ug/L	91.1% / NA	90.1% / 91.3%		1.35%	
Isobutyl alcohol	<1.68 ug/L	81.5% / NA	82.3% / 83.3%		1.22%	
m,p-Xylene	<0.500 ug/L	93.6% / NA	93.4% / 92.8%		0.593%	
Methacrylonitrile	<3.29 ug/L	84.9% / NA	80.1% / 82.5%		2.90%	
Methyl Methacrylate	<0.806 ug/L	82.7% / NA	81.7% / 84.7%		3.66%	
Methylene Chloride	<0.212 ug/L	93.5% / NA	86.8% / 84.1%		3.12%	
Naphthalene	<0.114 ug/L	92.6% / NA	87.4% / 91.7%		4.87%	
o-Xylene	<0.206 ug/L	92.5% / NA	93.0% / 93.8%		0.853%	
Propionitrile	<2.28 ug/L	81.8% / NA	75.6% / 77.3%		2.31%	

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

QUALITY CONTROL RESULTS

Volatiles -- Batch: B603448 (Water)

Prepared: 20-Mar-26 08:41 By: TB -- Analyzed: 20-Mar-26 12:15 By: tb

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Styrene	<0.175 ug/L	86.9% / NA	84.4% / 85.6%		1.36%	
Tetrachloroethene	<0.268 ug/L	92.9% / NA	97.0% / 96.9%		0.0580%	
Toluene	<0.295 ug/L	87.6% / NA	89.0% / 89.0%		0.0532%	
trans-1,2-Dichloroethene	<0.320 ug/L	82.8% / NA	79.1% / 74.9%		5.50%	%D1
trans-1,3-Dichloropropene	<0.155 ug/L	82.2% / NA	79.9% / 80.2%		0.334%	
trans-1,4-Dichloro-2-butene	<0.430 ug/L	87.7% / NA	87.9% / 85.7%		2.57%	
Trichloroethene	<0.306 ug/L	86.1% / NA	90.6% / 91.3%		0.772%	
Trichlorofluoromethane	<0.423 ug/L	90.2% / NA	86.8% / 83.9%		3.41%	
Vinyl acetate	<0.880 ug/L	92.2% / NA	83.6% / 83.7%		0.214%	
Vinyl chloride	<0.369 ug/L	89.3% / NA	93.4% / 86.1%		8.07%	
1,2-Dichloroethane-d4 [surr]	89.0 %	101% / NA	95.2% / 90.2%		NA	
4-Bromofluorobenzene [surr]	98.4 %	95.8% / NA	95.6% / 95.2%		NA	
Toluene-d8 [surr]	92.7 %	92.3% / NA	91.4% / 91.0%		NA	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026

Date Received: 20-Mar-26 10:25

QUALITY CONTROL RESULTS

Semivolatiles -- Batch: B603484 (Water)

Prepared: 23-Mar-26 07:27 By: MB -- Analyzed: 30-Mar-26 14:27 By: MB

Analyte	BLK	LCS / LCSD		MS / MSD		Dup	RPD	Qualifiers
1,2,4,5-Tetrachlorobenzene	<0.142 ug/L	65.1%	/ NA	61.5%	/ 61.7%		0.426%	E21
1,2,4-Trichlorobenzene	<1.69 ug/L	73.8%	/ NA	65.9%	/ 64.2%		2.62%	
1,4-Naphthoquinone	<3.00 ug/L	76.2%	/ NA	75.8%	/ 76.0%		0.181%	
1-Naphthylamine	<0.360 ug/L	70.6%	/ NA	71.0%	/ 69.2%		2.60%	
2,3,4,6-Tetrachlorophenol	<2.00 ug/L	88.2%	/ NA	91.1%	/ 91.4%		0.307%	
2,4,5-Trichlorophenol	<1.91 ug/L	83.0%	/ NA	82.8%	/ 87.0%		4.91%	
2,4,6-Trichlorophenol	<1.06 ug/L	80.0%	/ NA	80.1%	/ 79.7%		0.490%	
2,4-Dichlorophenol	<0.449 ug/L	80.6%	/ NA	77.5%	/ 77.6%		0.0673%	
2,4-Dimethylphenol	<1.12 ug/L	100%	/ NA	97.6%	/ 95.5%		2.20%	
2,4-Dinitrophenol	<2.25 ug/L	94.6%	/ NA	101%	/ 99.7%		1.64%	
2,4-Dinitrotoluene	<0.656 ug/L	82.2%	/ NA	85.9%	/ 86.8%		1.03%	
2,6-Dichlorophenol	<0.354 ug/L	71.0%	/ NA	69.3%	/ 67.8%		2.08%	
2,6-Dinitrotoluene	<0.656 ug/L	92.4%	/ NA	94.3%	/ 94.5%		0.182%	
2-Acetylaminofluorene	<0.275 ug/L	74.6%	/ NA	76.0%	/ 76.8%		1.05%	
2-Chloronaphthalene	<1.97 ug/L	93.1%	/ NA	91.5%	/ 95.3%		4.05%	
2-Chlorophenol	<1.11 ug/L	73.3%	/ NA	69.6%	/ 67.3%		3.39%	
2-Methylnaphthalene	<1.54 ug/L	78.8%	/ NA	74.5%	/ 73.2%		1.78%	
2-Methylphenol	<0.462 ug/L	75.2%	/ NA	71.4%	/ 69.4%		2.84%	
2-Naphthylamine	<0.190 ug/L	71.7%	/ NA	71.5%	/ 71.8%		0.417%	
2-Nitrophenol	<1.12 ug/L	76.3%	/ NA	73.9%	/ 72.0%		2.71%	
2-Picoline	<0.0973 ug/L	55.2%	/ NA	60.3%	/ 55.5%		8.27%	
3 & 4-Methylphenol	<0.501 ug/L	83.8%	/ NA	93.0%	/ 91.7%		1.32%	
3,3-Dichlorobenzidine	<1.30 ug/L	83.8%	/ NA	84.0%	/ 87.6%		4.10%	
3,3'-Dimethylbenzidine	<0.538 ug/L	39.2%	/ NA	38.0%	/ 39.0%		2.59%	
3-Methylcholanthrene	<0.330 ug/L	72.3%	/ NA	72.6%	/ 76.8%		5.58%	E21
4,6-Dinitro-o-cresol	<2.96 ug/L	103%	/ NA	108%	/ 112%		4.06%	
4-Aminobiphenyl	<0.199 ug/L	120%	/ NA	129%	/ 130%		0.693%	
4-Bromophenyl-phenylether	<1.47 ug/L	86.9%	/ NA	89.1%	/ 90.5%		1.57%	
4-Chloro-3-methylphenol	<1.75 ug/L	91.6%	/ NA	68.7%	/ 89.5%		26.3%	D
4-Chloroaniline	<0.609 ug/L	82.8%	/ NA	78.8%	/ 80.1%		1.66%	
4-Chlorophenyl-phenylether	<1.68 ug/L	82.9%	/ NA	83.5%	/ 81.4%		2.59%	
4-Nitroaniline	<0.953 ug/L	93.3%	/ NA	98.8%	/ 100%		1.36%	
4-Nitrophenol	<2.22 ug/L	64.0%	/ NA	63.6%	/ 63.6%		0.0362%	
4-Nitroquinoline 1-oxide	<2.00 ug/L	81.8%	/ NA	87.4%	/ 87.2%		0.180%	E21
5-Nitro-o-toluidine	<1.00 ug/L	87.3%	/ NA	88.7%	/ 90.0%		1.45%	
7,12-Dimethylbenz(a)anthracene	<1.00 ug/L	92.8%	/ NA	94.2%	/ 96.2%		2.07%	
Acenaphthene	<1.88 ug/L	81.1%	/ NA	81.4%	/ 79.6%		2.25%	
Acenaphthylene	<1.53 ug/L	85.6%	/ NA	84.1%	/ 83.1%		1.21%	
Acetophenone	<0.323 ug/L	77.8%	/ NA	77.1%	/ 73.4%		5.03%	
Alpha, Alpha-Dimethylphenethylamine	<3.13 ug/L	No Rec	/ NA	No Rec	/ No Rec		%	NREC
Aniline	<1.48 ug/L	70.3%	/ NA	62.9%	/ 61.9%		1.50%	
Anthracene	<0.566 ug/L	86.9%	/ NA	90.4%	/ 91.6%		1.25%	
Aramite	<20.0 ug/L	NA	/ NA	NA	/ NA		%	NS
Benzo (a) anthracene	<0.475 ug/L	83.1%	/ NA	84.3%	/ 87.1%		3.26%	
Benzo[a]pyrene	<0.566 ug/L	86.8%	/ NA	86.3%	/ 88.4%		2.41%	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX

Project Number: March 2026
Date Received: 20-Mar-26 10:25

QUALITY CONTROL RESULTS

Semivolatiles -- Batch: B603484 (Water)

Prepared: 23-Mar-26 07:27 By: MB -- Analyzed: 24-Mar-26 15:16 By: MB

Analyte	BLK	LCS / LCSD		MS / MSD		Dup	RPD	Qualifiers
Benzo[b]fluoranthene	<0.482 ug/L	94.4%	/ NA	96.5%	/ 97.8%		1.34%	
Benzo[g,h,i]perylene	<0.529 ug/L	81.7%	/ NA	85.5%	/ 85.8%		0.303%	
Benzo[k]fluoranthene	<0.516 ug/L	85.1%	/ NA	85.9%	/ 86.9%		1.18%	
Benzyl alcohol	<0.992 ug/L	67.3%	/ NA	59.7%	/ 61.2%		2.40%	
Bis(2-chloro-1-methylethyl) ether	<0.445 ug/L	74.6%	/ NA	69.8%	/ 67.0%		4.03%	
Bis(2-chloroethoxy)methane	<1.04 ug/L	96.7%	/ NA	92.7%	/ 90.9%		1.96%	
Bis(2-chloroethyl)ether	<1.46 ug/L	74.1%	/ NA	70.0%	/ 66.7%		4.79%	
Bis(2-ethylhexyl)phthalate	<1.50 ug/L	97.9%	/ NA	91.0%	/ 93.5%		2.73%	
Butylbenzylphthalate	<1.18 ug/L	90.1%	/ NA	92.9%	/ 95.1%		2.40%	
Chlorobenzilate	<0.321 ug/L	90.0%	/ NA	94.3%	/ 93.7%		0.557%	
Chrysene	<0.489 ug/L	88.0%	/ NA	88.1%	/ 91.8%		4.14%	
Diallate	<0.713 ug/L	115%	/ NA	118%	/ 119%		0.733%	
Dibenz[a,h]anthracene	<0.843 ug/L	82.8%	/ NA	86.7%	/ 88.9%		2.46%	
Dibenzofuran	<1.36 ug/L	86.0%	/ NA	83.4%	/ 84.8%		1.56%	
Diethylphthalate	<0.668 ug/L	83.4%	/ NA	85.3%	/ 86.3%		1.10%	
Dimethoate	<1.00 ug/L	NA	/ NA	NA	/ NA		NA	E-01, NS
Dimethylphthalate	<0.516 ug/L	82.7%	/ NA	84.5%	/ 84.8%		0.427%	
Di-n-butylphthalate	<1.33 ug/L	86.7%	/ NA	89.7%	/ 90.9%		1.27%	
Di-n-octylphthalate	<1.43 ug/L	92.8%	/ NA	95.3%	/ 98.6%		3.38%	
Disulfoton	<0.300 ug/L	NA	/ NA	NA	/ NA		NA	NS
Ethyl Methanesulfonate	<0.343 ug/L	74.4%	/ NA	72.6%	/ 69.7%		4.00%	
Famphur	<2.00 ug/L	NA	/ NA	NA	/ NA		%	E-01, NS
Fluoranthene	<0.575 ug/L	91.4%	/ NA	92.5%	/ 94.7%		2.37%	
Fluorene	<1.43 ug/L	85.0%	/ NA	86.9%	/ 85.8%		1.25%	
Hexachlorobenzene	<1.27 ug/L	87.6%	/ NA	88.1%	/ 88.1%		0.0736%	
Hexachlorobutadiene	<2.52 ug/L	74.8%	/ NA	62.9%	/ 59.6%		5.32%	
Hexachlorocyclopentadiene	<2.71 ug/L	72.2%	/ NA	67.6%	/ 67.2%		0.625%	
Hexachloroethane	<0.958 ug/L	59.9%	/ NA	48.5%	/ 46.7%		3.71%	
Hexachlorophene	<0.167 ug/L	NA	/ NA	NA	/ NA		NA	E21, E2-A, NS
Hexachloropropene	<0.100 ug/L	58.3%	/ NA	49.3%	/ 48.0%		2.78%	
Indeno[1,2,3-cd]pyrene	<1.23 ug/L	81.4%	/ NA	84.2%	/ 86.7%		2.91%	
Isodrin	<0.284 ug/L	108%	/ NA	112%	/ 112%		0.345%	
Isophorone	<2.23 ug/L	80.0%	/ NA	75.6%	/ 75.2%		0.519%	
Isosafrole	<0.216 ug/L	31.5%	/ NA	29.8%	/ 29.3%		1.50%	E21
Kepone	<0.420 ug/L	281%	/ NA	279%	/ 229%		19.7%	%D1, %D2, E-01, E5
m-Dinitrobenzene	<0.359 ug/L	117%	/ NA	124%	/ 125%		1.25%	
Methapyrilene	<3.00 ug/L	NA	/ NA	NA	/ NA		%	E2-F, NS
Methyl Methanesulfonate	<0.147 ug/L	56.3%	/ NA	52.3%	/ 51.5%		1.63%	
Methyl parathion	<0.230 ug/L	NA	/ NA	NA	/ NA		%	NS
m-Nitroaniline	<0.308 ug/L	93.0%	/ NA	96.7%	/ 96.1%		0.675%	
Nitrobenzene	<1.42 ug/L	79.9%	/ NA	76.4%	/ 74.4%		2.69%	
N-Nitrosodiethylamine	<0.497 ug/L	75.2%	/ NA	72.6%	/ 69.8%		3.95%	
N-Nitrosodimethylamine	<0.372 ug/L	50.2%	/ NA	46.0%	/ 45.1%		1.88%	
N-Nitrosodi-n-butylamine	<0.331 ug/L	78.1%	/ NA	75.2%	/ 74.6%		0.801%	
N-Nitroso-di-n-propylamine	<0.834 ug/L	82.3%	/ NA	76.5%	/ 75.7%		1.09%	
N-Nitrosodiphenylamine/diphenylamine	<1.19 ug/L	86.7%	/ NA	90.8%	/ 90.6%		0.276%	
N-Nitrosomethylethylamine	<0.244 ug/L	66.8%	/ NA	63.7%	/ 60.7%		4.96%	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

QUALITY CONTROL RESULTS**Semivolatiles -- Batch: B603484 (Water)****Prepared: 23-Mar-26 07:27 By: MB -- Analyzed: 30-Mar-26 14:27 By: MB**

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
N-Nitrosomorpholine	<1.00 ug/L	71.3% / NA	76.2% / 68.9%		10.1%	
N-Nitrosopiperidine	<0.298 ug/L	82.0% / NA	77.6% / 77.3%		0.461%	
N-Nitrosopyrrolidine	<1.00 ug/L	77.3% / NA	75.3% / 74.8%		0.606%	
O,O,O-Triethyl phosphorothioate	<0.0186 ug/L	NA / NA	NA / NA		NA	NS
o,o-Diethyl o-2-pyrazinyl	<0.204 ug/L	NA / NA	NA / NA		NA	E-01, NS
o-Nitroaniline	<1.90 ug/L	90.1% / NA	94.5% / 95.2%		0.733%	
o-Toluidine	<0.196 ug/L	67.1% / NA	62.0% / 61.6%		0.668%	
Parathion	<0.224 ug/L	NA / NA	NA / NA		NA	NS
p-Dimethylaminoazobenzene	<0.259 ug/L	77.6% / NA	80.2% / 81.2%		1.18%	
Pentachlorobenzene	<0.133 ug/L	78.3% / NA	77.4% / 77.4%		0.103%	
Pentachloroethane	<5.68 ug/L	50.0% / NA	44.0% / 42.4%		3.61%	E21, J
Pentachloronitrobenzene	<0.258 ug/L	85.7% / NA	89.3% / 89.2%		0.181%	
Pentachlorophenol	<1.28 ug/L	88.6% / NA	92.2% / 93.4%		1.35%	
Phenacetin	<0.200 ug/L	86.1% / NA	90.4% / 91.6%		1.29%	
Phenanthrene	<0.572 ug/L	85.4% / NA	88.6% / 88.2%		0.491%	
Phenol	<0.348 ug/L	43.1% / NA	39.2% / 38.9%		0.564%	
Phorate	<0.200 ug/L	NA / NA	NA / NA		NA	NS
p-Phenylenediamine	<390 ug/L	No Rec / NA	No Rec / No Rec		%	NREC
Pronamide	<0.265 ug/L	80.0% / NA	83.8% / 83.4%		0.359%	
Pyrene	<0.489 ug/L	91.2% / NA	93.2% / 95.8%		2.73%	
Pyridine	<1.39 ug/L	35.6% / NA	34.4% / 30.6%		11.6%	
Safrole	<0.484 ug/L	178% / NA	174% / 171%		1.48%	%D1, %D2, E5
Sulfotep	<0.344 ug/L	NA / NA	NA / NA		NA	NS
sym-Trinitrobenzene	<1.00 ug/L	69.7% / NA	72.2% / 72.6%		0.540%	
2,4,6-Tribromophenol [surr]	86.4 %	84.8% / NA	83.8% / 86.0%		NA	
2-Fluorobiphenyl [surr]	67.7 %	61.0% / NA	68.8% / 66.7%		NA	
2-Fluorophenol [surr]	56.2 %	49.4% / NA	45.5% / 44.4%		NA	
Nitrobenzene-d5 [surr]	80.8 %	72.1% / NA	70.4% / 67.4%		NA	
Phenol-d5 [surr]	42.1 %	38.2% / NA	35.0% / 34.7%		NA	
Terphenyl-d14 [surr]	109 %	91.7% / NA	94.7% / 95.5%		NA	

Wet Chemistry -- Batch: B603523 (Water)**Prepared: 23-Mar-26 11:00 By: KJ -- Analyzed: 23-Mar-26 11:00 By: KJ**

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Sulfide	<0.0203 mg/L	93.5% / 96.5%	105% / NA		3.16%	

Herbicides -- Batch: B603526 (Water)**Prepared: 24-Mar-26 08:14 By: MB -- Analyzed: 25-Mar-26 11:18 By: MB**

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
2,4,5-TP (Silvex)	<0.790 ug/L	127% / NA	131% / 130%		1.20%	
2,4-D	<0.964 ug/L	81.3% / NA	73.3% / 82.9%		12.3%	
DCAA [surr]	95.0 %	93.2% / NA	102% / 103%		NA	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

QUALITY CONTROL RESULTS

PCBs -- Batch: B603530 (Water)

Prepared: 24-Mar-26 11:26 By: TB -- Analyzed: 25-Mar-26 11:55 By: TB

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Aroclor-1016	<0.0334 ug/L	105% / NA	104% / 109%		4.39%	
Aroclor-1260	<0.0396 ug/L	82.8% / NA	84.5% / 85.0%		0.614%	
DCBP [surr]	68.5 %	73.5% / NA	86.5% / 74.5%		NA	
TCMX [surr]	75.0 %	64.0% / NA	66.5% / 76.5%		NA	

Total Metals -- Batch: B603531 (Water)

Prepared: 24-Mar-26 09:34 By: KAW -- Analyzed: 24-Mar-26 10:46 By: KAW

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Mercury	<0.0610 ug/L	101% / NA	101% / 100%		0.355%	

Total Metals -- Batch: B603532 (Water)

Prepared: 24-Mar-26 10:32 By: JAH -- Analyzed: 27-Mar-26 13:23 By: JAH

Analyte	BLK	LCS / LCSD	MS / MSD	Dup	RPD	Qualifiers
Antimony	<0.343 ug/L	99.1% / NA	99.9% / 99.0%		0.840%	
Arsenic	<0.052 ug/L	105% / NA	108% / 108%		0.202%	
Barium	<0.078 ug/L	105% / NA	99.5% / 101%		0.853%	
Beryllium	<0.074 ug/L	99.9% / NA	90.3% / 89.1%		1.44%	
Cadmium	<0.038 ug/L	97.7% / NA	97.3% / 97.2%		0.0720%	
Chromium	<0.0751 ug/L	101% / NA	94.3% / 94.7%		0.438%	
Cobalt	<0.035 ug/L	104% / NA	102% / 102%		0.0832%	
Copper	<0.149 ug/L	99.6% / NA	91.8% / 92.3%		0.533%	
Lead	<0.115 ug/L	102% / NA	97.0% / 97.0%		0.0739%	
Nickel	<0.42 ug/L	101% / NA	99.2% / 99.7%		0.492%	
Selenium	<1.50 ug/L	104% / NA	94.2% / 97.5%		3.53%	
Silver	<0.099 ug/L	101% / NA	96.8% / 97.8%		1.00%	
Thallium	<0.035 ug/L	103% / NA	97.9% / 98.2%		0.303%	
Tin	<1.62 ug/L	103% / NA	99.2% / 97.9%		1.29%	
Vanadium	<0.042 ug/L	102% / NA	98.8% / 95.9%		2.96%	
Zinc	<4.89 ug/L	105% / NA	103% / 103%		0.349%	

Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

QUALITY CONTROL RESULTS
Pesticides -- Batch: B603541 (Water)
Prepared: 25-Mar-26 07:49 By: MB -- Analyzed: 27-Mar-26 13:25 By: MB

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
4,4'-DDD	<0.009 ug/L	85.7% / NA	89.4% / 73.7%		19.2%	
4,4'-DDE	<0.004 ug/L	66.3% / NA	68.5% / 59.7%		13.8%	D
4,4'-DDT	<0.004 ug/L	72.2% / NA	75.7% / 68.6%		9.97%	
Aldrin	<0.003 ug/L	54.9% / NA	59.3% / 46.5%		24.3%	D
alpha-BHC	<0.003 ug/L	55.1% / NA	59.8% / 44.7%		28.8%	
beta-BHC	<0.005 ug/L	59.6% / NA	65.9% / 51.8%		24.0%	D, J
delta-BHC	<0.002 ug/L	58.2% / NA	63.0% / 50.0%		22.9%	D, J
Dieldrin	<0.004 ug/L	71.5% / NA	73.5% / 67.1%		9.12%	D
Endosulfan I	<0.003 ug/L	64.0% / NA	64.7% / 56.2%		14.0%	D
Endosulfan II	<0.005 ug/L	72.3% / NA	82.9% / 68.4%		19.3%	D
Endosulfan sulfate	<0.004 ug/L	85.5% / NA	93.0% / 78.1%		17.4%	
Endrin	<0.006 ug/L	84.8% / NA	88.5% / 82.8%		6.66%	
Endrin aldehyde	<0.021 ug/L	99.9% / NA	109% / 95.5%		13.5%	J
gamma-BHC (Lindane)	<0.002 ug/L	70.7% / NA	96.5% / 112%		15.0%	
Heptachlor	<0.003 ug/L	53.4% / NA	67.1% / 46.6%		36.1%	D
Heptachlor epoxide	<0.002 ug/L	62.8% / NA	63.0% / 51.0%		21.2%	D
Methoxychlor	<0.020 ug/L	97.3% / NA	97.5% / 83.6%		15.3%	
DCBP [surr]	97.0 %	66.2% / NA	68.9% / 58.4%		NA	
TCMX [surr]	50.4 %	46.1% / NA	54.1% / 44.7%		NA	

Wet Chemistry -- Batch: B603554 (Water)
Prepared: 23-Mar-26 13:56 By: CGF -- Analyzed: 23-Mar-26 13:56 By: CGF

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
pH	NA	101% / 101%	NA / NA		0.00%	

Wet Chemistry -- Batch: B603608 (Water)
Prepared: 27-Mar-26 08:59 By: KJ -- Analyzed: 27-Mar-26 08:59 By: KJ

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Cyanide (total)	<0.002 mg/L	89.0% / 94.0%	92.5% / NA		5.46%	

Anions -- Batch: B603638 (Water)
Prepared: 30-Mar-26 08:23 By: MB -- Analyzed: 30-Mar-26 15:01 By: MB

<u>Analyte</u>	<u>BLK</u>	<u>LCS / LCSD</u>	<u>MS / MSD</u>	<u>Dup</u>	<u>RPD</u>	<u>Qualifiers</u>
Fluoride	<0.089 mg/L	103% / NA	109% / 109%		0.0691%	

23 April 2026



Cole Clark
Veolia Gum Springs Facility
500 East Reynolds Rd.
Arkadelphia, AR 71923
Project: Groundwater Samples - Appendix IX
Project Number: March 2026
Date Received: 20-Mar-26 10:25

QUALIFIER(S)

*%D1:	Matrix Spike and/or Matrix Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
*%D2:	Laboratory Control Spike and/or Laboratory Control Spike Duplicate Percent Recovery Does Not Meet Laboratory Acceptance Criteria
*D:	RPD Value Does Not Meet Laboratory Acceptance Criteria
*E-01:	Estimated Result; This Analyte Failed "High" in the CCV; If the sample is non-detect for this analyte, the CCV demonstrated the analyte would have been detected were it present.
*E2:	Estimated Result; Analyzed Outside of Holding Time
*E21:	Estimated Result; This Analyte failed (low) in the CCV.
*E2-A:	Estimated Result due to Absence of Second Source
*E2-F:	Second Source Verification Failure
*E5:	Estimated Result Due to Quality Control Failure
*J:	Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
*NREC:	No Recovery
*NS:	Analyte was Not Spiked for in the QC (LCS, LCSD, MS, MSD).

All Analysis performed according to EPA approved methodology when available :

SW 846, Revised December, 1996; EPA 600/4-79-020, Revised March, 1983; Standard Methods.

Instrument calibration and quality control samples performed at or above frequency specified in analytical method.

A handwritten signature in blue ink, reading "Norma James", is positioned above a horizontal line.

Reviewed by:

Norma James
Technical Director



8100 National Dr.
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description		Turnaround Time	Preservation Codes:												
Veolia Gum Springs Facility			Quarterly Groundwater Samples		1 Day (200%)	1. Cool, 6 Degrees Centigrade						4. Thiosulfate for Dechlorination						
500 East Reynolds Rd.			Appendix IX		2 Day (100%)	2. Sulfuric Acid (H ₂ SO ₄), pH < 2						5. Hydrochloric Acid(HCl)						
Arkadelphia, AR 71923			Reporting Information		3 Day (50%)	3. Nitric Acid (HNO ₃), pH < 2						6. Sodium Hydroxide (NaOH), pH > 12						
			Telephone: 870-245-2720		5 Day (Routine)	TEST PARAMETERS												Bottle Type Code
Attn: Cole Clark			Fax: 870-246-7344		Preservative Code:	1	1,6, Zn Acetate	1,6	1,5	1,3	1	1	1	1		G = Glass; P = Plastic		
			Email: SEE BELOW		Bottle Type:	P	P	P	GV	P	GA	GA	GA	GA		V = Septum; A = Amber		
Sampler(s) Signature			Sampler(s) Printed			pH (SM 4500), Fluoride (EPA 300.0)	Sulfide (SM 4500 S2 D)	Cyanide (SM 4500 CN-E)	Appendix IX Volatiles (8260)	Appendix IX (6020-Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, Ag, Ti, Sn, V, Zn), (7470A-Hg)	Appendix IX Herbicides (8151)	Appendix IX Pesticides (8081) / Appendix IX PCBs (8082)	Appendix IX SemiVolatiles (8270)	Appendix IX Dioxin, Furans (SUBCONTRACT)**	Arkansas Analytical Work Order Number:			
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	IDENTIFICATION/ DESCRIPTION											
	Date/s	Time/s																
MW-25-PZ	3/20/26	0850	X		12	Water	MW-25-PZ-2	X	X	X	X	X	X	X	X	01		
MW-26-PZ	3/20/26	0820	X		12	Water	MW-26-PZ-2	X	X	X	X	X	X	X	X	02		
MW-27-PZ	3/20/26	0755	X		12	Water	MW-27-PZ-2	X	X	X	X	X	X	X	X	03		
	*3:20.26	10:25AM	X		12	Water	Trip Blank	X	X	X	X	X	X	X	X	04		
			X		12	Water		X	X	X	X	X	X	X	X			
			X		12	Water		X	X	X	X	X	X	X	X			
			X		12	Water		X	X	X	X	X	X	X	X			
			X		12	Water		X	X	X	X	X	X	X	X			
			X		12	Water		X	X	X	X	X	X	X	X			
			X		12	Water		X	X	X	X	X	X	X	X			
1. Relinquished by: (Signature)			Date/Time			2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB						REMARKS / SAMPLE COMMENTS			
3/20/26			1025						1. CUSTODY SEALS: Yes No						Email:			
									2. CONTAINERS CORRECT: Yes No						Cole Clark - cole.clark@veolia.com			
									3. COC/LABELS AGREE: Yes No						David Jaros - david.jaros@terracon.com			
3. Relinquished by: (Signature)			Date/Time			4. Received by lab: (Signature)			4. RECEIVED ON ICE: Yes No						Paul Gramling - paul.gramling@terracon.com			
			3.20.26			Howard			5. TEMPERATURE ON RECEIPT: 3 °C						Matt Acree - Matt.Acree@terracon.com			
			10:25						6. TEMPERATURE GUN ID: HHT#						*Lab Added Trip Blank to coc. (HHT) 3-20-26			
FOR COMPLETION BY LAB ONLY																		

Report Prepared for:

Norma James
Arkansas Analytical
8100 National Drive
Little Rock AR 72209

**REPORT OF
LABORATORY
ANALYSIS FOR
PCDD/PCDF**

Report Prepared Date:

April 2, 2026

Report Information:

Pace Project #: 10767715

Sample Receipt Date: 03/25/2026

Client Project #: 1st Quarter - March 2026

Client Sub PO #: N/A


State Cert #: 88-0680

Invoicing & Reporting Options:

The report provided has been invoiced as a Level 2 PCDD/PCDF Report. If an upgrade of this report package is requested, an additional charge may be applied.

Please review the attached invoice for accuracy and forward any questions to Joanne Richardson, your Pace Project Manager.

This report has been reviewed by:



April 02, 2026

Joanne Richardson, Project Manager

(612) 607-6453

(612) 607-6444 (fax)



Report of Laboratory Analysis

This report should not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

The results relate only to the samples included in this report.

DISCUSSION

This report presents the results from the analyses performed on twenty-seven samples submitted by a representative of Arkansas Analytical. The samples were analyzed for the presence or absence of Appendix IX List polychlorodibenzo-p-dioxins (PCDDs) and polychlorodibenzofurans (PCDFs) using a modified version of USEPA Method 8290. The estimated detection limits (EDLs) were based on signal-to-noise measurements.

The isotopically-labeled PCDD/PCDF internal standards in the sample extracts were recovered at 28-89%. Except for eleven values, which were flagged "R" on the results table, the labeled internal standard recoveries obtained for this project were within the 40-135% target range specified in Method 8290. Since the quantification of the native 2,3,7,8-substituted congeners was based on isotope dilution, the data were automatically corrected for recovery and accurate values were obtained.

Values were flagged "I" where incorrect isotope ratios were obtained or "P" where polychlorinated diphenyl ethers were present. Concentrations below the calibration range were flagged "J" and should be regarded as estimates.

A laboratory method blank was prepared and analyzed with each sample batch as part of our routine quality control procedures. The results show Blank-124346 to contain trace levels of selected congeners. These levels were below the calibration range of the method. Sample concentrations similar to the corresponding blank levels were flagged "B" on the results tables and may be, at least partially, attributed to the background.

Laboratory spike samples were also prepared with the sample batch using clean reference matrix that had been fortified with native standard materials. The results show that the spiked native compounds were recovered at 87-114% with relative percent differences of 0.0-7.8%. These results were within the target ranges for the method. Matrix spikes were not prepared with the extraction batches.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Minnesota Laboratory Certifications

Authority	Certificate #	Authority	Certificate #
A2LA	2926.01	Missouri	10100
Alabama	40770	Montana	CERT0092
Alaska-DW	MN00064	Nebraska	NE-OS-18-06
Alaska-UST	17-009	Nevada	MN00064
Arizona	AZ0014	New Hampshire	2081
Arkansas - WW	88-0680	New Jersey	MN002
Arkansas-DW	MN00064	New York	11647
California	2929	North Carolina-DW	27700
Colorado	MN00064	North Carolina-WW	530
Connecticut	PH-0256	North Dakota	R-036
Florida	E87605	Ohio-DW	41244
Georgia	959	Ohio-VAP (1700)	CL101
Idaho	MN00064	Ohio-VAP (1800)	CL110
Illinois	200011	Oklahoma	9507
Indiana	C-MN-01	Oregon-Primary	MN300001
Iowa	368	Oregon-Secondary	MN200001
Kansas	E-10167	Pennsylvania	68-00563
Kentucky-DW	90062	Puerto Rico	MN00064
Kentucky-WW	90062	South Carolina	74003
Louisiana-DEQ	AI-84596	Tennessee	TN02818
Louisiana-DW	MN00064	Texas	T104704192
Maine	MN00064	Utah	MN00064
Maryland	322	Vermont	VT-027053137
Michigan	9909	Virginia	460163
Minnesota	027-053-137	Washington	C486
Minnesota-Ag	via MN 027-053-137	West Virginia-DEP	382
Minnesota-Petrofund	1240	West Virginia-DW	9952C
Mississippi	MN00064	Wisconsin	999407970
		Wyoming-UST	via A2LA 2926.01

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444
www.pacelabs.com

Appendix A

Sample Management

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



8100 National Dr.
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118


SUBCONTRACT CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description			Turnaround Time		Preservation Codes:											
Arkansas Analytical, Inc.			Dioxin/Furan Samples			1 Day		1. Cool, 6 Degrees Centigrade					4. Thiosulfate for Dechlorination						
8100 National Dr.			1st Quarter -- March 2026			2 Day		2. Sulfuric Acid (H ₂ SO ₄), pH < 2					5. Hydrochloric Acid(HCl)						
Little Rock, AR 72209			Reporting Information			3 Day		3. Nitric Acid (HNO ₃), pH < 2					6. Sodium Hydroxide (NaOH), pH > 12						
Attn: Norma James			Telephone: 501-455-3233			Routine		TEST PARAMETERS										Bottle Type Code	
			Fax: 501-455-6118			Preservative Code:		1		1								G = Glass; P = Plastic	
						Bottle Type:		GA		GA								V = Septum; A = Amber	
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION		Dioxins (Method 8290 App IX)	Furans (Method 8290 App IX)									Lab Number:
	3/17/2026	0850	X		2	Water	MW-16 (MS/MSD)	X	X									002	
	3/17/2026	0942	X		2	Water	MW-12	X	X									002	
	3/17/2026	0955	X		2	Water	Duplicate	X	X									003	
	3/17/2026	1253	X		2	Water	31PZ-2	X	X									004	
	3/17/2026	1210	X		2	Water	MW-31	X	X									005	
	3/17/2026	1145	X		2	Water	MW-30	X	X									006	
	3/17/2026	1030	X		2	Water	MW-2	X	X									007	
	3/18/2026	1315	X		2	Water	Leachate Cell 2	X	X									008	
	3/18/2026	1231	X		2	Water	MW-29	X	X									009	
	3/18/2026	1127	X		2	Water	MW-4	X	X									010	
1. Relinquished by: (Signature)			Date/Time		2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB					REMARKS / SAMPLE COMMENTS						
[Signature]			3/24/24 0851		Fedex			1. CUSTODY SEALS: Yes No					Please Email Results :						
								2. CONTAINERS CORRECT: Yes No					njames@arkansasanalytical.com						
								3. COC/LABELS AGREE: Yes No					sjames@arkansasanalytical.com						
3. Relinquished by: (Signature)			Date/Time		4. Received by lab: (Signature)			4. RECEIVED ON ICE: Yes No											
Fedex			3/25/26 1010		m U Pace			5. TEMPERATURE ON RECEIPT: °C											
FOR COMPLETION BY LAB ONLY																			

WO#: 10767715




10767715



8100 National Dr.
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

SUBCONTRACT CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			Project Description			Turnaround Time		Preservation Codes:											
Arkansas Analytical, Inc.			Dioxin/Furan Samples			1 Day		1. Cool, 6 Degrees Centigrade					4. Thiosulfate for Dechlorination						
8100 National Dr.			1st Quarter -- March 2026			2 Day		2. Sulfuric Acid (H ₂ SO ₄), pH < 2					5. Hydrochloric Acid(HCl)						
Little Rock, AR 72209			Reporting Information			3 Day		3. Nitric Acid (HNO ₃), pH < 2					6. Sodium Hydroxide (NaOH), pH > 12						
Attn: Norma James			Telephone: 501-455-3233			Routine		TEST PARAMETERS										Bottle Type Code	
			Fax: 501-455-6118			Preservative Code:		1	1								G = Glass; P = Plastic		
						Bottle Type:		GA	GA								V = Septum; A = Amber		
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION		Dioxins (Method 8290 App IX)	Furans (Method 8290 App IX)							Lab Number:		
	3/18/2026	1035	X		2	Water	MW-18	X	X								011		
	3/18/2026	1340	X		2	Water	Leachate Cell 3-8	X	X								012		
	3/18/2026	1306	X		2	Water	Leachate Cell 1	X	X								013		
	3/18/2026	1115	X		2	Water	MW-6	X	X								014		
	3/18/2026	0925	X		2	Water	MW-8	X	X								015		
	3/18/2026	1140	X		2	Water	Field Blank	X	X								016		
	3/19/2026	945	X		2	Water	MW-27	X	X								017		
	3/19/2026	1141	X		2	Water	MW-26 (MS/MSD)	X	X								018		
	3/19/2026	1250	X		2	Water	MW-28	X	X								019		
	3/19/2026	0900	X		2	Water	MW-1A	X	X								020		
1. Relinquished by: (Signature)			Date/Time		2. Received by: (Signature)			SAMPLE CONDITION UPON RECEIPT IN LAB				REMARKS / SAMPLE COMMENTS							
			3/24/26 0851					1. CUSTODY SEALS: Yes No				Please Email Results :							
								2. CONTAINERS CORRECT: Yes No				njames@arkansasanalytical.com							
								3. COC/LABELS AGREE: Yes No				sjames@arkansasanalytical.com							
3. Relinquished by: (Signature)			Date/Time		4. Received by lab: (Signature)			4. RECEIVED ON ICE: Yes No											
			3/25/26 1010					5. TEMPERATURE ON RECEIPT: °C											
								FOR COMPLETION BY LAB ONLY											



8100 National Dr.
Little Rock, AR 72209
PHONE: 501-455-3233
FAX: 501-455-6118

SUBCONTRACT CHAIN OF CUSTODY RECORD

CLIENT INFORMATION				Project Description		Turnaround Time	Preservation Codes:											
Arkansas Analytical, Inc.				Dioxin/Furan Samples		1 Day	1. Cool, 6 Degrees Centigrade					4. Thiosulfate for Dechlorination						
8100 National Dr.				1st Quarter -- March 2026		2 Day	2. Sulfuric Acid (H ₂ SO ₄), pH < 2					5. Hydrochloric Acid(HCl)						
Little Rock, AR 72209				Reporting Information		3 Day	3. Nitric Acid (HNO ₃), pH < 2					6. Sodium Hydroxide (NaOH), pH > 12						
Attn: Norma James				Telephone: 501-455-3233		<u>Routine</u>	TEST PARAMETERS										Bottle Type Code	
				Fax: 501-455-6118		Preservative Code:	1	1								G = Glass; P = Plastic		
						Bottle Type:	GA	GA								V = Septum; A = Amber		
Field Number	SAMPLE COLLECTION		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION		Dioxins (Method 8290 App IX)	Furans (Method 8290 App IX)							Lab Number:	
	3/19/2026	1311	X		2	Water	MW-25	X	X								021	
	3/19/2026	1325	X		2	Water	Duplicate 2	X	X								022	
	3/19/2026	1159	X		2	Water	24-PZ-2	X	X								023	
	3/19/2026	1100	X		2	Water	MW-24	X	X								024	
	3/20/2026	0850	X		2	Water	MW-25-PZ-2	X	X								025	
	3/20/2026	0820	X		2	Water	MW-26-PZ-2	X	X								026	
	3/20/2026	0755	X		2	Water	MW-27-PZ-2	X	X								027	
1. Relinquished by: (Signature)				Date/Time		2. Received by: (Signature)				SAMPLE CONDITION UPON RECEIPT IN LAB					REMARKS / SAMPLE COMMENTS			
				3/24/26 0851						1. CUSTODY SEALS: ____ Yes ____ No					Please Email Results :			
										2. CONTAINERS CORRECT: ____ Yes ____ No					njames@arkansasanalytical.com			
										3. COC/LABELS AGREE: ____ Yes ____ No					sjames@arkansasanalytical.com			
3. Relinquished by: (Signature)				Date/Time		4. Received by lab: (Signature)				4. RECEIVED ON ICE: ____ Yes ____ No								
				3/25/26 1010						5. TEMPERATURE ON RECEIPT: ____ °C								
FOR COMPLETION BY LAB ONLY																		

ENV-FRM-MIN4-0150 v21 Sample Condition Upon Receipt

Person Examining & Date: MKT 3/25/26

PROJECT #:

WO#: 10767715

PM: JMR

Due Date: 04/08/26

CLIENT: Arkansas

Client Name:

Arkansas Analytical, Inc.

Custody Seal Present: ☒ YES ☐ NO

Seals Intact: ☒ YES ☐ NO

Tracking Number:

4519 8003, 857

Courier:

☐ Client

☐ Commercial

☒ FedEx

☐ Pace Courier/Field

☐ Speedee

☐ UPS

☐ USPS

Packing Material:

☒ Bubble Bags

☒ Bubble Wrap

☐ None

☐ Other:

Biological Tissue Frozen:

☐ YES ☒ NO

Thermometer:

☐ T1 (0461)

☐ T2 (0431)

☐ T3 (0459)

☐ T4 (0402)

Type of Ice:

☐ Blue

☐ Dry

☒ Wet

☐ Melted

☐ None

☐ T5 (0187)

☒ T6 (0396)

☐ T7 (0377)

☐ T8 (0775)

☐ T9 (0428)

☐ 01339252 (0710)

Temp Blank:

☒ YES

☐ NO

NOTE: Temp should be $\leq 6^{\circ}\text{C}$, but above freezing.

Read Temp w/Temp Blank:

0.1 $^{\circ}\text{C}$

Correction Factor:

0.1

Corrected Temp w/Temp Blank:

0.2 $^{\circ}\text{C}$

Did Samples Originate in West Virginia:

☐ YES

☒ NO (list temps on exception)

Were All Container Temps Taken:

☐ YES

☐ NO ☒ N/A

Average Corrected Temp (No Temp Blank Only):

☐ See Exceptions form ENV-FRM-MIN4-0142.

☐ 1 Container

USDA Regulated Soil: ☒ N/A - Water Sample/Other (describe):

Did Samples originate from one of the following states (check maps): ☐ YES ☐ NO

Circle State: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, VA

Are samples from a foreign source (international, including Hawaii and Puerto Rico): ☐ YES ☐ NO

NOTE: If YES to either question, fill out a Regulated Soil Checklist (ENV-FRM-MIN4-0154) and include with SCUR/COC paperwork.

LOCATION (check one):	☐ DULUTH	☒ MINNEAPOLIS	☐ VIRGINIA	YES	NO	N/A	COMMENT(S)
Chain of Custody Present and Filled Out? (i.e., Analysis/ID/Date/Time)	☒	☐	☐	☒	☐	☐	1.
Chain of Custody Relinquished?	☒	☐	☐	☒	☐	☐	2.
Sampler Name and/or Signature on COC?	☐	☐	☒	☐	☐	☒	3.
Samples Arrived within Hold Time?	☒	☐	☐	☒	☐	☐	4.
NOTE: < 24 hrs if lab filter is requested for Dissolved LL-Mercury by 1631E.							
Short Hold Time Analysis (<72 hr)?	☐	☒	☐	☐	☒	☐	5. ☐ BOD / cBOD ☐ Fecal coliform ☐ Hex Chrom ☐ HPC ☐ Nitrate ☐ Nitrite ☐ Ortho Phos ☐ Total coliform/E. coli ☐ Turbidity ☐ Other:
Rush Turn Around Time Requested?	☐	☒	☐	☐	☒	☐	6. ☐ Same Day ☐ 1 Day ☐ 2 Day ☐ 3 Day ☐ 5 Day Due Date:
Sufficient Sample Volume? (If NO, list approximate volume in section 7.)	☒	☐	☐	☒	☐	☐	7.
Correct Containers Used?	☒	☐	☐	☒	☐	☐	8. ms/MSD do not have double or triple volume. Only 2 AGIV per
Containers Intact?	☒	☐	☐	☒	☐	☐	9. Sample ID
Field Filtered Volume Received for Dissolved Tests?	☐	☐	☒	☐	☐	☒	10. Is sediment visible in the dissolved container: ☐ YES ☐ NO
ID/Date/Time Match? (If NO, fill out section 11.)	☒	☐	☐	☒	☐	☐	11.
Matrix: ☐ Oil ☐ Soil ☒ Water ☐ Other							12. ☐ See Exceptions form ENV-FRM-MIN4-0142
All containers needing acid/base preservation have been checked?	☐	☐	☒	☐	☐	☒	
Sample #:							
☐ HNO3	☐ H2SO4	☐ NaOH	☐ Zinc Acetate				
pH Paper Lot #:							
☐ Residual Chlorine	☐ 0-6 Roll	☐ 0-6 Strip	☐ 0-14 Strip				
Positive for Residual Chlorine (NaOH containers only): ☐ YES ☐ NO							
Preserved containers in compliance with EPA recommendations? (HNO3, H2SO4, < 2 pH, NaOH > 9 Sulfide, NaOH > 10 Cyanide)	☐	☐	☒	☐ See Exceptions form ENV-FRM-MIN4-0142			
EXCEPTIONS (water only): VOA, Coliform, TOC/DOC, Oil & Grease, Phenols, DRO/8015, Dioxins, and PFAS	☐	☐	☒				
Extra labels present on soil VOA or WIDRO containers? (soil only)	☐	☐	☒	13.			
Headspace in Methyl Mercury Container?	☐	☐	☒	14.			
Headspace in VOA Vials (greater than 6mm)?	☐	☐	☒	☐ See Exceptions form ENV-FRM-MIN4-0140			
Trip Blanks Present?	☐	☐	☒	15.			
Trip Blank Custody Seals Present?	☐	☐	☒	Pace Trip Blank Lot # (if purchased):			

CLIENT NOTIFICATION / RESOLUTION:

Labeled By:

MKT

Line: 4

Person Contacted & Date/Time:

PM Review & Date:

Joanne Richardson 3-25-26

NOTE: When there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEQ Certification Office.

Qualtrax ID: 52742

Effective Date: 10/01/25

Page 1 of 1

Pace® Analytical Services, LLC (PAS)

Report No.....10767715_SW8290FC_L2_dfr

Page 8 of 46

ENV-FRM-MIN4-0142 v05_Sample Condition Upon Receipt - Exceptions

Workorder #: 10767715



Anything is OVER 6.0°C, **MUST** be documented in the sections below.



Tracking Number	Temperature (°C)
451950031857	6.2
451950031813	1.1
451950031809	1.7
451950031880	1.9
451950031835	0.2
451950031879	2.6
451950031846	1.5

Out of Temp Sample ID	Container Type	# of Containers

PM Notified of Out of Temp Cooler? ☐ YES ☐ NO Multiple Cooler Project? ☐ YES ☐ NO

If YES, indicate who was contacted, date, and time: _____

If NO, indicate reason why: ☐ All Nitric ☐ Not on ice ☐ Sampled same day ☐ Other: _____

No Temp Blank		
Temp Gun: _____	Correction Factor: _____	
Read Temp	Corrected Temp	Average Temp

Other	

pH Adjustment Log for Preserved Samples										
Sample ID	Type of Preservative		pH Upon Receipt	Date / Time Adjusted	Amount Added (mL)	Lot # Added	pH After	In Compliance After?		Initials
	HNO ₃	H ₂ SO ₄						YES	NO	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	
	☐	☐						☐	☐	

COMMENT(S):

Reporting Flags

- A = Reporting Limit based on signal to noise (EDL)
- B = Less than 10x higher than method blank level
- C = Result obtained from confirmation analysis
- D = Result obtained from analysis of diluted sample
- E = Exceeds calibration range
- H2 = Extracted outside of holding time
- I = Isotope ratio out of specification
- J = Estimated value
- L = Suppressive interference, analyte may be biased low
- Nn = Value obtained from additional analysis
- P = PCDE Interference
- R = Recovery outside target range
- S = Peak saturated
- U = Analyte not detected
- V = Result verified by confirmation analysis
- X = %D Exceeds limits
- Y = Calculated using average of daily RFs

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Pace Analytical Services, LLC
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444
www.pacelabs.com

Appendix B

Sample Analysis Summary

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-16 (MS/MSD)		
Lab Sample ID	10767715001		
Filename	U260330A_06		
Injected By	SMT		
Total Amount Extracted	986 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/17/2026 08:50
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_02 & U260330A_18	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/30/2026 14:33

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.61	2,3,7,8-TCDF-13C	2.00	72
Total TCDF	ND	----	0.61	2,3,7,8-TCDD-13C	2.00	86
				1,2,3,7,8-PeCDF-13C	2.00	70
2,3,7,8-TCDD	ND	----	0.62	2,3,4,7,8-PeCDF-13C	2.00	67
Total TCDD	ND	----	0.62	1,2,3,7,8-PeCDD-13C	2.00	72
				1,2,3,4,7,8-HxCDF-13C	2.00	71
1,2,3,7,8-PeCDF	ND	----	0.82	1,2,3,6,7,8-HxCDF-13C	2.00	74
2,3,4,7,8-PeCDF	ND	----	0.78	2,3,4,6,7,8-HxCDF-13C	2.00	73
Total PeCDF	ND	----	0.82	1,2,3,7,8,9-HxCDF-13C	2.00	75
				1,2,3,4,7,8-HxCDD-13C	2.00	73
1,2,3,7,8-PeCDD	ND	----	1.3	1,2,3,6,7,8-HxCDD-13C	2.00	79
Total PeCDD	ND	----	1.3			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	0.71	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.69			
2,3,4,6,7,8-HxCDF	ND	----	0.65	2,3,7,8-TCDD-37Cl4	0.20	79
1,2,3,7,8,9-HxCDF	----	1.3	0.73 JI			
Total HxCDF	ND	----	0.73			
1,2,3,4,7,8-HxCDD	ND	----	0.56			
1,2,3,6,7,8-HxCDD	ND	----	0.59			
1,2,3,7,8,9-HxCDD	ND	----	0.56			
Total HxCDD	ND	----	0.59			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

J = Estimated value
I = Isotope ratio out of specification

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-12		
Lab Sample ID	10767715002		
Filename	U260330A_07		
Injected By	SMT		
Total Amount Extracted	957 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/17/2026 09:42
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_02 & U260330A_18	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/30/2026 15:19

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	1.3	2,3,7,8-TCDF-13C	2.00	58
Total TCDF	ND	----	1.3	2,3,7,8-TCDD-13C	2.00	70
				1,2,3,7,8-PeCDF-13C	2.00	55
2,3,7,8-TCDD	ND	----	1.2	2,3,4,7,8-PeCDF-13C	2.00	56
Total TCDD	ND	----	1.2	1,2,3,7,8-PeCDD-13C	2.00	58
				1,2,3,4,7,8-HxCDF-13C	2.00	54
1,2,3,7,8-PeCDF	ND	----	2.1	1,2,3,6,7,8-HxCDF-13C	2.00	59
2,3,4,7,8-PeCDF	ND	----	1.8	2,3,4,6,7,8-HxCDF-13C	2.00	61
Total PeCDF	ND	----	2.1	1,2,3,7,8,9-HxCDF-13C	2.00	57
				1,2,3,4,7,8-HxCDD-13C	2.00	60
1,2,3,7,8-PeCDD	ND	----	1.9	1,2,3,6,7,8-HxCDD-13C	2.00	60
Total PeCDD	ND	----	1.9			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	0.97	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.95			
2,3,4,6,7,8-HxCDF	ND	----	0.85	2,3,7,8-TCDD-37Cl4	0.20	83
1,2,3,7,8,9-HxCDF	ND	----	1.1			
Total HxCDF	ND	----	1.1			
1,2,3,4,7,8-HxCDD	ND	----	1.2			
1,2,3,6,7,8-HxCDD	ND	----	1.2			
1,2,3,7,8,9-HxCDD	ND	----	1.2			
Total HxCDD	ND	----	1.2			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

J = Estimated value

B = Less than 10x higher than method blank level

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	Duplicate		
Lab Sample ID	10767715003		
Filename	U260330A_08		
Injected By	SMT		
Total Amount Extracted	964 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/17/2026 09:55
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_02 & U260330A_18	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/30/2026 16:05

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.89	2,3,7,8-TCDF-13C	2.00	58
Total TCDF	ND	----	0.89	2,3,7,8-TCDD-13C	2.00	66
				1,2,3,7,8-PeCDF-13C	2.00	52
2,3,7,8-TCDD	ND	----	0.96	2,3,4,7,8-PeCDF-13C	2.00	54
Total TCDD	ND	----	0.96	1,2,3,7,8-PeCDD-13C	2.00	54
				1,2,3,4,7,8-HxCDF-13C	2.00	47
1,2,3,7,8-PeCDF	ND	----	2.4	1,2,3,6,7,8-HxCDF-13C	2.00	59
2,3,4,7,8-PeCDF	ND	----	2.1	2,3,4,6,7,8-HxCDF-13C	2.00	59
Total PeCDF	ND	----	2.4	1,2,3,7,8,9-HxCDF-13C	2.00	54
				1,2,3,4,7,8-HxCDD-13C	2.00	57
1,2,3,7,8-PeCDD	ND	----	1.6	1,2,3,6,7,8-HxCDD-13C	2.00	59
Total PeCDD	ND	----	1.6			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	1.5	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	1.2			
2,3,4,6,7,8-HxCDF	ND	----	1.1	2,3,7,8-TCDD-37Cl4	0.20	86
1,2,3,7,8,9-HxCDF	ND	----	1.4			
Total HxCDF	ND	----	1.5			
1,2,3,4,7,8-HxCDD	ND	----	1.1			
1,2,3,6,7,8-HxCDD	ND	----	1.0			
1,2,3,7,8,9-HxCDD	ND	----	1.0			
Total HxCDD	ND	----	1.1			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	31PZ-2		
Lab Sample ID	10767715004		
Filename	U260330A_09		
Injected By	SMT		
Total Amount Extracted	994 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/17/2026 12:53
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_02 & U260330A_18	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/30/2026 16:51

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	1.0	2,3,7,8-TCDF-13C	2.00	62
Total TCDF	ND	----	1.0	2,3,7,8-TCDD-13C	2.00	72
				1,2,3,7,8-PeCDF-13C	2.00	61
2,3,7,8-TCDD	ND	----	0.89	2,3,4,7,8-PeCDF-13C	2.00	58
Total TCDD	ND	----	0.89	1,2,3,7,8-PeCDD-13C	2.00	63
				1,2,3,4,7,8-HxCDF-13C	2.00	62
1,2,3,7,8-PeCDF	ND	----	1.5	1,2,3,6,7,8-HxCDF-13C	2.00	71
2,3,4,7,8-PeCDF	ND	----	1.7	2,3,4,6,7,8-HxCDF-13C	2.00	67
Total PeCDF	ND	----	1.7	1,2,3,7,8,9-HxCDF-13C	2.00	65
				1,2,3,4,7,8-HxCDD-13C	2.00	63
1,2,3,7,8-PeCDD	ND	----	1.9	1,2,3,6,7,8-HxCDD-13C	2.00	70
Total PeCDD	ND	----	1.9			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	1.1	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	1.0			
2,3,4,6,7,8-HxCDF	ND	----	1.0	2,3,7,8-TCDD-37Cl4	0.20	83
1,2,3,7,8,9-HxCDF	ND	----	1.3			
Total HxCDF	ND	----	1.3			
1,2,3,4,7,8-HxCDD	ND	----	1.1			
1,2,3,6,7,8-HxCDD	ND	----	1.0			
1,2,3,7,8,9-HxCDD	ND	----	1.1			
Total HxCDD	ND	----	1.1			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

J = Estimated value

B = Less than 10x higher than method blank level

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-31		
Lab Sample ID	10767715005		
Filename	U260330A_10		
Injected By	SMT		
Total Amount Extracted	973 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/17/2026 12:10
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_02 & U260330A_18	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/30/2026 17:37

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	1.4	2,3,7,8-TCDF-13C	2.00	50
Total TCDF	ND	----	1.4	2,3,7,8-TCDD-13C	2.00	58
				1,2,3,7,8-PeCDF-13C	2.00	46
2,3,7,8-TCDD	ND	----	1.3	2,3,4,7,8-PeCDF-13C	2.00	46
Total TCDD	ND	----	1.3	1,2,3,7,8-PeCDD-13C	2.00	49
				1,2,3,4,7,8-HxCDF-13C	2.00	49
1,2,3,7,8-PeCDF	ND	----	1.5	1,2,3,6,7,8-HxCDF-13C	2.00	54
2,3,4,7,8-PeCDF	ND	----	1.3	2,3,4,6,7,8-HxCDF-13C	2.00	53
Total PeCDF	ND	----	1.5	1,2,3,7,8,9-HxCDF-13C	2.00	49
				1,2,3,4,7,8-HxCDD-13C	2.00	49
1,2,3,7,8-PeCDD	ND	----	2.1	1,2,3,6,7,8-HxCDD-13C	2.00	55
Total PeCDD	ND	----	2.1			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	1.5	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	1.6			
2,3,4,6,7,8-HxCDF	ND	----	1.5	2,3,7,8-TCDD-37Cl4	0.20	84
1,2,3,7,8,9-HxCDF	ND	----	1.8			
Total HxCDF	ND	----	1.8			
1,2,3,4,7,8-HxCDD	ND	----	1.9			
1,2,3,6,7,8-HxCDD	ND	----	1.7			
1,2,3,7,8,9-HxCDD	ND	----	1.8			
Total HxCDD	ND	----	1.9			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-30		
Lab Sample ID	10767715006		
Filename	U260330A_11		
Injected By	SMT		
Total Amount Extracted	967 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/17/2026 11:45
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_02 & U260330A_18	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/30/2026 18:24

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	1.4	2,3,7,8-TCDF-13C	2.00	64
Total TCDF	ND	----	1.4	2,3,7,8-TCDD-13C	2.00	72
				1,2,3,7,8-PeCDF-13C	2.00	57
2,3,7,8-TCDD	ND	----	0.98	2,3,4,7,8-PeCDF-13C	2.00	58
Total TCDD	ND	----	0.98	1,2,3,7,8-PeCDD-13C	2.00	60
				1,2,3,4,7,8-HxCDF-13C	2.00	62
1,2,3,7,8-PeCDF	ND	----	2.0	1,2,3,6,7,8-HxCDF-13C	2.00	67
2,3,4,7,8-PeCDF	ND	----	1.9	2,3,4,6,7,8-HxCDF-13C	2.00	64
Total PeCDF	ND	----	2.0	1,2,3,7,8,9-HxCDF-13C	2.00	57
				1,2,3,4,7,8-HxCDD-13C	2.00	64
1,2,3,7,8-PeCDD	ND	----	2.0	1,2,3,6,7,8-HxCDD-13C	2.00	66
Total PeCDD	ND	----	2.0			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	1.2	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	1.3			
2,3,4,6,7,8-HxCDF	ND	----	1.2	2,3,7,8-TCDD-37Cl4	0.20	75
1,2,3,7,8,9-HxCDF	ND	----	1.5			
Total HxCDF	ND	----	1.5			
1,2,3,4,7,8-HxCDD	ND	----	0.91			
1,2,3,6,7,8-HxCDD	ND	----	0.81			
1,2,3,7,8,9-HxCDD	ND	----	0.84			
Total HxCDD	ND	----	0.91			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-2		
Lab Sample ID	10767715007		
Filename	U260330A_12		
Injected By	SMT		
Total Amount Extracted	962 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/17/2026 10:30
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_02 & U260330A_18	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/30/2026 19:10

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.96	2,3,7,8-TCDF-13C	2.00	68
Total TCDF	ND	----	0.96	2,3,7,8-TCDD-13C	2.00	79
				1,2,3,7,8-PeCDF-13C	2.00	63
2,3,7,8-TCDD	ND	----	0.70	2,3,4,7,8-PeCDF-13C	2.00	60
Total TCDD	ND	----	0.70	1,2,3,7,8-PeCDD-13C	2.00	64
				1,2,3,4,7,8-HxCDF-13C	2.00	62
1,2,3,7,8-PeCDF	ND	----	1.8	1,2,3,6,7,8-HxCDF-13C	2.00	73
2,3,4,7,8-PeCDF	ND	----	1.6	2,3,4,6,7,8-HxCDF-13C	2.00	69
Total PeCDF	ND	----	1.8	1,2,3,7,8,9-HxCDF-13C	2.00	67
				1,2,3,4,7,8-HxCDD-13C	2.00	67
1,2,3,7,8-PeCDD	ND	----	1.1	1,2,3,6,7,8-HxCDD-13C	2.00	71
Total PeCDD	ND	----	1.1			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	0.87	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.76			
2,3,4,6,7,8-HxCDF	ND	----	0.76	2,3,7,8-TCDD-37Cl4	0.20	81
1,2,3,7,8,9-HxCDF	ND	----	0.91			
Total HxCDF	ND	----	0.91			
1,2,3,4,7,8-HxCDD	ND	----	0.97			
1,2,3,6,7,8-HxCDD	ND	----	0.90			
1,2,3,7,8,9-HxCDD	ND	----	0.91			
Total HxCDD	ND	----	0.97			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	Leachate Cell 2		
Lab Sample ID	10767715008		
Filename	U260330A_13		
Injected By	SMT		
Total Amount Extracted	1010 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/18/2026 13:15
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_02 & U260330A_18	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/30/2026 19:56

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	1.7		2,3,7,8-TCDF-13C	2.00	66
Total TCDF	ND	----	1.7		2,3,7,8-TCDD-13C	2.00	80
					1,2,3,7,8-PeCDF-13C	2.00	69
2,3,7,8-TCDD	ND	----	1.1		2,3,4,7,8-PeCDF-13C	2.00	67
Total TCDD	ND	----	1.1		1,2,3,7,8-PeCDD-13C	2.00	69
					1,2,3,4,7,8-HxCDF-13C	2.00	75
1,2,3,7,8-PeCDF	1.7	----	1.0	J	1,2,3,6,7,8-HxCDF-13C	2.00	84
2,3,4,7,8-PeCDF	ND	----	1.0		2,3,4,6,7,8-HxCDF-13C	2.00	80
Total PeCDF	1.7	----	1.0	BJ	1,2,3,7,8,9-HxCDF-13C	2.00	75
					1,2,3,4,7,8-HxCDD-13C	2.00	68
1,2,3,7,8-PeCDD	ND	----	1.1		1,2,3,6,7,8-HxCDD-13C	2.00	83
Total PeCDD	ND	----	1.1				
					1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	1.9		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	1.9				
2,3,4,6,7,8-HxCDF	ND	----	1.9		2,3,7,8-TCDD-37Cl4	0.20	87
1,2,3,7,8,9-HxCDF	ND	----	2.4				
Total HxCDF	ND	----	2.4				
1,2,3,4,7,8-HxCDD	ND	----	1.3				
1,2,3,6,7,8-HxCDD	ND	----	1.1				
1,2,3,7,8,9-HxCDD	ND	----	1.2				
Total HxCDD	9.8	----	1.3	J			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

J = Estimated value
B = Less than 10x higher than method blank level
R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-29		
Lab Sample ID	10767715009		
Filename	U260330A_14		
Injected By	SMT		
Total Amount Extracted	964 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/18/2026 12:31
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_02 & U260330A_18	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/30/2026 20:42

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.72	2,3,7,8-TCDF-13C	2.00	67
Total TCDF	ND	----	0.72	2,3,7,8-TCDD-13C	2.00	78
				1,2,3,7,8-PeCDF-13C	2.00	64
2,3,7,8-TCDD	ND	----	0.93	2,3,4,7,8-PeCDF-13C	2.00	63
Total TCDD	ND	----	0.93	1,2,3,7,8-PeCDD-13C	2.00	66
				1,2,3,4,7,8-HxCDF-13C	2.00	69
1,2,3,7,8-PeCDF	ND	----	2.4	1,2,3,6,7,8-HxCDF-13C	2.00	75
2,3,4,7,8-PeCDF	ND	----	2.4	2,3,4,6,7,8-HxCDF-13C	2.00	73
Total PeCDF	ND	----	2.4	1,2,3,7,8,9-HxCDF-13C	2.00	65
				1,2,3,4,7,8-HxCDD-13C	2.00	68
1,2,3,7,8-PeCDD	ND	----	1.9	1,2,3,6,7,8-HxCDD-13C	2.00	73
Total PeCDD	ND	----	1.9			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	0.80	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.78			
2,3,4,6,7,8-HxCDF	ND	----	0.79	2,3,7,8-TCDD-37Cl4	0.20	81
1,2,3,7,8,9-HxCDF	ND	----	0.95			
Total HxCDF	ND	----	0.95			
1,2,3,4,7,8-HxCDD	ND	----	1.1			
1,2,3,6,7,8-HxCDD	ND	----	1.0			
1,2,3,7,8,9-HxCDD	ND	----	1.0			
Total HxCDD	ND	----	1.1			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-4		
Lab Sample ID	10767715010		
Filename	U260330A_15		
Injected By	SMT		
Total Amount Extracted	936 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/18/2026 11:27
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_02 & U260330A_18	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/30/2026 21:28

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.76	2,3,7,8-TCDF-13C	2.00	74
Total TCDF	ND	----	0.76	2,3,7,8-TCDD-13C	2.00	89
				1,2,3,7,8-PeCDF-13C	2.00	71
2,3,7,8-TCDD	ND	----	0.83	2,3,4,7,8-PeCDF-13C	2.00	72
Total TCDD	ND	----	0.83	1,2,3,7,8-PeCDD-13C	2.00	75
				1,2,3,4,7,8-HxCDF-13C	2.00	80
1,2,3,7,8-PeCDF	ND	----	1.1	1,2,3,6,7,8-HxCDF-13C	2.00	85
2,3,4,7,8-PeCDF	ND	----	1.0	2,3,4,6,7,8-HxCDF-13C	2.00	82
Total PeCDF	ND	----	1.1	1,2,3,7,8,9-HxCDF-13C	2.00	75
				1,2,3,4,7,8-HxCDD-13C	2.00	79
1,2,3,7,8-PeCDD	ND	----	1.4	1,2,3,6,7,8-HxCDD-13C	2.00	82
Total PeCDD	ND	----	1.4			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	0.86	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.79			
2,3,4,6,7,8-HxCDF	ND	----	0.84	2,3,7,8-TCDD-37Cl4	0.20	81
1,2,3,7,8,9-HxCDF	ND	----	1.1			
Total HxCDF	ND	----	1.1			
1,2,3,4,7,8-HxCDD	ND	----	1.0			
1,2,3,6,7,8-HxCDD	ND	----	0.76			
1,2,3,7,8,9-HxCDD	ND	----	0.73			
Total HxCDD	ND	----	1.0			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-18		
Lab Sample ID	10767715011		
Filename	U260330A_16		
Injected By	SMT		
Total Amount Extracted	941 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/18/2026 10:35
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_02 & U260330A_18	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/30/2026 22:14

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.89	2,3,7,8-TCDF-13C	2.00	76
Total TCDF	ND	----	0.89	2,3,7,8-TCDD-13C	2.00	88
				1,2,3,7,8-PeCDF-13C	2.00	73
2,3,7,8-TCDD	ND	----	0.73	2,3,4,7,8-PeCDF-13C	2.00	74
Total TCDD	ND	----	0.73	1,2,3,7,8-PeCDD-13C	2.00	76
				1,2,3,4,7,8-HxCDF-13C	2.00	59
1,2,3,7,8-PeCDF	ND	----	1.1	1,2,3,6,7,8-HxCDF-13C	2.00	81
2,3,4,7,8-PeCDF	ND	----	1.1	2,3,4,6,7,8-HxCDF-13C	2.00	84
Total PeCDF	ND	----	1.1	1,2,3,7,8,9-HxCDF-13C	2.00	72
				1,2,3,4,7,8-HxCDD-13C	2.00	76
1,2,3,7,8-PeCDD	ND	----	1.4	1,2,3,6,7,8-HxCDD-13C	2.00	86
Total PeCDD	ND	----	1.4			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	1.0	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.71			
2,3,4,6,7,8-HxCDF	ND	----	0.66	2,3,7,8-TCDD-37Cl4	0.20	83
1,2,3,7,8,9-HxCDF	ND	----	0.85			
Total HxCDF	ND	----	1.0			
1,2,3,4,7,8-HxCDD	ND	----	1.0			
1,2,3,6,7,8-HxCDD	ND	----	0.80			
1,2,3,7,8,9-HxCDD	ND	----	0.80			
Total HxCDD	ND	----	1.0			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	Leachate Cell 3-8		
Lab Sample ID	10767715012		
Filename	U260330A_17		
Injected By	SMT		
Total Amount Extracted	950 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/18/2026 13:40
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_02 & U260330A_18	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/30/2026 23:00

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	7.1	2,3,7,8-TCDF-13C	2.00	34 R
Total TCDF	ND	----	7.1	2,3,7,8-TCDD-13C	2.00	38 R
				1,2,3,7,8-PeCDF-13C	2.00	30 R
2,3,7,8-TCDD	ND	----	4.8	2,3,4,7,8-PeCDF-13C	2.00	29 R
Total TCDD	5.9	----	4.8 J	1,2,3,7,8-PeCDD-13C	2.00	31 R
				1,2,3,4,7,8-HxCDF-13C	2.00	38 R
1,2,3,7,8-PeCDF	----	57	4.2 P	1,2,3,6,7,8-HxCDF-13C	2.00	38 R
2,3,4,7,8-PeCDF	ND	----	3.9	2,3,4,6,7,8-HxCDF-13C	2.00	35 R
Total PeCDF	ND	----	4.2	1,2,3,7,8,9-HxCDF-13C	2.00	28 R
				1,2,3,4,7,8-HxCDD-13C	2.00	32 R
1,2,3,7,8-PeCDD	ND	----	5.6	1,2,3,6,7,8-HxCDD-13C	2.00	36 R
Total PeCDD	14	----	5.6 J			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	4.0	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	4.1			
2,3,4,6,7,8-HxCDF	ND	----	4.4	2,3,7,8-TCDD-37Cl4	0.20	44
1,2,3,7,8,9-HxCDF	ND	----	6.2			
Total HxCDF	92	----	6.2			
1,2,3,4,7,8-HxCDD	4.5	----	3.3 J			
1,2,3,6,7,8-HxCDD	15	----	2.9 J			
1,2,3,7,8,9-HxCDD	----	6.8	3.1 JI			
Total HxCDD	83	----	3.3			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

J = Estimated value
R = Recovery outside target range
P = PCDE Interference
I = Isotope ratio out of specification

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	Leachate Cell 1		
Lab Sample ID	10767715013		
Filename	U260330B_04		
Injected By	SMT		
Total Amount Extracted	1010 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/18/2026 13:06
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_18 & U260330B_12	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/31/2026 02:49

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.96	2,3,7,8-TCDF-13C	2.00	56
Total TCDF	ND	----	0.96	2,3,7,8-TCDD-13C	2.00	65
				1,2,3,7,8-PeCDF-13C	2.00	54
2,3,7,8-TCDD	ND	----	0.88	2,3,4,7,8-PeCDF-13C	2.00	53
Total TCDD	ND	----	0.88	1,2,3,7,8-PeCDD-13C	2.00	55
				1,2,3,4,7,8-HxCDF-13C	2.00	61
1,2,3,7,8-PeCDF	ND	----	1.5	1,2,3,6,7,8-HxCDF-13C	2.00	66
2,3,4,7,8-PeCDF	ND	----	1.3	2,3,4,6,7,8-HxCDF-13C	2.00	64
Total PeCDF	ND	----	1.5	1,2,3,7,8,9-HxCDF-13C	2.00	60
				1,2,3,4,7,8-HxCDD-13C	2.00	59
1,2,3,7,8-PeCDD	ND	----	2.2	1,2,3,6,7,8-HxCDD-13C	2.00	67
Total PeCDD	ND	----	2.2			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	1.0	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	1.0			
2,3,4,6,7,8-HxCDF	ND	----	1.0	2,3,7,8-TCDD-37Cl4	0.20	86
1,2,3,7,8,9-HxCDF	ND	----	1.3			
Total HxCDF	ND	----	1.3			
1,2,3,4,7,8-HxCDD	ND	----	0.68			
1,2,3,6,7,8-HxCDD	ND	----	0.47			
1,2,3,7,8,9-HxCDD	ND	----	0.46			
Total HxCDD	ND	----	0.68			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

R = Recovery outside target range

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-6		
Lab Sample ID	10767715014		
Filename	U260330B_05		
Injected By	SMT		
Total Amount Extracted	995 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/18/2026 11:15
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_18 & U260330B_12	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/31/2026 03:35

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	----	1.1	0.91	Jl	2,3,7,8-TCDF-13C	2.00	59
Total TCDF	ND	----	0.91		2,3,7,8-TCDD-13C	2.00	69
					1,2,3,7,8-PeCDF-13C	2.00	57
2,3,7,8-TCDD	ND	----	0.82		2,3,4,7,8-PeCDF-13C	2.00	56
Total TCDD	ND	----	0.82		1,2,3,7,8-PeCDD-13C	2.00	59
					1,2,3,4,7,8-HxCDF-13C	2.00	64
1,2,3,7,8-PeCDF	ND	----	1.2		1,2,3,6,7,8-HxCDF-13C	2.00	68
2,3,4,7,8-PeCDF	ND	----	1.1		2,3,4,6,7,8-HxCDF-13C	2.00	64
Total PeCDF	ND	----	1.2		1,2,3,7,8,9-HxCDF-13C	2.00	62
					1,2,3,4,7,8-HxCDD-13C	2.00	64
1,2,3,7,8-PeCDD	ND	----	1.3		1,2,3,6,7,8-HxCDD-13C	2.00	66
Total PeCDD	ND	----	1.3				
					1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	0.81		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.78				
2,3,4,6,7,8-HxCDF	ND	----	0.72		2,3,7,8-TCDD-37Cl4	0.20	80
1,2,3,7,8,9-HxCDF	ND	----	1.0				
Total HxCDF	ND	----	1.0				
1,2,3,4,7,8-HxCDD	ND	----	0.97				
1,2,3,6,7,8-HxCDD	ND	----	0.97				
1,2,3,7,8,9-HxCDD	ND	----	0.95				
Total HxCDD	ND	----	0.97				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

J = Estimated value
R = Recovery outside target range
I = Isotope ratio out of specification

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-8		
Lab Sample ID	10767715015		
Filename	U260330B_06		
Injected By	SMT		
Total Amount Extracted	997 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/18/2026 09:25
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_18 & U260330B_12	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/31/2026 04:21

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	1.4	2,3,7,8-TCDF-13C	2.00	62
Total TCDF	ND	----	1.4	2,3,7,8-TCDD-13C	2.00	74
				1,2,3,7,8-PeCDF-13C	2.00	61
2,3,7,8-TCDD	ND	----	0.72	2,3,4,7,8-PeCDF-13C	2.00	59
Total TCDD	ND	----	0.72	1,2,3,7,8-PeCDD-13C	2.00	62
				1,2,3,4,7,8-HxCDF-13C	2.00	69
1,2,3,7,8-PeCDF	ND	----	1.8	1,2,3,6,7,8-HxCDF-13C	2.00	75
2,3,4,7,8-PeCDF	ND	----	1.6	2,3,4,6,7,8-HxCDF-13C	2.00	69
Total PeCDF	ND	----	1.8	1,2,3,7,8,9-HxCDF-13C	2.00	66
				1,2,3,4,7,8-HxCDD-13C	2.00	67
1,2,3,7,8-PeCDD	ND	----	1.8	1,2,3,6,7,8-HxCDD-13C	2.00	71
Total PeCDD	ND	----	1.8			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	0.73	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.74			
2,3,4,6,7,8-HxCDF	ND	----	0.72	2,3,7,8-TCDD-37Cl4	0.20	83
1,2,3,7,8,9-HxCDF	ND	----	0.95			
Total HxCDF	ND	----	0.95			
1,2,3,4,7,8-HxCDD	ND	----	0.94			
1,2,3,6,7,8-HxCDD	ND	----	0.88			
1,2,3,7,8,9-HxCDD	ND	----	0.89			
Total HxCDD	ND	----	0.94			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	Field Blank		
Lab Sample ID	10767715016		
Filename	U260330B_07		
Injected By	SMT		
Total Amount Extracted	992 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/18/2026 11:40
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_18 & U260330B_12	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/31/2026 05:07

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.95	2,3,7,8-TCDF-13C	2.00	62
Total TCDF	ND	----	0.95	2,3,7,8-TCDD-13C	2.00	71
				1,2,3,7,8-PeCDF-13C	2.00	58
2,3,7,8-TCDD	ND	----	1.2	2,3,4,7,8-PeCDF-13C	2.00	57
Total TCDD	ND	----	1.2	1,2,3,7,8-PeCDD-13C	2.00	60
				1,2,3,4,7,8-HxCDF-13C	2.00	65
1,2,3,7,8-PeCDF	ND	----	2.1	1,2,3,6,7,8-HxCDF-13C	2.00	73
2,3,4,7,8-PeCDF	ND	----	2.0	2,3,4,6,7,8-HxCDF-13C	2.00	67
Total PeCDF	ND	----	2.1	1,2,3,7,8,9-HxCDF-13C	2.00	62
				1,2,3,4,7,8-HxCDD-13C	2.00	65
1,2,3,7,8-PeCDD	ND	----	2.7	1,2,3,6,7,8-HxCDD-13C	2.00	68
Total PeCDD	ND	----	2.7			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	0.76	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.80			
2,3,4,6,7,8-HxCDF	ND	----	0.80	2,3,7,8-TCDD-37Cl4	0.20	79
1,2,3,7,8,9-HxCDF	ND	----	0.96			
Total HxCDF	ND	----	0.96			
1,2,3,4,7,8-HxCDD	ND	----	1.1			
1,2,3,6,7,8-HxCDD	ND	----	1.1			
1,2,3,7,8,9-HxCDD	ND	----	1.0			
Total HxCDD	ND	----	1.1			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

R = Recovery outside target range

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-27		
Lab Sample ID	10767715017		
Filename	U260330B_08		
Injected By	SMT		
Total Amount Extracted	962 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/19/2026 09:45
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_18 & U260330B_12	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/31/2026 05:53

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.84		2,3,7,8-TCDF-13C	2.00	69
Total TCDF	ND	----	0.84		2,3,7,8-TCDD-13C	2.00	79
					1,2,3,7,8-PeCDF-13C	2.00	64
2,3,7,8-TCDD	ND	----	0.91		2,3,4,7,8-PeCDF-13C	2.00	62
Total TCDD	ND	----	0.91		1,2,3,7,8-PeCDD-13C	2.00	65
					1,2,3,4,7,8-HxCDF-13C	2.00	73
1,2,3,7,8-PeCDF	2.3	----	1.8	J	1,2,3,6,7,8-HxCDF-13C	2.00	77
2,3,4,7,8-PeCDF	ND	----	1.6		2,3,4,6,7,8-HxCDF-13C	2.00	73
Total PeCDF	2.3	----	1.8	BJ	1,2,3,7,8,9-HxCDF-13C	2.00	67
					1,2,3,4,7,8-HxCDD-13C	2.00	68
1,2,3,7,8-PeCDD	ND	----	1.9		1,2,3,6,7,8-HxCDD-13C	2.00	74
Total PeCDD	ND	----	1.9				
					1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	1.1	----	0.83	J	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.88				
2,3,4,6,7,8-HxCDF	ND	----	0.82		2,3,7,8-TCDD-37Cl4	0.20	78
1,2,3,7,8,9-HxCDF	ND	----	1.2				
Total HxCDF	1.1	----	1.2	B			
1,2,3,4,7,8-HxCDD	ND	----	1.4				
1,2,3,6,7,8-HxCDD	ND	----	1.3				
1,2,3,7,8,9-HxCDD	ND	----	1.3				
Total HxCDD	ND	----	1.4				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

J = Estimated value
B = Less than 10x higher than method blank level
R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-26 (MS/MSD)		
Lab Sample ID	10767715018		
Filename	U260330B_09		
Injected By	SMT		
Total Amount Extracted	962 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/19/2026 11:41
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_18 & U260330B_12	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/31/2026 06:39

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	1.4	2,3,7,8-TCDF-13C	2.00	67
Total TCDF	ND	----	1.4	2,3,7,8-TCDD-13C	2.00	76
				1,2,3,7,8-PeCDF-13C	2.00	62
2,3,7,8-TCDD	ND	----	0.81	2,3,4,7,8-PeCDF-13C	2.00	62
Total TCDD	ND	----	0.81	1,2,3,7,8-PeCDD-13C	2.00	63
				1,2,3,4,7,8-HxCDF-13C	2.00	71
1,2,3,7,8-PeCDF	ND	----	2.2	1,2,3,6,7,8-HxCDF-13C	2.00	78
2,3,4,7,8-PeCDF	ND	----	2.1	2,3,4,6,7,8-HxCDF-13C	2.00	72
Total PeCDF	ND	----	2.2	1,2,3,7,8,9-HxCDF-13C	2.00	68
				1,2,3,4,7,8-HxCDD-13C	2.00	71
1,2,3,7,8-PeCDD	ND	----	2.4	1,2,3,6,7,8-HxCDD-13C	2.00	76
Total PeCDD	ND	----	2.4			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	0.86	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.82			
2,3,4,6,7,8-HxCDF	ND	----	0.79	2,3,7,8-TCDD-37Cl4	0.20	76
1,2,3,7,8,9-HxCDF	ND	----	1.1			
Total HxCDF	ND	----	1.1			
1,2,3,4,7,8-HxCDD	ND	----	1.4			
1,2,3,6,7,8-HxCDD	ND	----	0.86			
1,2,3,7,8,9-HxCDD	ND	----	0.89			
Total HxCDD	ND	----	1.4			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

R = Recovery outside target range

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-28		
Lab Sample ID	10767715019		
Filename	U260330B_10		
Injected By	SMT		
Total Amount Extracted	1000 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/19/2026 12:50
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_18 & U260330B_12	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/31/2026 07:25

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	1.2	2,3,7,8-TCDF-13C	2.00	58
Total TCDF	ND	----	1.2	2,3,7,8-TCDD-13C	2.00	67
				1,2,3,7,8-PeCDF-13C	2.00	55
2,3,7,8-TCDD	ND	----	1.2	2,3,4,7,8-PeCDF-13C	2.00	54
Total TCDD	ND	----	1.2	1,2,3,7,8-PeCDD-13C	2.00	55
				1,2,3,4,7,8-HxCDF-13C	2.00	59
1,2,3,7,8-PeCDF	ND	----	1.8	1,2,3,6,7,8-HxCDF-13C	2.00	65
2,3,4,7,8-PeCDF	ND	----	1.7	2,3,4,6,7,8-HxCDF-13C	2.00	61
Total PeCDF	ND	----	1.8	1,2,3,7,8,9-HxCDF-13C	2.00	57
				1,2,3,4,7,8-HxCDD-13C	2.00	57
1,2,3,7,8-PeCDD	ND	----	1.4	1,2,3,6,7,8-HxCDD-13C	2.00	64
Total PeCDD	ND	----	1.4			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	0.73	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.70			
2,3,4,6,7,8-HxCDF	ND	----	0.72	2,3,7,8-TCDD-37Cl4	0.20	84
1,2,3,7,8,9-HxCDF	ND	----	0.92			
Total HxCDF	ND	----	0.92			
1,2,3,4,7,8-HxCDD	ND	----	1.2			
1,2,3,6,7,8-HxCDD	ND	----	1.1			
1,2,3,7,8,9-HxCDD	ND	----	1.2			
Total HxCDD	ND	----	1.2			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

R = Recovery outside target range

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-1A		
Lab Sample ID	10767715020		
Filename	U260330B_11		
Injected By	SMT		
Total Amount Extracted	971 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/19/2026 09:00
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260330A_18 & U260330B_12	Extracted	03/26/2026 13:45
Method Blank ID	BLANK-124346	Analyzed	03/31/2026 08:11

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.64	2,3,7,8-TCDF-13C	2.00	74
Total TCDF	ND	----	0.64	2,3,7,8-TCDD-13C	2.00	82
				1,2,3,7,8-PeCDF-13C	2.00	68
2,3,7,8-TCDD	ND	----	0.85	2,3,4,7,8-PeCDF-13C	2.00	67
Total TCDD	ND	----	0.85	1,2,3,7,8-PeCDD-13C	2.00	69
				1,2,3,4,7,8-HxCDF-13C	2.00	78
1,2,3,7,8-PeCDF	ND	----	1.8	1,2,3,6,7,8-HxCDF-13C	2.00	84
2,3,4,7,8-PeCDF	ND	----	1.7	2,3,4,6,7,8-HxCDF-13C	2.00	78
Total PeCDF	ND	----	1.8	1,2,3,7,8,9-HxCDF-13C	2.00	72
				1,2,3,4,7,8-HxCDD-13C	2.00	76
1,2,3,7,8-PeCDD	ND	----	1.9	1,2,3,6,7,8-HxCDD-13C	2.00	78
Total PeCDD	ND	----	1.9			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	1.8	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	1.8			
2,3,4,6,7,8-HxCDF	ND	----	1.7	2,3,7,8-TCDD-37Cl4	0.20	87
1,2,3,7,8,9-HxCDF	ND	----	2.6			
Total HxCDF	ND	----	2.6			
1,2,3,4,7,8-HxCDD	ND	----	0.91			
1,2,3,6,7,8-HxCDD	ND	----	0.91			
1,2,3,7,8,9-HxCDD	ND	----	0.89			
Total HxCDD	ND	----	0.91			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-25		
Lab Sample ID	10767715021		
Filename	U260331A_08		
Injected By	SMT		
Total Amount Extracted	964 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/19/2026 13:11
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260331A_01 & U260331A_17	Extracted	03/27/2026 12:13
Method Blank ID	BLANK-124353	Analyzed	03/31/2026 15:31

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	1.2	2,3,7,8-TCDF-13C	2.00	56
Total TCDF	ND	----	1.2	2,3,7,8-TCDD-13C	2.00	60
				1,2,3,7,8-PeCDF-13C	2.00	48
2,3,7,8-TCDD	ND	----	0.92	2,3,4,7,8-PeCDF-13C	2.00	49
Total TCDD	ND	----	0.92	1,2,3,7,8-PeCDD-13C	2.00	48
				1,2,3,4,7,8-HxCDF-13C	2.00	51
1,2,3,7,8-PeCDF	ND	----	3.7	1,2,3,6,7,8-HxCDF-13C	2.00	56
2,3,4,7,8-PeCDF	ND	----	3.3	2,3,4,6,7,8-HxCDF-13C	2.00	57
Total PeCDF	ND	----	3.7	1,2,3,7,8,9-HxCDF-13C	2.00	53
				1,2,3,4,7,8-HxCDD-13C	2.00	53
1,2,3,7,8-PeCDD	ND	----	1.7	1,2,3,6,7,8-HxCDD-13C	2.00	54
Total PeCDD	ND	----	1.7			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	1.4	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	1.3			
2,3,4,6,7,8-HxCDF	ND	----	1.2	2,3,7,8-TCDD-37Cl4	0.20	80
1,2,3,7,8,9-HxCDF	ND	----	1.6			
Total HxCDF	ND	----	1.6			
1,2,3,4,7,8-HxCDD	ND	----	0.90			
1,2,3,6,7,8-HxCDD	ND	----	0.95			
1,2,3,7,8,9-HxCDD	ND	----	0.91			
Total HxCDD	ND	----	0.95			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

J = Estimated value
B = Less than 10x higher than method blank level
R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	Duplicate 2		
Lab Sample ID	10767715022		
Filename	U260331A_09		
Injected By	SMT		
Total Amount Extracted	994 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/19/2026 13:25
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260331A_01 & U260331A_17	Extracted	03/27/2026 12:13
Method Blank ID	BLANK-124353	Analyzed	03/31/2026 16:17

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.60	2,3,7,8-TCDF-13C	2.00	67
Total TCDF	ND	----	0.60	2,3,7,8-TCDD-13C	2.00	73
				1,2,3,7,8-PeCDF-13C	2.00	63
2,3,7,8-TCDD	ND	----	0.90	2,3,4,7,8-PeCDF-13C	2.00	63
Total TCDD	ND	----	0.90	1,2,3,7,8-PeCDD-13C	2.00	63
				1,2,3,4,7,8-HxCDF-13C	2.00	69
1,2,3,7,8-PeCDF	ND	----	2.0	1,2,3,6,7,8-HxCDF-13C	2.00	75
2,3,4,7,8-PeCDF	ND	----	1.9	2,3,4,6,7,8-HxCDF-13C	2.00	71
Total PeCDF	ND	----	2.0	1,2,3,7,8,9-HxCDF-13C	2.00	65
				1,2,3,4,7,8-HxCDD-13C	2.00	64
1,2,3,7,8-PeCDD	ND	----	1.2	1,2,3,6,7,8-HxCDD-13C	2.00	76
Total PeCDD	ND	----	1.2			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	0.80	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.78			
2,3,4,6,7,8-HxCDF	ND	----	0.80	2,3,7,8-TCDD-37Cl4	0.20	77
1,2,3,7,8,9-HxCDF	ND	----	0.97			
Total HxCDF	ND	----	0.97			
1,2,3,4,7,8-HxCDD	ND	----	0.78			
1,2,3,6,7,8-HxCDD	ND	----	0.69			
1,2,3,7,8,9-HxCDD	ND	----	0.72			
Total HxCDD	ND	----	0.78			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

R = Recovery outside target range

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	24-PZ-2		
Lab Sample ID	10767715023		
Filename	U260331A_10		
Injected By	SMT		
Total Amount Extracted	977 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/19/2026 11:59
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260331A_01 & U260331A_17	Extracted	03/27/2026 12:13
Method Blank ID	BLANK-124353	Analyzed	03/31/2026 17:03

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	1.6	2,3,7,8-TCDF-13C	2.00	56
Total TCDF	ND	----	1.6	2,3,7,8-TCDD-13C	2.00	63
				1,2,3,7,8-PeCDF-13C	2.00	53
2,3,7,8-TCDD	ND	----	1.4	2,3,4,7,8-PeCDF-13C	2.00	52
Total TCDD	ND	----	1.4	1,2,3,7,8-PeCDD-13C	2.00	53
				1,2,3,4,7,8-HxCDF-13C	2.00	57
1,2,3,7,8-PeCDF	ND	----	3.1	1,2,3,6,7,8-HxCDF-13C	2.00	63
2,3,4,7,8-PeCDF	ND	----	2.8	2,3,4,6,7,8-HxCDF-13C	2.00	62
Total PeCDF	ND	----	3.1	1,2,3,7,8,9-HxCDF-13C	2.00	56
				1,2,3,4,7,8-HxCDD-13C	2.00	56
1,2,3,7,8-PeCDD	ND	----	1.9	1,2,3,6,7,8-HxCDD-13C	2.00	59
Total PeCDD	ND	----	1.9			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	0.97	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.89			
2,3,4,6,7,8-HxCDF	ND	----	0.87	2,3,7,8-TCDD-37Cl4	0.20	80
1,2,3,7,8,9-HxCDF	ND	----	1.2			
Total HxCDF	ND	----	1.2			
1,2,3,4,7,8-HxCDD	ND	----	1.1			
1,2,3,6,7,8-HxCDD	ND	----	1.1			
1,2,3,7,8,9-HxCDD	ND	----	1.1			
Total HxCDD	ND	----	1.1			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-24		
Lab Sample ID	10767715024		
Filename	U260331A_11		
Injected By	SMT		
Total Amount Extracted	980 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/19/2026 11:00
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260331A_01 & U260331A_17	Extracted	03/27/2026 12:13
Method Blank ID	BLANK-124353	Analyzed	03/31/2026 17:49

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.65	2,3,7,8-TCDF-13C	2.00	66
Total TCDF	ND	----	0.65	2,3,7,8-TCDD-13C	2.00	69
				1,2,3,7,8-PeCDF-13C	2.00	64
2,3,7,8-TCDD	ND	----	0.92	2,3,4,7,8-PeCDF-13C	2.00	63
Total TCDD	ND	----	0.92	1,2,3,7,8-PeCDD-13C	2.00	65
				1,2,3,4,7,8-HxCDF-13C	2.00	68
1,2,3,7,8-PeCDF	ND	----	2.0	1,2,3,6,7,8-HxCDF-13C	2.00	72
2,3,4,7,8-PeCDF	ND	----	1.8	2,3,4,6,7,8-HxCDF-13C	2.00	72
Total PeCDF	ND	----	2.0	1,2,3,7,8,9-HxCDF-13C	2.00	66
				1,2,3,4,7,8-HxCDD-13C	2.00	67
1,2,3,7,8-PeCDD	ND	----	1.5	1,2,3,6,7,8-HxCDD-13C	2.00	71
Total PeCDD	ND	----	1.5			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	0.74	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.77			
2,3,4,6,7,8-HxCDF	ND	----	0.69	2,3,7,8-TCDD-37Cl4	0.20	73
1,2,3,7,8,9-HxCDF	ND	----	0.95			
Total HxCDF	ND	----	0.95			
1,2,3,4,7,8-HxCDD	ND	----	0.77			
1,2,3,6,7,8-HxCDD	ND	----	0.73			
1,2,3,7,8,9-HxCDD	ND	----	0.74			
Total HxCDD	ND	----	0.77			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-25-PZ-2		
Lab Sample ID	10767715025		
Filename	U260331A_12		
Injected By	SMT		
Total Amount Extracted	976 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/20/2026 08:50
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260331A_01 & U260331A_17	Extracted	03/27/2026 12:13
Method Blank ID	BLANK-124353	Analyzed	03/31/2026 18:35

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.93	2,3,7,8-TCDF-13C	2.00	69
Total TCDF	ND	----	0.93	2,3,7,8-TCDD-13C	2.00	80
				1,2,3,7,8-PeCDF-13C	2.00	67
2,3,7,8-TCDD	ND	----	0.74	2,3,4,7,8-PeCDF-13C	2.00	66
Total TCDD	ND	----	0.74	1,2,3,7,8-PeCDD-13C	2.00	68
				1,2,3,4,7,8-HxCDF-13C	2.00	75
1,2,3,7,8-PeCDF	ND	----	1.6	1,2,3,6,7,8-HxCDF-13C	2.00	81
2,3,4,7,8-PeCDF	ND	----	1.5	2,3,4,6,7,8-HxCDF-13C	2.00	78
Total PeCDF	ND	----	1.6	1,2,3,7,8,9-HxCDF-13C	2.00	72
				1,2,3,4,7,8-HxCDD-13C	2.00	76
1,2,3,7,8-PeCDD	ND	----	1.3	1,2,3,6,7,8-HxCDD-13C	2.00	77
Total PeCDD	ND	----	1.3			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	0.75	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	0.74			
2,3,4,6,7,8-HxCDF	ND	----	0.75	2,3,7,8-TCDD-37Cl4	0.20	80
1,2,3,7,8,9-HxCDF	ND	----	0.87			
Total HxCDF	ND	----	0.87			
1,2,3,4,7,8-HxCDD	ND	----	1.2			
1,2,3,6,7,8-HxCDD	ND	----	1.2			
1,2,3,7,8,9-HxCDD	ND	----	1.2			
Total HxCDD	ND	----	1.2			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

R = Recovery outside target range

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-26-PZ-2		
Lab Sample ID	10767715026		
Filename	U260331A_13		
Injected By	SMT		
Total Amount Extracted	971 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/20/2026 08:20
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260331A_01 & U260331A_17	Extracted	03/27/2026 12:13
Method Blank ID	BLANK-124353	Analyzed	03/31/2026 19:21

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.92	2,3,7,8-TCDF-13C	2.00	60
Total TCDF	ND	----	0.92	2,3,7,8-TCDD-13C	2.00	65
				1,2,3,7,8-PeCDF-13C	2.00	58
2,3,7,8-TCDD	ND	----	0.81	2,3,4,7,8-PeCDF-13C	2.00	57
Total TCDD	ND	----	0.81	1,2,3,7,8-PeCDD-13C	2.00	58
				1,2,3,4,7,8-HxCDF-13C	2.00	64
1,2,3,7,8-PeCDF	ND	----	2.9	1,2,3,6,7,8-HxCDF-13C	2.00	66
2,3,4,7,8-PeCDF	ND	----	2.5	2,3,4,6,7,8-HxCDF-13C	2.00	67
Total PeCDF	ND	----	2.9	1,2,3,7,8,9-HxCDF-13C	2.00	59
				1,2,3,4,7,8-HxCDD-13C	2.00	64
1,2,3,7,8-PeCDD	ND	----	2.3	1,2,3,6,7,8-HxCDD-13C	2.00	67
Total PeCDD	ND	----	2.3			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	1.2	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	1.2			
2,3,4,6,7,8-HxCDF	ND	----	1.1	2,3,7,8-TCDD-37Cl4	0.20	71
1,2,3,7,8,9-HxCDF	ND	----	1.6			
Total HxCDF	ND	----	1.6			
1,2,3,4,7,8-HxCDD	ND	----	1.1			
1,2,3,6,7,8-HxCDD	ND	----	1.0			
1,2,3,7,8,9-HxCDD	ND	----	1.1			
Total HxCDD	ND	----	1.1			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Arkansas Analytical

Client's Sample ID	MW-27-PZ-2		
Lab Sample ID	10767715027		
Filename	U260331A_14		
Injected By	SMT		
Total Amount Extracted	961 mL	Matrix	WATER
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	03/20/2026 07:55
ICAL ID	U250825	Received	03/25/2026 10:10
CCal Filename(s)	U260331A_01 & U260331A_17	Extracted	03/27/2026 12:13
Method Blank ID	BLANK-124353	Analyzed	03/31/2026 20:07

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.99	2,3,7,8-TCDF-13C	2.00	60
Total TCDF	ND	----	0.99	2,3,7,8-TCDD-13C	2.00	67
				1,2,3,7,8-PeCDF-13C	2.00	54
2,3,7,8-TCDD	ND	----	1.5	2,3,4,7,8-PeCDF-13C	2.00	56
Total TCDD	ND	----	1.5	1,2,3,7,8-PeCDD-13C	2.00	55
				1,2,3,4,7,8-HxCDF-13C	2.00	60
1,2,3,7,8-PeCDF	ND	----	1.9	1,2,3,6,7,8-HxCDF-13C	2.00	66
2,3,4,7,8-PeCDF	ND	----	1.7	2,3,4,6,7,8-HxCDF-13C	2.00	64
Total PeCDF	ND	----	1.9	1,2,3,7,8,9-HxCDF-13C	2.00	59
				1,2,3,4,7,8-HxCDD-13C	2.00	59
1,2,3,7,8-PeCDD	ND	----	1.8	1,2,3,6,7,8-HxCDD-13C	2.00	65
Total PeCDD	ND	----	1.8			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	1.1	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	1.0			
2,3,4,6,7,8-HxCDF	ND	----	0.94	2,3,7,8-TCDD-37Cl4	0.20	78
1,2,3,7,8,9-HxCDF	ND	----	1.2			
Total HxCDF	ND	----	1.2			
1,2,3,4,7,8-HxCDD	ND	----	0.69			
1,2,3,6,7,8-HxCDD	ND	----	0.67			
1,2,3,7,8,9-HxCDD	ND	----	0.66			
Total HxCDD	ND	----	0.69			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Blank Analysis Results

Lab Sample Name	DFBLKAK	Matrix	Water
Lab Sample ID	BLANK-124353	Dilution	NA
Filename	L260331A_08	Extracted	03/27/2026 12:13
Total Amount Extracted	1030 mL	Analyzed	03/31/2026 13:41
ICAL ID	L260325	Injected By	SMT
CCal Filename(s)	L260331A_01 & L260331A_16		

Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	2.7	2,3,7,8-TCDF-13C	2.00	78
Total TCDF	ND	----	2.7	2,3,7,8-TCDD-13C	2.00	78
				1,2,3,7,8-PeCDF-13C	2.00	80
2,3,7,8-TCDD	ND	----	1.0	2,3,4,7,8-PeCDF-13C	2.00	79
Total TCDD	ND	----	1.0	1,2,3,7,8-PeCDD-13C	2.00	73
				1,2,3,4,7,8-HxCDF-13C	2.00	90
1,2,3,7,8-PeCDF	ND	----	2.5	1,2,3,6,7,8-HxCDF-13C	2.00	64
2,3,4,7,8-PeCDF	ND	----	2.0	2,3,4,6,7,8-HxCDF-13C	2.00	84
Total PeCDF	ND	----	2.5	1,2,3,7,8,9-HxCDF-13C	2.00	82
				1,2,3,4,7,8-HxCDD-13C	2.00	83
1,2,3,7,8-PeCDD	ND	----	0.71	1,2,3,6,7,8-HxCDD-13C	2.00	75
Total PeCDD	ND	----	0.71			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	1.5	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	1.9			
2,3,4,6,7,8-HxCDF	ND	----	1.4	2,3,7,8-TCDD-37Cl4	0.20	74
1,2,3,7,8,9-HxCDF	ND	----	2.1			
Total HxCDF	ND	----	2.1			
1,2,3,4,7,8-HxCDD	ND	----	1.0			
1,2,3,6,7,8-HxCDD	ND	----	1.0			
1,2,3,7,8,9-HxCDD	ND	----	1.0			
Total HxCDD	ND	----	1.0			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

J = Estimated value

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Blank Analysis Results

Lab Sample Name	DFBLKAH	Matrix	Water
Lab Sample ID	BLANK-124346	Dilution	NA
Filename	L260331A_09	Extracted	03/26/2026 13:45
Total Amount Extracted	1030 mL	Analyzed	03/31/2026 14:27
ICAL ID	L260325	Injected By	SMT
CCal Filename(s)	L260331A_01 & L260331A_16		


Native Isomers	Conc pg/L	EMPC pg/L	EDL pg/L	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	2.3	2,3,7,8-TCDF-13C	2.00	80
Total TCDF	ND	----	2.3	2,3,7,8-TCDD-13C	2.00	82
				1,2,3,7,8-PeCDF-13C	2.00	84
2,3,7,8-TCDD	ND	----	0.94	2,3,4,7,8-PeCDF-13C	2.00	82
Total TCDD	ND	----	0.94	1,2,3,7,8-PeCDD-13C	2.00	80
				1,2,3,4,7,8-HxCDF-13C	2.00	90
1,2,3,7,8-PeCDF	ND	----	2.0	1,2,3,6,7,8-HxCDF-13C	2.00	72
2,3,4,7,8-PeCDF	ND	----	1.6	2,3,4,6,7,8-HxCDF-13C	2.00	84
Total PeCDF	4.5	----	2.0 J	1,2,3,7,8,9-HxCDF-13C	2.00	86
				1,2,3,4,7,8-HxCDD-13C	2.00	82
1,2,3,7,8-PeCDD	ND	----	0.61	1,2,3,6,7,8-HxCDD-13C	2.00	79
Total PeCDD	ND	----	0.61			
				1,2,3,4-TCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDF	ND	----	1.4	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,6,7,8-HxCDF	ND	----	1.4			
2,3,4,6,7,8-HxCDF	ND	----	1.3	2,3,7,8-TCDD-37Cl4	0.20	81
1,2,3,7,8,9-HxCDF	ND	----	1.7			
Total HxCDF	2.3	----	1.7 J			
1,2,3,4,7,8-HxCDD	ND	----	0.82			
1,2,3,6,7,8-HxCDD	ND	----	0.79			
1,2,3,7,8,9-HxCDD	ND	----	0.81			
Total HxCDD	ND	----	0.82			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

J = Estimated value
I = Isotope ratio out of specification

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Laboratory Control Spike Results

Lab Sample ID	LCS-124347	Matrix	Water
Filename	L260330A_04	Dilution	NA
Total Amount Extracted	1030 mL	Extracted	03/26/2026 13:45
ICAL ID	L260325	Analyzed	03/30/2026 10:14
CCal Filename(s)	L260330A_03 & L260330A_19	Injected By	SMT
Method Blank ID	BLANK-124346		


Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.22	110	2,3,7,8-TCDF-13C	2.0	85
				2,3,7,8-TCDD-13C	2.0	89
				1,2,3,7,8-PeCDF-13C	2.0	88
2,3,7,8-TCDD	0.20	0.20	98	2,3,4,7,8-PeCDF-13C	2.0	90
				1,2,3,7,8-PeCDD-13C	2.0	90
				1,2,3,4,7,8-HxCDF-13C	2.0	88
1,2,3,7,8-PeCDF	1.0	1.1	114	1,2,3,6,7,8-HxCDF-13C	2.0	69
2,3,4,7,8-PeCDF	1.0	1.1	111	2,3,4,6,7,8-HxCDF-13C	2.0	85
				1,2,3,7,8,9-HxCDF-13C	2.0	89
				1,2,3,4,7,8-HxCDD-13C	2.0	89
1,2,3,7,8-PeCDD	1.0	1.1	108	1,2,3,6,7,8-HxCDD-13C	2.0	81
				1,2,3,4-TCDD-13C	2.0	NA
1,2,3,4,7,8-HxCDF	1.0	1.1	108	1,2,3,7,8,9-HxCDD-13C	2.0	NA
1,2,3,6,7,8-HxCDF	1.0	0.99	99			
2,3,4,6,7,8-HxCDF	1.0	1.1	106	2,3,7,8-TCDD-37Cl4	0.20	80
1,2,3,7,8,9-HxCDF	1.0	1.1	109			
1,2,3,4,7,8-HxCDD	1.0	1.1	108			
1,2,3,6,7,8-HxCDD	1.0	0.97	97			
1,2,3,7,8,9-HxCDD	1.0	0.98	98			

Qs = Quantity Spiked
Qm = Quantity Measured
Rec. = Recovery (Expressed as Percent)
R = Recovery outside of target range

Y = RF averaging used in calculations
Nn = Value obtained from additional analysis
NA = Not Applicable
* = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Laboratory Control Spike Results

Lab Sample ID	LCS-124354	Matrix	Water
Filename	L260331A_02	Dilution	NA
Total Amount Extracted	1020 mL	Extracted	03/27/2026 12:13
ICAL ID	L260325	Analyzed	03/31/2026 09:02
CCal Filename(s)	L260331A_01 & L260331A_16	Injected By	SMT
Method Blank ID	BLANK-124353		


Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.20	102	2,3,7,8-TCDF-13C	2.0	92
				2,3,7,8-TCDD-13C	2.0	94
				1,2,3,7,8-PeCDF-13C	2.0	92
2,3,7,8-TCDD	0.20	0.18	92	2,3,4,7,8-PeCDF-13C	2.0	90
				1,2,3,7,8-PeCDD-13C	2.0	87
				1,2,3,4,7,8-HxCDF-13C	2.0	108
1,2,3,7,8-PeCDF	1.0	1.1	106	1,2,3,6,7,8-HxCDF-13C	2.0	77
2,3,4,7,8-PeCDF	1.0	1.0	105	2,3,4,6,7,8-HxCDF-13C	2.0	101
				1,2,3,7,8,9-HxCDF-13C	2.0	99
				1,2,3,4,7,8-HxCDD-13C	2.0	102
1,2,3,7,8-PeCDD	1.0	1.0	103	1,2,3,6,7,8-HxCDD-13C	2.0	92
				1,2,3,4-TCDD-13C	2.0	NA
1,2,3,4,7,8-HxCDF	1.0	1.00	100	1,2,3,7,8,9-HxCDD-13C	2.0	NA
1,2,3,6,7,8-HxCDF	1.0	0.91	91			
2,3,4,6,7,8-HxCDF	1.0	1.0	101	2,3,7,8-TCDD-37Cl4	0.20	80
1,2,3,7,8,9-HxCDF	1.0	1.0	102			
1,2,3,4,7,8-HxCDD	1.0	0.98	98			
1,2,3,6,7,8-HxCDD	1.0	0.93	93			
1,2,3,7,8,9-HxCDD	1.0	0.87	87			

Qs = Quantity Spiked
Qm = Quantity Measured
Rec. = Recovery (Expressed as Percent)
R = Recovery outside of target range

Y = RF averaging used in calculations
Nn = Value obtained from additional analysis
NA = Not Applicable
* = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Laboratory Control Spike Results

Lab Sample ID	LCSD-124348	Matrix	Water
Filename	L260330A_05	Dilution	NA
Total Amount Extracted	1030 mL	Extracted	03/26/2026 13:45
ICAL ID	L260325	Analyzed	03/30/2026 10:59
CCal Filename(s)	L260330A_03 & L260330A_19	Injected By	SMT
Method Blank ID	BLANK-124346		


Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.22	109	2,3,7,8-TCDF-13C	2.0	86
				2,3,7,8-TCDD-13C	2.0	89
				1,2,3,7,8-PeCDF-13C	2.0	92
2,3,7,8-TCDD	0.20	0.20	98	2,3,4,7,8-PeCDF-13C	2.0	90
				1,2,3,7,8-PeCDD-13C	2.0	91
				1,2,3,4,7,8-HxCDF-13C	2.0	92
1,2,3,7,8-PeCDF	1.0	1.1	109	1,2,3,6,7,8-HxCDF-13C	2.0	81
2,3,4,7,8-PeCDF	1.0	1.1	109	2,3,4,6,7,8-HxCDF-13C	2.0	85
				1,2,3,7,8,9-HxCDF-13C	2.0	88
				1,2,3,4,7,8-HxCDD-13C	2.0	93
1,2,3,7,8-PeCDD	1.0	1.1	107	1,2,3,6,7,8-HxCDD-13C	2.0	81
				1,2,3,4-TCDD-13C	2.0	NA
1,2,3,4,7,8-HxCDF	1.0	1.0	102	1,2,3,7,8,9-HxCDD-13C	2.0	NA
1,2,3,6,7,8-HxCDF	1.0	1.1	106			
2,3,4,6,7,8-HxCDF	1.0	1.0	105	2,3,7,8-TCDD-37Cl4	0.20	79
1,2,3,7,8,9-HxCDF	1.0	1.1	110			
1,2,3,4,7,8-HxCDD	1.0	1.0	103			
1,2,3,6,7,8-HxCDD	1.0	0.98	98			
1,2,3,7,8,9-HxCDD	1.0	0.99	99			

Qs = Quantity Spiked
Qm = Quantity Measured
Rec. = Recovery (Expressed as Percent)
R = Recovery outside of target range

Y = RF averaging used in calculations
Nn = Value obtained from additional analysis
NA = Not Applicable
* = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Laboratory Control Spike Results

Lab Sample ID	LCSD-124355	Matrix	Water
Filename	L260331A_03	Dilution	NA
Total Amount Extracted	1020 mL	Extracted	03/27/2026 12:13
ICAL ID	L260325	Analyzed	03/31/2026 09:48
CCal Filename(s)	L260331A_01 & L260331A_16	Injected By	SMT
Method Blank ID	BLANK-124353		

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.22	109	2,3,7,8-TCDF-13C	2.0	92
				2,3,7,8-TCDD-13C	2.0	94
				1,2,3,7,8-PeCDF-13C	2.0	92
2,3,7,8-TCDD	0.20	0.19	95	2,3,4,7,8-PeCDF-13C	2.0	90
				1,2,3,7,8-PeCDD-13C	2.0	86
				1,2,3,4,7,8-HxCDF-13C	2.0	105
1,2,3,7,8-PeCDF	1.0	1.1	109	1,2,3,6,7,8-HxCDF-13C	2.0	73
2,3,4,7,8-PeCDF	1.0	1.1	109	2,3,4,6,7,8-HxCDF-13C	2.0	96
				1,2,3,7,8,9-HxCDF-13C	2.0	95
				1,2,3,4,7,8-HxCDD-13C	2.0	95
1,2,3,7,8-PeCDD	1.0	1.1	108	1,2,3,6,7,8-HxCDD-13C	2.0	90
				1,2,3,4-TCDD-13C	2.0	NA
1,2,3,4,7,8-HxCDF	1.0	1.0	104	1,2,3,7,8,9-HxCDD-13C	2.0	NA
1,2,3,6,7,8-HxCDF	1.0	0.95	95			
2,3,4,6,7,8-HxCDF	1.0	1.1	108	2,3,7,8-TCDD-37Cl4	0.20	85
1,2,3,7,8,9-HxCDF	1.0	1.1	106			
1,2,3,4,7,8-HxCDD	1.0	1.1	106			
1,2,3,6,7,8-HxCDD	1.0	0.96	96			
1,2,3,7,8,9-HxCDD	1.0	0.94	94			

Qs = Quantity Spiked
Qm = Quantity Measured
Rec. = Recovery (Expressed as Percent)
R = Recovery outside of target range

Y = RF averaging used in calculations
Nn = Value obtained from additional analysis
NA = Not Applicable
* = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290

Spike Recovery Relative Percent Difference (RPD) Results

Client Arkansas Analytical

Spike 1 ID LCS-124347
Spike 1 Filename L260330A_04

Spike 2 ID LCSD-124348
Spike 2 Filename L260330A_05

Compound	Spike 1 %REC	Spike 2 %REC	%RPD
2,3,7,8-TCDF	110	109	0.9
2,3,7,8-TCDD	98	98	0.0
1,2,3,7,8-PeCDF	114	109	4.5
2,3,4,7,8-PeCDF	111	109	1.8
1,2,3,7,8-PeCDD	108	107	0.9
1,2,3,4,7,8-HxCDF	108	102	5.7
1,2,3,6,7,8-HxCDF	99	106	6.8
2,3,4,6,7,8-HxCDF	106	105	0.9
1,2,3,7,8,9-HxCDF	109	110	0.9
1,2,3,4,7,8-HxCDD	108	103	4.7
1,2,3,6,7,8-HxCDD	97	98	1.0
1,2,3,7,8,9-HxCDD	98	99	1.0

%REC = Percent Recovered

RPD = The difference between the two values divided by the mean value

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290

Spike Recovery Relative Percent Difference (RPD) Results

Client Arkansas Analytical

Spike 1 ID LCS-124354
Spike 1 Filename L260331A_02

Spike 2 ID LCSD-124355
Spike 2 Filename L260331A_03

Compound	Spike 1 %REC	Spike 2 %REC	%RPD
2,3,7,8-TCDF	102	109	6.6
2,3,7,8-TCDD	92	95	3.2
1,2,3,7,8-PeCDF	106	109	2.8
2,3,4,7,8-PeCDF	105	109	3.7
1,2,3,7,8-PeCDD	103	108	4.7
1,2,3,4,7,8-HxCDF	100	104	3.9
1,2,3,6,7,8-HxCDF	91	95	4.3
2,3,4,6,7,8-HxCDF	101	108	6.7
1,2,3,7,8,9-HxCDF	102	106	3.8
1,2,3,4,7,8-HxCDD	98	106	7.8
1,2,3,6,7,8-HxCDD	93	96	3.2
1,2,3,7,8,9-HxCDD	87	94	7.7

%REC = Percent Recovered

RPD = The difference between the two values divided by the mean value

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Appendix C

Key to Parameter Abbreviations/Statistical Database Revision

Key to Parameter Abbreviations

<u>PARAMETER</u>	<u>NAME</u>
Sb	Antimony
As	Arsenic
Ba	Barium
Be	Beryllium
Cd	Cadmium
Co	Cobalt
Cu	Copper
Cr	Chromium
Cyanide	Cyanide
Fluoride	Fluoride
Ni	Nickel
Pb	Lead
Se	Selenium
SO4	Sulfate
Ag	Silver
Tl	Thallium
TDS	Total Dissolved Solids
V	Vanadium
Zn	Zinc
Avg. Spec. Cond.	Average Specific Conductance
Avg. Turb.	Average Turbidity

Elemental Environmental Solutions

First Quarter 2026

Historical Database

		Sn (ug/l)	Al (ug/l)	As (ug/l)	Ba (ug/l)	Be (ug/l)	Cd (ug/l)	Co (ug/l)	Cr (ug/l)	Cu (ug/l)	Cu (ug/l)	Fe (ug/l)	K (ug/l)	Pb (ug/l)	Mg (ug/l)	Mn (ug/l)	Hg (ug/l)
MW-1A	u																
	5/11/2020	<2	n/a	0.492	44	<2	n/a	0.047(J)	0.929	0.306	1.08	n/a	n/a	0.872	n/a	n/a	n/a
	8/4/2020	0.666(J)	n/a	0.562	31.5	<2	n/a	<1	0.73	0.0011	1.07	n/a	n/a	0.275	n/a	n/a	n/a
	11/3/2020	<2	n/a	0.333	34.8	<2	n/a	<1	0.777	0.00014	0.559	n/a	n/a	0.438	n/a	n/a	n/a
	2/23/2021	<2	n/a	0.443	31.3	<0.25	n/a	<0.25	0.669	0.154(J)	1.26	n/a	n/a	0.229(J)	n/a	n/a	<0.2
	5/12/2021	<2	n/a	0.307	28.4	<0.26	n/a	<0.26	0.571	0.168(J)	0.554	n/a	n/a	0.233(J)	n/a	n/a	<0.2
	8/24/2021	<2	n/a	0.261	26.6	<0.26	n/a	0.054	0.387	0.403	0.585	n/a	n/a	0.229	n/a	n/a	<0.2
	11/9/2021	<2	n/a	0.323	28	<0.26	n/a	<0.26	0.555	0.12	0.442	n/a	n/a	0.138	n/a	n/a	<0.2
	3/3/2022	<2	n/a	0.807	36.7	0.093	n/a	<0.26	0.682	0.259	0.57	n/a	n/a	0.426	n/a	n/a	<0.2
	5/23/2022	0.891(J)	n/a	0.58	52.5	<0.260	n/a	<0.260	1.02	0.053(J)	0.319(J)	n/a	n/a	<0.260	n/a	n/a	<0.200
	8/25/2022	1.15	n/a	0.474	35.2	<0.260	n/a	<0.260	0.873	0.064	0.881	n/a	n/a	0.25	n/a	n/a	<0.200
	3/14/2023	0.551	n/a	0.824	58.5	<0.260	n/a	<0.260	0.577	0.076	0.448	n/a	n/a	0.11	n/a	n/a	<0.200
	8/15/2023	<2.08	n/a	0.329	30.9	<0.260	n/a	<0.260	0.708	0.202 (J)	0.799	n/a	n/a	0.224 (J)	n/a	n/a	<0.200
	3/6/2024	0.908	n/a	0.357	47.3	<0.260	n/a	<0.260	0.969	0.063	0.39	n/a	n/a	<0.416	n/a	n/a	<0.200
	8/23/2024	1.45	n/a	0.584	62.1	<0.260	n/a	<0.260	1.86	0.038	0.33	n/a	n/a	<0.416	n/a	n/a	<0.200
	3/7/2025	3.16	n/a	0.743	68.3	<0.260	n/a	<0.260	0.842	<0.260	0.428	n/a	n/a	<0.416	n/a	n/a	<0.200
	8/19/2025	1.45	n/a	0.613	60	<0.260	n/a	<0.260	0.941	<0.260	0.574	n/a	n/a	0.172	n/a	n/a	<0.200
	3/17/2026	0.5	n/a	0.678	69.2	<0.260	n/a	<0.260	0.927	0.08	1.14	n/a	n/a	0.392	n/a	n/a	<0.200
MW-2	u																
	12/23/1992	<3	n/a	6	56	<0.2	n/a	0.4	<50	<1	<20	3365	n/a	3	n/a	n/a	n/a
	1/28/1993	<3	n/a	2	31	<0.2	n/a	0.5	<50	<1	<20	3180	n/a	12	n/a	n/a	n/a
	2/18/1993	<3	n/a	<1	14	0.35	n/a	<0.1	<50	<1	<20	2690	n/a	10	n/a	n/a	n/a
	3/10/1993	<3	n/a	<1	17	<0.2	n/a	<0.1	<50	<1	<20	2780	n/a	5	n/a	n/a	n/a
	12/28/1993	<3	n/a	2	29	<0.2	n/a	<0.1	<50	<1	<20	2660	n/a	10	n/a	n/a	n/a
	3/29/1994	<3	n/a	2	25	<0.2	n/a	<0.1	<50	<1	<20	2400	n/a	13	n/a	n/a	n/a
	6/29/1994	<3	n/a	<2	28	<0.2	n/a	0.3	<50	<1	<20	2740	n/a	<1	n/a	n/a	n/a
	9/30/1994	<3	n/a	4	78	<0.2	n/a	2.5	<50		3	20	5080	n/a	23	n/a	n/a
	3/8/1995	<3	n/a	<1	30	0.02	n/a	<0.1	<50		3	<20	5720	n/a	4	n/a	n/a
	9/28/1995	<3	n/a	<1	43	0.2	n/a	<0.1	<50		3	<20	4360	n/a	14	n/a	n/a
	4/1/1996	<3	n/a	<1	30	0.3	n/a	<0.1	<50		3	<20	4110	n/a	2	n/a	n/a
	9/26/1996	<3	n/a	<1	35	<0.2	n/a	<0.1	<50		1	<20	4900	n/a	2	n/a	n/a
	3/20/1997	<3	n/a	<1	15	<0.2	n/a	<0.1	<80		1	<20	2740	n/a	<1	n/a	n/a
	8/28/1997	<3	n/a	<1	26	<0.2	n/a	<0.1	<80		2	<20	2960	n/a	<1	n/a	n/a
	3/25/1998	<3	n/a	<1	17	<0.2	n/a	<0.1	<80	<1	<30	2830	n/a	5	n/a	n/a	n/a
	9/21/1998	<3	n/a	<1	14	<0.2	n/a	<0.1	<80	<1	<30	3270	n/a	<1	n/a	n/a	n/a
	3/25/1999	<3	n/a	<1	34	<0.2	n/a	<0.1	<80		2	<30	3400	n/a	1	n/a	n/a
	9/29/1999	<3	n/a	<1	11	<0.2	n/a	<0.1	<80	<1	<30	1410	n/a	1	n/a	n/a	n/a
	3/21/2000	n/a	n/a	<1	18	<0.2	n/a	n/a	n/a	n/a	<10	n/a	n/a	2	n/a	n/a	n/a
	9/21/2000	n/a	n/a	<1	25	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	2	n/a	n/a	n/a
	3/29/2001	n/a	n/a	<1	10	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	8/31/2001	n/a	n/a	<1	12	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/26/2002	n/a	n/a	<1	12	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/26/2002	n/a	n/a	<1	14	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	3/10/2003	n/a	n/a	<1	14	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/29/2003	n/a	n/a	<1	13	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/12/2004	n/a	n/a	<1	14	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/10/2004	n/a	n/a	<1	13	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/25/2005	n/a	n/a	<1	13	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/9/2005	n/a	n/a	<1	13	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	2	n/a	n/a	n/a
	2/21/2006	n/a	n/a	<1	11	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/11/2006	n/a	n/a	<1	14	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	2	n/a	n/a	n/a
	2/21/2007	n/a	n/a	<1	12	0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/8/2007	n/a	n/a	<1	12	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	2/8/2008	n/a	n/a	<1	13	0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/14/2008	n/a	n/a	<1	16	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	2	n/a	n/a	n/a
	2/11/2009	n/a	n/a	<1	14	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/7/2009	n/a	n/a	<1	19	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/11/2010	n/a	n/a	<1	13	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/17/2010	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2011	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/24/2011	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/7/2012	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/14/2012	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/15/2013	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/6/2013	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/18/2014	n/a	n/a	<1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/20/2014	n/a	n/a	<0.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/11/2015	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/27/2015	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/9/2016	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/22/2016	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2017	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/28/2017	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/6/2018	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/21/2018	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/4/2019	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	9/16/2019	<2	26.2	<2	7.55	<2	32100	<1	<2	<2	1.48	394	2400	<2	2860	140	n/a
	11/13/2019	<2	n/a	0.691	24.3	0.092	n/a	<1	11.6	0.933	1.54	n/a	n/a	1.34	n/a	n/a	n/a
	2/25/2020	<2	n/a	0.546	18.1	<2	n/a	<1	6.08	0.595	1.02	n/a	n/a	0.857	n/a	n/a	n/a
	5/11/2020	<2	n/a	0.13(J)	17.5	<2	n/a	<1	1.48	0.000118(	0.3(J)	n/a	n/a	0.234(J)	n/a	n/a	2.5E-05(J)
	8/4/2020	<2	n/a	0.119(J)	17.3	<2	n/a	<1	0.781(J)	8.9E-05(J)	0.235(J)	n/a	n/a	0.177(J)	n/a	n/a	n/a
	11/3/2020	<2	n/a	<2	16.2	<2	n/a	<1	0.416	<2	<20	n/a	n/a	0.096	n/a	n/a	n/a
	2/23/2021	<2	n/a	<0.25	16.4	<0.25	n/a	<0.25	0.605	0.047(J)	0.205(J)	n/a	n/a	<0.25	n/a	n/a	<0.2
	5/12/2021	<2	n/a	0.075(J)	16.7	<0.26	n/a	<0.26	0.656	0.092(J)	0.292(J)	n/a	n/a	0.113(J)	n/a	n/a	<0.2
	8/24/2021	<2	n/a	0.057	17.6	<0.26	n/a	<0.26	0.707	0.073	0.215	n/a	n/a	0.335	n/a	n/a	0.0175
	11/9/2021	<2	n/a	0.097	19.8	<0.26	n/a	<0.26	2.24	0.129	0.262	n/a	n/a	0.152	n/a	n/a	<0.2
	3/3/2022	<2	n/a	0.064	18.1	<0.26	n/a	<0.26	0.8	0.087	0.133	n/a	n/a	&			

Elemental Environmental Solutions

First Quarter 2026

Historical Database

		N (ug/l)	Se (ug/l)	Ag (ug/l)	Na (ug/l)	Tl (ug/l)	Sr (ug/l)	Va (ug/l)	Zn (ug/l)	Fluoride (ug/l)	Chloride (ug/l)	Cyanide (ug/l)	Sulfide (ug/l)	Sulfate (ug/l)	TDS (ug/l)	pH (SU)	Spec. Cond. (umhos/cm)	Turb (NTU)
MW-1A	u																	
	5/11/2020	0.78	<2	<2	n/a	<2	<2	0.905	7.57(J)	259	n/a	<5	<50	n/a	n/a	6.92	2570	2.07
	8/4/2020	0.58	<2	<2	n/a	<2	<2	6.12	8.93(J)	308	n/a	<5	<50	n/a	n/a	7.26	1383	4.87
	11/3/2020	<40	<2	<2	n/a	<2	<2	0.669	<10	308	n/a	<5	<50	n/a	n/a	6.77	2490	3.11
	2/23/2021	0.52	<5	<0.3	n/a	<0.25	<20	0.824	<20	306	n/a	<5	<150	n/a	n/a	7.06	3060	1.5
	5/12/2021	3.2	<5.2	<0.312	n/a	<0.26	<20.8	0.693	8.02(J)	324	n/a	<5	<150	n/a	n/a	7.16	1299	1.41
	8/24/2021	0.71	<5	<0.3	n/a	<0.26	<20	0.381	8.56	272	n/a	<5	<150	n/a	n/a	8.31	1299	1.06
	11/9/2021	0.75	<5	<0.3	n/a	<0.26	<20	0.727	<20.8	497	n/a	<5	<150	n/a	n/a	7.15	2920	1.06
	3/3/2022	1.21	<5	0.202	n/a	<0.26	<20	1.37	6.1	417	n/a	<5	<150	n/a	n/a	7.03	2610	7.21
	5/23/2022	0.35(J)	<5.20	<0.312	n/a	<0.260	<20.8	1.26	<20.8	498	n/a	<5	<150	n/a	n/a	7.1	2860	4.11
	8/25/2022	0.55	<5.20	<0.312	n/a	<0.260	<20.8	1.04	<20.8	430	n/a	<5	<150	n/a	n/a	7.46	1785	12.6
	3/14/2023	0.48	<5.20	<0.312	n/a	<0.260	<20.8	1.98	<20.8	499	n/a	<5	<150	n/a	n/a	7.22	2090	2.59
	8/15/2023	0.76	<5.20	<0.312	n/a	<0.260	<20.8	0.948	<20.8	432	n/a	<5	<150	n/a	n/a	6.42	2510	7.23
	3/6/2024	<1.56	<5.20	<0.312	n/a	<0.260	<20.8	1.02	<20.8	435	n/a	<5	26	n/a	n/a	6.6	3300	2.67
	8/23/2024	<1.56	<5.20	<0.312	n/a	<0.260	<20.8	1.31	<20.8	466	n/a	<5	<150	n/a	n/a	8.47	1541	3.45
	3/7/2025	<1.56	<5.20	<0.312	n/a	<0.260	<20.8	1.57	<20.8	502	n/a	<5	<150	n/a	n/a	8.05	1732	0.94
	8/19/2025	<1.56	<5.20	<0.312	n/a	<0.260	<20.8	1.25	<20.8	517	n/a	<5	<150	n/a	n/a	7.22	1895	0.17
	3/17/2026	0.58	<5.20	<0.312	n/a	<0.260	<20.8	1.7	<20.8	485	n/a	<5	<150	n/a	n/a	10.09	3230	90.9
MW-2	u																	
	12/23/1992	<40	<2	<0.2	n/a	<1	n/a	<4	<10	290	14400	<5	n/a	29800	231000	6.69	308	26.7
	1/28/1993	<40	<2	2.4	n/a	<1	n/a	<4	<10	290	11100	<5	n/a	44200	217000	6.85	303	17.8
	2/18/1993	<40	<2	<0.2	n/a	<1	n/a	<4	50	270	9200	<5	n/a	38400	226000	6.76	289	9.8
	3/10/1993	<40	<2	0.5	n/a	<1	n/a	8	<10	230	14100	<5	n/a	52200	196000	6.6	334	6.7
	12/28/1993	<40	<2	<0.2	n/a	<1	n/a	6	<10	220	23100	<5	n/a	35100	209000	6.53	267	4.2
	3/29/1994	<40	2	<1	n/a	<1	n/a	4	<10	270	10000	<5	n/a	36000	212000	7.08	264	7
	6/29/1994	<40	<2	1.8	n/a	<1	n/a	<4	<10	120	9500	<5	n/a	33400	225000	6.74	264	43
	9/30/1994	<40	<2	6	n/a	<1	n/a	5	60	50	14000	<5	n/a	35000	220000	6.8	254	15.2
	3/8/1995	<30	<2	2.7	n/a	<1	n/a	10	30	300	10000	<5	n/a	33000	228000	6.11	262	25
	9/28/1995	<30	<2	4	n/a	<1	n/a	14	<10	170	9500	<5	n/a	41700	220000	6.37	256	17.2
	4/1/1996	<50	<2	<2	n/a	<1	n/a	<2	<10	250	12500	<5	n/a	35700	209000	6.43	252	15.3
	9/26/1996	<50	<2	<2	n/a	<1	n/a	<2	40	160	10800	<5	n/a	29200	213000	6.46	250	18.3
	3/20/1997	<40	<2	<2	n/a	<1	n/a	<4	30	300	12500	<5	n/a	28000	198000	6.34	246	6.2
	8/28/1997	<40	<2	<2	n/a	<1	n/a	5	60	280	11100	<5	n/a	31100	176000	6.22	246	9.43
	3/25/1998	<40	<2	<2	n/a	<1	n/a	<4	<10	210	11200	<5	n/a	25700	250000	6.23	244	6.73
	9/21/1998	<40	<2	<2	n/a	<1	n/a	<4	<10	290	11000	<5	n/a	24700	215000	5.6	241	15.9
	3/25/1999	<40	<2	<2	n/a	<1	n/a	<4	<10	160	10700	<5	n/a	25300	198000	5.92	230	41.2
	9/29/1999	<40	<2	<2	n/a	<1	n/a	<4	<10	220	10600	<20	n/a	23200	203000	6.28	176	15.9
	3/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	210	n/a	<20	n/a	n/a	n/a	6.46	229	6.79
	9/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	242	n/a	<20	n/a	n/a	n/a	6.49	258	6.02
	3/29/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	160	n/a	<20	n/a	n/a	n/a	5.91	247	9.11
	8/31/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	200	n/a	<20	n/a	n/a	n/a	6.51	248	4.65
	2/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	230	n/a	<5	n/a	n/a	n/a	6.28	238	8.95
	8/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	170	n/a	<5	n/a	n/a	n/a	6.47	237	6.25
	3/10/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	330	n/a	<5	n/a	n/a	n/a	6.28	245	4.55
	8/29/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	11	280	n/a	<5	n/a	n/a	n/a	6.25	241	5.9
	2/12/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	250	n/a	<5	n/a	n/a	n/a	6.21	234	13.3
	8/10/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	310	n/a	<5	n/a	n/a	n/a	6.58	224	7.93
	2/25/2005	n/a	2	<2	n/a	n/a	n/a	n/a	<10	271	n/a	<5	n/a	n/a	n/a	7.22	235	8.7
	8/9/2005	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	269	n/a	<5	n/a	n/a	n/a	6.29	244	7.01
	2/21/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	360	n/a	<5	n/a	n/a	n/a	6.51	225	2.43
	8/11/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	291	n/a	<5	n/a	n/a	n/a	6.27	169.4	4.94
	2/21/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	279	n/a	<5	n/a	n/a	n/a	6.19	241	1.37
	8/8/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	237	n/a	<5	n/a	n/a	n/a	6.33	231	1.23
	2/8/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<100	n/a	<2	n/a	n/a	n/a	6.37	205	1.52
	8/14/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	253	n/a	<5	n/a	n/a	n/a	6.33	191.1	7.58
	2/11/2009	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	251	n/a	<5	n/a	n/a	n/a	6.21	233	9.8
	8/7/2009	n/a	<2	<0.5	n/a	n/a	n/a	n/a	<10	208	n/a	<5	n/a	n/a	n/a	5.46	238	4.76
	2/11/2010	n/a	<2	<0.5	n/a	n/a	n/a	n/a	<10	213	n/a	<5	n/a	n/a	n/a	6.32	235	1.24
	8/17/2010	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	241	n/a	<5	n/a	n/a	n/a	6.1	129	2.29
	2/22/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	420	n/a	<2	n/a	n/a	n/a	5.86	221	0.79
	8/24/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	223	n/a	<2	n/a	n/a	n/a	6.16	229	3.89
	2/7/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	301	n/a	<2	n/a	n/a	n/a	6.09	232	11.9
	8/14/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	259	n/a	<2	n/a	n/a	n/a	6.32	248	46.2
	2/15/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	287	n/a	<5	n/a	n/a	n/a	6.48	164.8	4.73
	8/6/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	284	n/a	<5	n/a	n/a	n/a	6.04	271	1.19
	2/18/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	257	n/a	<5	n/a	n/a	n/a	6.3	261	0.84
	8/20/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	341	n/a	<5	n/a	n/a	n/a	5.87	276	17.6
	2/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	223	n/a	<5	n/a	n/a	n/a	6.46	262	7.16
	8/27/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	170	n/a	<5	n/a	n/a	n/a	6.23	170	6.11
	2/9/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	202	n/a	<5	n/a	n/a	n/a	6.37	261	1.07
	8/22/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	225	n/a	<5	n/a	n/a	n/a	6.35	249	2.25
	2/22/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	212	n/a	<5	n/a	n/a	n/a	5.02	267	2.37
	8/28/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	278	n/a	<5	n/a	n/a	n/a	6.32	260	4.96
	2/6/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	309	n/a	<5	n/a	n/a	n/a	6.33	253	3.92
	8/21/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	220	n/a	<5	n/a	n/a	n/a	6.29	274	0.62
	2/4/2019	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	198	n/a	<5	n/a	n/a	n/a	6.24	284	8.85
	9/16/2019	2.03	<2	<2	14800	<2	<2	0.369	2.68	249	n/a	<5	<50	n/a	n/a	6.26	282	5.11
	11/13/2019	9.71	1.08	0.067	n/a	<2	0.769	5.42	8.77	192	n/a	<5	<50	n/a	n/a	6.41	288	6.63
	2/25/2020	6.43	0.653	<2	n/a	<2	<2	2.68	18.7	191	n/a	<5	<50	n/a	n/a	6.31	295	6.94
	5/11/2020	0.77	0.653	<2														

Elemental Environmental Solutions

First Quarter 2026

Historical Database

		Sb (ug/l)	Al (ug/l)	As (ug/l)	Ba (ug/l)	Be (ug/l)	Ca (ug/l)	Cd (ug/l)	Cr (ug/l)	Co (ug/l)	Cu (ug/l)	Fe (ug/l)	K (ug/l)	Pb (ug/l)	Mg (ug/l)	Mn (ug/l)	Hg (ug/l)
MW-4	d																
	6/29/1994	<3	n/a	<2	46	<0.2	n/a	0.7	<50	<1	<20	2680	n/a	2	n/a	n/a	n/a
	6/29/1994	<3	n/a	<2	47	<0.2	n/a	<0.1	<50	<1	<20	2980	n/a	7	n/a	n/a	n/a
	6/29/1994	<3	n/a	<2	52	<0.2	n/a	0.8	<50	<1	<20	3170	n/a	5	n/a	n/a	n/a
	6/29/1994	<3	n/a	<2	51	<0.2	n/a	0.2	<50	<1	<20	3280	n/a	<1	n/a	n/a	n/a
	9/30/1994	<3	n/a	3	36	<0.2	n/a	0.2	<50	3	<20	3360	n/a	5	n/a	n/a	n/a
	3/8/1995	<3	n/a	5	56	<0.2	n/a	<0.1	<50	4	<20	3590	n/a	2	n/a	n/a	n/a
	9/28/1995	<3	n/a	3	142	0.2	n/a	<0.1	<50	6	<20	6260	n/a	13	n/a	n/a	n/a
	4/1/1996	<3	n/a	<1	31	0.3	n/a	<0.1	<50	2	<20	3360	n/a	1	n/a	n/a	n/a
	9/26/1996	<3	n/a	<1	29	<0.2	n/a	<0.1	<50	3	<20	4390	n/a	1	n/a	n/a	n/a
	3/20/1997	<3	n/a	<1	26	<0.2	n/a	<0.1	<80	1	<20	2880	n/a	<1	n/a	n/a	n/a
	8/28/1997	<3	n/a	<1	44	<0.2	n/a	<0.1	<80	2	<20	3160	n/a	<1	n/a	n/a	n/a
	3/25/1998	<3	n/a	<1	31	<0.2	n/a	<0.1	<80	<1	<30	3060	n/a	4	n/a	n/a	n/a
	9/21/1998	<3	n/a	3	26	<0.2	n/a	<0.1	<80	<1	<30	3720	n/a	<1	n/a	n/a	n/a
	3/25/1999	<3	n/a	3	43	<0.2	n/a	<0.1	<80	4	<30	3700	n/a	<1	n/a	n/a	n/a
	9/29/1999	<3	n/a	3	22	<0.2	n/a	<0.1	<80	<1	<30	3370	n/a	<1	n/a	n/a	n/a
	3/21/2000	n/a	n/a	2	24	<0.2	n/a	n/a	n/a	n/a	<10	n/a	n/a	2	n/a	n/a	n/a
	9/21/2000	n/a	n/a	3	31	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	3/29/2001	n/a	n/a	3	20	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/31/2001	n/a	n/a	4	23	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/26/2002	n/a	n/a	3	28	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/26/2002	n/a	n/a	<1	24	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	3/10/2003	n/a	n/a	1	26	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/29/2003	n/a	n/a	<1	26	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/12/2004	n/a	n/a	3	28	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/9/2004	n/a	n/a	3	29	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/25/2005	n/a	n/a	4	29	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/9/2005	n/a	n/a	1.4	26	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	2/23/2006	n/a	n/a	2	28	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/11/2006	n/a	n/a	<1	29	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/21/2007	n/a	n/a	<1	30	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/8/2007	n/a	n/a	<1	15	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/7/2008	n/a	n/a	4	30	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/14/2008	n/a	n/a	2	30	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	2/11/2009	n/a	n/a	1	32	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	2	n/a	n/a	n/a
	8/7/2009	n/a	n/a	2	31	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/11/2010	n/a	n/a	2	34	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/17/2010	n/a	n/a	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2011	n/a	n/a	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/24/2011	n/a	n/a	1.79	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/7/2012	n/a	n/a	2.46	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/14/2012	n/a	n/a	1.48	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/15/2013	n/a	n/a	1.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/6/2013	n/a	n/a	1.29	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/18/2014	n/a	n/a	1.53	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/20/2014	n/a	n/a	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/11/2015	n/a	n/a	2.61	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/27/2015	n/a	n/a	2.12	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/9/2016	n/a	n/a	2.48	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/22/2016	n/a	n/a	1.92	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2017	n/a	n/a	5.17	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/28/2017	n/a	n/a	1.97	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/6/2018	n/a	n/a	1.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/21/2018	n/a	n/a	1.94	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/4/2019	n/a	n/a	2.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	9/16/2019	<2	6.72	0.939	16.1	<2	54100	<1	<2	0.423	1.47	1120	2430	<2	7830	255	n/a
	11/13/2019	0.579	n/a	1.8	20.6	<2	n/a	<1	0.212	0.392	0.277	n/a	n/a	<2	n/a	n/a	n/a
	2/25/2020	<2	n/a	1.75	19.4	<2	n/a	<1	0.363	0.36	0.211	n/a	n/a	<2	n/a	n/a	n/a
	5/11/2020	<2	n/a	2.29	29.3	<2	n/a	<1	0.304	0.36	4.82	n/a	n/a	<2	n/a	n/a	n/a
	8/4/2020	<2	n/a	1.33	2.02	<2	n/a	<1	0.246(J)	0.000197(J)	<20	n/a	n/a	<2	n/a	n/a	n/a
	11/3/2020	<2	n/a	1.52	19.2	<2	n/a	<1	0.312	0.000321	<20	n/a	n/a	0.081	n/a	n/a	n/a
	2/23/2021	<2	n/a	1.39	17.4	<0.25	n/a	<0.25	0.282	0.35	0.214(J)	n/a	n/a	<0.25	n/a	n/a	<0.2
	5/12/2021	<2	n/a	1.33	17.7	<0.26	n/a	<0.26	0.0833(J)	0.317	<0.395	n/a	n/a	<0.26	n/a	n/a	<0.2
	8/24/2021	<2	n/a	1.62	22	<0.26	n/a	<0.26	0.274	0.351	0.677	n/a	n/a	<0.26	n/a	n/a	<0.2
	11/9/2021	<2	n/a	2.31	41.6	<0.26	n/a	<0.26	0.351	1.05	0.278	n/a	n/a	<0.26	n/a	n/a	<0.2
	3/3/2022	<2	n/a	1.8	23.8	<0.26	n/a	<0.26	0.493	0.384	0.296	n/a	n/a	<0.26	n/a	n/a	<0.2
	5/23/2022	0.630(J)	n/a	1.58	20.8	<0.260	n/a	<0.260	0.566	0.239	0.239(J)	n/a	n/a	<0.260	n/a	n/a	<0.200
	8/25/2022	<2.08	n/a	1.97	25	<0.260	n/a	<0.260	0.256	0.37	0.126	n/a	n/a	<0.260	n/a	n/a	<0.200
	3/14/2023	1.72	n/a	1.7	20.9	<0.260	n/a	<0.260	0.23	0.358	1.6	n/a	n/a	0.118	n/a	n/a	<0.200
	8/15/2023	<2.08	n/a	1.64	21	<0.260	n/a	<0.260	0.353	0.306	0.285	n/a	n/a	<0.416	n/a	n/a	<0.200
	3/6/2024	<2.08	n/a	1.55	22.4	<0.260	n/a	<0.260	0.356	0.366	1.25	n/a	n/a	0.286	n/a	n/a	<0.200
	8/23/2024	<2.08	n/a	1.27	27.9	<0.260	n/a	<0.260	0.317	0.374	<0.520	n/a	n/a	<0.416	n/a	n/a	<0.200
	3/7/2025	<2.08	n/a	1.61	27.3	<0.260	n/a	<0.260	<0.260	0.506	<0.520	n/a	n/a	<0.416	n/a	n/a	<0.200
	8/19/2025	<2.08	n/a	1.56	27.1	<0.260	n/a	<0.260	<0.260	0.45	<0.520	n/a	n/a	0.118	n/a	n/a	<0.200
	3/17/2026	<2.08	n/a	2.29	39.4	<0.260	n/a	<0.260	0.419	0.87	0.326	n/a	n/a	<0.416	n/a	n/a	<0.200
MW-4S	d																
	5/11/2020	<2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/4/2020	<2	n/a	0.221(J)	15.1	<2	n/a	<1	0.601	0.00185	0.225(J)	n/a	n/a	<1	n/a	n/a	n/a
	2/23/2021	<2	n/a	0.113(J)	14.6	<0.25	n/a	0.086(J)	0.591	0.043(J)	1.21	n/a	n/a	<0.25	n/a	n/a	<0.2
	5/12/2021	<2	n/a	0.144(J)	14.4	<0.26	n/a	<0.26	0.316	0.063(J)	0.288(J)	n/a	n/a	<0.26	n/a	n/a	<0.2
	8/24/2021	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	11/9/2021	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	3/3/2022	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	11/28/2022	0.821	n/a	0.148	16.1	n/a	n/a	0.039	0.489	n/a	0.239	n/a	n/a	0.272	n/a	n/a	n/a
	3/14/2023	<2.08	n/a	0.124	14.7	0.082	n/a	<0.26	0.463	n/a	0.152	n/a	n/a	0.099	n/a	n/a	n/a
	11/17/2023	<2.08	n/a	0.158	15.5	<0.260	n/a	<0.260	1.59	0.071	0.679	n/a	n/a	<0.416	n/a	n/a	n/a
	6/28/2024	<2.08	n/a	0.171	13.2	<0.260	n/a	0.04	0.893	0.079	2.41	n/a	n/a	0.14	n/a	n/a	n/a
	8/23/2024	<2.08	n/a	0.135	14.9	<0.260	n/a	<0.260									

Elemental Environmental Solutions

First Quarter 2026

Historical Database

			Ni (ug/l)	Se (ug/l)	As (ug/l)	Na (ug/l)	Tl (ug/l)	Sn (ug/l)	Va (ug/l)	Zn (ug/l)	Fluoride (ug/l)	Chloride (ug/l)	Cyanide (ug/l)	Sulfide (ug/l)	Sulfate (ug/l)	TDS (ug/l)	pH (SU)	Spec. Cond. (umhos/cm)	Turb (NTU)	
MW-4	d																			
	6/29/1994	<40	<2		0.9	n/a	<1	n/a	<4	<10	130	11200	<5	n/a	27200	236000	6.87	320	24.1	
	6/29/1994	<40	<2		0.9	n/a	<1	n/a	<4	<10	130	11200	<5	n/a	27200	236000	6.91	319	27.5	
	6/29/1994	<40	<2		0.9	n/a	<1	n/a	<4	<10	140	10300	<5	n/a	28400	240000	6.99	322	31	
	6/29/1994	<40	<2		0.8	n/a	<1	n/a	<4	<10	130	10300	<5	n/a	29400	243000	6.94	326	30.2	
	9/30/1994	<40	<2		1	n/a	<1	n/a		6	100	12000	<5	n/a	35000	245000	6.88	339	26	
	3/8/1995	<30	<2		2.8	n/a	<1	n/a		7	10	400	19000	<5	n/a	48000	369000	6.96	540	29
	9/28/1995	<30	<2	<2		n/a	<1	n/a		16	<10	230	19000	<5	n/a	67800	340000	6.71	508	34
	4/1/1996	<50	<2	<2		n/a	<1	n/a	<2	<10	290	14600	<5	n/a	31800	229000	6.75	321	5.95	
	9/26/1996	<50	<2	<2		n/a	<1	n/a	<2		10	<100	18400	<5	n/a	40900	268000	7.41	562	45.6
	3/20/1997	<40	<2	<2		n/a	<1	n/a	<4		50	310	16700	<5	n/a	24200	244000	6.66	336	4.6
	8/28/1997	<40	<2	<2		n/a	<1	n/a	<4		10	280	13100	<5	n/a	34300	234000	6.36	360	5.34
	3/25/1998	<40	<2	<2		n/a	<1	n/a	<4	<10	210	14400	<5	n/a	30300	306000	6.62	355	5.28	
	9/21/1998	<40	<2	<2		n/a	<1	n/a	<4	<10	240	14500	<5	n/a	39400	282000	5.94	380	8.61	
	3/25/1999	<40	<2	<2		n/a	<1	n/a	<4	<10	140	13800	<5	n/a	40100	269000	6.05	323	5.81	
	9/29/1999	<40	<2	<2		n/a	<1	n/a	<4	<10	200	15500	<20	n/a	43400	287000	6.66	247	9.65	
	3/21/2000	n/a	<2	<2		n/a	n/a	n/a	n/a	<10	210	n/a	<20	n/a	n/a	n/a	6.83	336	9.66	
	9/21/2000	n/a	<2	<2		n/a	n/a	n/a	n/a	<10	250	n/a	<20	n/a	n/a	n/a	6.8	403	4.68	
	3/29/2001	n/a	<2	<2		n/a	n/a	n/a	n/a	<10	150	n/a	<20	n/a	n/a	n/a	6.37	411	7.45	
	8/31/2001	n/a	<2	<2		n/a	n/a	n/a	n/a	<10	200	n/a	<20	n/a	n/a	n/a	6.77	426	3.11	
	2/26/2002	n/a	<2	<2		n/a	n/a	n/a	n/a	<10	230	n/a	<5	n/a	n/a	n/a	6.48	412	7.9	
	8/26/2002	n/a	<2	<2		n/a	n/a	n/a	n/a	<10	160	n/a	<5	n/a	n/a	n/a	6.67	417	2.19	
	3/10/2003	n/a	<2	<2		n/a	n/a	n/a	n/a	<10	440	n/a	<5	n/a	n/a	n/a	6.48	408	2.6	
	8/29/2003	n/a	<2	<2		n/a	n/a	n/a	n/a	<10	280	n/a	<5	n/a	n/a	n/a	6.55	446	5.35	
	2/12/2004	n/a	<2	<2		n/a	n/a	n/a	n/a	<10	230	n/a	<5	n/a	n/a	n/a	6.5	443	9.4	
	8/9/2004	n/a	<2	<2		n/a	n/a	n/a	n/a	<10	370	n/a	<5	n/a	n/a	n/a	6.56	437	4.69	
	2/25/2005	n/a		2.3	<2	n/a	n/a	n/a	n/a	<10	258	n/a	<5	n/a	n/a	n/a	7.08	462	12.07	
	8/9/2005	n/a	<2	<2		n/a	n/a	n/a	n/a		10	253	n/a	<5	n/a	n/a	6.52	470	5.96	
	2/23/2006	n/a	<2	<2		n/a	n/a	n/a	n/a	<10	310	n/a	<5	n/a	n/a	n/a	6.89	455	4.21	
	8/11/2006	n/a	<2	<2		n/a	n/a	n/a	n/a	<10	253	n/a	<5	n/a	n/a	n/a	6.63	336	1.82	
	2/21/2007	n/a	<2	<2		n/a	n/a	n/a	n/a	<10	249	n/a	<5	n/a	n/a	n/a	6.43	477	0.049	
	8/8/2007	n/a	<2	<2		n/a	n/a	n/a	n/a	<10	222	n/a	<5	n/a	n/a	n/a	6.61	455	1.45	
	2/7/2008	n/a	<2	<2		n/a	n/a	n/a	n/a	<10		<100	<5	n/a	n/a	n/a	6.58	407	1.61	
	8/14/2008	n/a	<2	<2		n/a	n/a	n/a	n/a	<10	258	n/a	<5	n/a	n/a	n/a	6.5	337	3.91	
	2/11/2009	n/a	<2		2	n/a	n/a	n/a	n/a	<10	231	n/a	<5	n/a	n/a	n/a	6.62	469	3.89	
	8/7/2009	n/a	<2	<0.5	n/a	n/a	n/a	n/a	n/a	<10	197	n/a	<5	n/a	n/a	n/a	5.62	466	4.52	
	2/11/2010	n/a	<2	<0.5	n/a	n/a	n/a	n/a	n/a	<10	188	n/a	<5	n/a	n/a	n/a	6.42	459	3.12	
	8/17/2010	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	229	n/a	<5	n/a	n/a	n/a	6.31	410	2.19	
	2/22/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	350	n/a	<2	n/a	n/a	n/a	6.34	400	2.34	
	8/24/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	206	n/a	<2	n/a	n/a	n/a	6.65	526	2.01	
	2/7/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	292	n/a	<2	n/a	n/a	n/a	6.31	445	1.41	
	8/14/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	235	n/a	<2	n/a	n/a	n/a	6.58	462	2.21	
	2/15/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	201	n/a	<5	n/a	n/a	n/a	6.9	331	3.25	
	8/6/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	281	n/a	<5	n/a	n/a	n/a	6.42	501	2.55	
	2/18/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	233	n/a	<5	n/a	n/a	n/a	6.63	488	4.55	
	8/20/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	214	n/a	<5	n/a	n/a	n/a	5.98	493	3.74	
	2/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	221	n/a	<5	n/a	n/a	n/a	6.87	485	2.81	
	8/27/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	168	n/a	<5	n/a	n/a	n/a	6.49	326	2.33	
	2/9/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	181	n/a	<5	n/a	n/a	n/a	6.76	478	1.87	
	8/22/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	233	n/a	<5	n/a	n/a	n/a	6.73	531	1.77	
	2/22/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	225	n/a	<5	n/a	n/a	n/a	6.52	541	1.66	
	8/28/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	320	n/a	<5	n/a	n/a	n/a	6.72	502	1.71	
	2/6/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	314	n/a	<5	n/a	n/a	n/a	6.82	458	0.62	
	8/21/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	222	n/a	<5	n/a	n/a	n/a	6.7	478	0.58	
	2/4/2019	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	200	n/a	<5	n/a	n/a	n/a	6.83	462	0.38	
	9/16/2019	0.359	<2	<2		23900	<2	<2	0.218	3.08	260	n/a	<5	<50	n/a	n/a	6.72	442	0.47	
	11/13/2019	0.24	<2		0.101	n/a	<2	<2	<4	<10	176	n/a	<5	<50	n/a	n/a	6.79	492	0.25	
	2/25/2020	0.27	<2	<2		n/a	<2	<2	0.048	10.1	195	n/a	<5	<50	n/a	n/a	6.8	472	0.69	
	5/11/2020	0.33	<2	<2		n/a	<2	<2	0.069	10.1	213	n/a	<5	<50	n/a	n/a	6.78	478	0.68	
	8/4/2020	<40	<2	<2		n/a	<2	<2	0.062(I)	<10	259	n/a	<5	<50	n/a	n/a	6.77	403	1.5	
	11/3/2020	0.55	<2	<2		n/a	<2	<2	<4	<10	264	n/a	<5	<50	n/a	n/a	6.63	461	0.71	
	2/23/2021	0.35	<5	<0.3	n/a	<0.25	<20	0.046(I)	<20		245	n/a	<5	<150	n/a	n/a	6.79	507	1.87	
	5/12/2021	0.55	<5.2	<0.312	n/a	<0.26	<20.8	0.054(I)	6.66(I)		235	n/a	0.002(I)	<150	n/a	n/a	6.67	394	0.59	
	8/24/2021	0.29	<5.2	<0.312	n/a	<0.26	<20.8	0.049	6.89		224	n/a	<5	<150	n/a	n/a	6.84	272	0.6	
	11/9/2021	0.5	<5.2	<0.312	n/a	<0.26	<20.8	0.05	<20.8		413	n/a	<5	<150	n/a	n/a	6.96	778	1.74	
	3/3/2022	0.29	<5.2	<0.312	n/a	<0.26	<20.8	0.057	<20.8		296	n/a	<5	<150	n/a	n/a	6.88	452	1.12	
	5/23/2022	0.53	<5.20	0.187(I)	n/a	<0.260	<20.80	0.068(I)	5.87(I)		369	n/a	<5	<150	n/a	n/a	6.97	370	0.68	
	8/25/2022	0.41	<5.20	<0.312	n/a	<0.260	<20.80	0.053		5.8	288	n/a	<5	<150	n/a	n/a	6.84	282	5.21	
	3/14/2023	<0.52	<5.20	0.151	n/a		0.059	<20.80	0.079	<20.8	290	n/a	<5	<150	n/a	n/a	6.93	325	0.85	
	8/15/2023		<0.25	<5.20	<0.312	n/a	<0.260	<20.80	<0.260	<20.8	268	n/a	<5	<150	n/a	n/a	6.77	435	1.78	
	3/6/2024	<1.56	<5.20	<0.312	n/a	<0.260		1.72	<0.260	4.91	304	n/a		3	<150	n/a	n/a	6.55	339	1.74
	8/23/2024	<1.56	<5.20	<0.312	n/a	<0.260	<20.80	<0.260	<20.8		285	n/a	<5	<150	n/a	n/a	6.74	531	2.11	
	3/7/2025	<1.56	<5.20	<0.312	n/a	<0.260	<20.80	0.043	<20.8		321	n/a	<5	<150	n/a	n/a	6.51	560	0.82	
	8/19/2025	<1.56	<5.20	<0.312	n/a	<0.260	<20.80	<0.260	<20.8		278	n/a	<5	<150	n/a	n/a	6.78	619	0.41	
	3/17/2026	0.46	<5.20	<0.312	n/a	<0.260	<20.80	0.045	<20.8		272	n/a	<5	<150	n/a	n/a	6.72	789	0.03	
MW-4S	d																			
	5/11/2020	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	473	n/a	n/a	<50	n/a	n/a	7.3	3.42	0.71	

Elemental Environmental Solutions

First Quarter 2026

Historical Database

		Sn (ug/l)	Al (ug/l)	As (ug/l)	Ba (ug/l)	Be (ug/l)	Ca (ug/l)	Co (ug/l)	Cr (ug/l)	Cu (ug/l)	Cu (ug/l)	Fe (ug/l)	K (ug/l)	Pb (ug/l)	Mg (ug/l)	Mn (ug/l)	Hg (ug/l)
MW-6	d																
	12/23/1992	<3	n/a	2	29	<0.2	n/a	1.5	<50	<1	<20	610	n/a	7	n/a	n/a	n/a
	1/28/1993	<3	n/a	5	70	<0.2	n/a	0.8	<50	<1	<20	1020	n/a	7	n/a	n/a	n/a
	2/18/1993	<3	n/a	2	22	0.315	n/a	<0.1	<50	<1	<20	2590	n/a	4	n/a	n/a	n/a
	3/10/1993	<3	n/a	<1	50	<0.2	n/a	<0.1	<50	2.6	<20	5300	n/a	2	n/a	n/a	n/a
	12/28/1993	<3	n/a	4	68	<0.2	n/a	<0.1	<50		<20	3800	n/a	2	n/a	n/a	n/a
	3/29/1994	<3	n/a	5	102	<0.2	n/a	<0.1	<50	1	<20	5010	n/a	12	n/a	n/a	n/a
	6/29/1994	<3	n/a	<2	47	<0.2	n/a	<0.1	<50	<1	<20	2740	n/a	6	n/a	n/a	n/a
	9/30/1994	<3	n/a	3	52	<0.2	n/a	0.7	<50		<20	1690	n/a	10	n/a	n/a	n/a
	3/8/1995	<3	n/a	4	72	<0.2	n/a	<0.1	<50		<20	44	n/a	2	n/a	n/a	n/a
	9/28/1995	<3	n/a	7	150	<0.2	n/a	0.4	<50		<20	3740	n/a	9	n/a	n/a	n/a
	4/1/1996	<3	n/a	<1	34	0.3	n/a	<0.1	<50		<20	2980	n/a	2	n/a	n/a	n/a
	9/26/1996	<3	n/a	<1	25	<0.2	n/a	<0.1	<50		<20	4180	n/a	<1	n/a	n/a	n/a
	3/20/1997	<3	n/a	<1	28	<0.2	n/a	<0.1	<80		<20	3060	n/a	<1	n/a	n/a	n/a
	8/28/1997	<3	n/a	<1	47	<0.2	n/a	<0.1	<80		<20	2480	n/a	<1	n/a	n/a	n/a
	3/25/1998	<3	n/a	<1	38	<0.2	n/a	<0.1	<80	<1	<30	2550	n/a	4	n/a	n/a	n/a
	9/21/1998	<3	n/a	3	30	<0.2	n/a	<0.1	<80	<1	<30	2720	n/a	<1	n/a	n/a	n/a
	3/25/1999	<3	n/a	5	40	<0.2	n/a	<0.1	<80	3	<30	5420	n/a	<1	n/a	n/a	n/a
	9/29/1999	<3	n/a	4	21	<0.2	n/a	<0.1	<80	<1	<30	4160	n/a	<1	n/a	n/a	n/a
	3/21/2000	n/a	n/a	4	33	<0.2	n/a	n/a	n/a	n/a	<10	n/a	n/a	2	n/a	n/a	n/a
	9/21/2000	n/a	n/a	3	31	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	3/29/2001	n/a	n/a	4	19	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/31/2001	n/a	n/a	3	21	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/26/2002	n/a	n/a	4	23	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/26/2002	n/a	n/a	<1	25	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	3/10/2003	n/a	n/a	4	25	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/29/2003	n/a	n/a	5	26	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/12/2004	n/a	n/a	3	23	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/9/2004	n/a	n/a	5	34	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/25/2005	n/a	n/a	5	23	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/9/2005	n/a	n/a	5.2	32	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	2/23/2006	n/a	n/a	3	24	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/11/2006	n/a	n/a	<1	39	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/21/2007	n/a	n/a	<1	25	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/8/2007	n/a	n/a	<1	30	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/7/2008	n/a	n/a	4	26	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/15/2008	n/a	n/a	<1	35	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/11/2009	n/a	n/a	2	34	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	8/7/2009	n/a	n/a	3	37	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/11/2010	n/a	n/a	4	34	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/17/2010	n/a	n/a	7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2011	n/a	n/a	6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/24/2011	n/a	n/a	7.64	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/7/2012	n/a	n/a	5.25	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/14/2012	n/a	n/a	2.91	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/15/2013	n/a	n/a	3.07	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/6/2013	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/18/2014	n/a	n/a	2.73	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/20/2014	n/a	n/a	6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/11/2015	n/a	n/a	4.27	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/27/2015	n/a	n/a	4.66	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/9/2016	n/a	n/a	3.9	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/22/2016	n/a	n/a	5.94	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2017	n/a	n/a	2.82	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/28/2017	n/a	n/a	6.61	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/6/2018	n/a	n/a	4.16	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/21/2018	n/a	n/a	5.75	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/4/2019	n/a	n/a	4.5	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	9/16/2019	<2	<100	3.04	31	<2	61000	<1	0.563	1.21	2.11	499	2500	0.281	7030	1550	n/a
	11/13/2019	<2	n/a	5.92	50.3	<2	n/a	<1	0.151	1.29	2.04	n/a	n/a	<1	n/a	n/a	n/a
	2/25/2020	<2	n/a	5.07	44.1	<2	n/a	<1	0.307	1.63	0.142	n/a	n/a	<1	n/a	n/a	n/a
	5/11/2020	<2	n/a	5.68	51.5	<2	n/a	<1	0.296	0.0018	0.194(J)	n/a	n/a	<1	n/a	n/a	n/a
	8/4/2020	<2	n/a	5.5	55.6	<2	n/a	<1	0.288	0.00155	0.127	n/a	n/a	<1	n/a	n/a	n/a
	11/3/2020	<2	n/a	6.12	60.5	<2	n/a	<1	3.81	0.00166	1.36	n/a	n/a	0.096	n/a	n/a	n/a
	2/23/2021	<2	n/a	6.51	74.5	<0.25	n/a	<0.25	0.424	2.56	0.222(J)	n/a	n/a	<0.088(J)	n/a	n/a	<0.2
	5/12/2021	<2	n/a	4.64	44	<0.26	n/a	<0.26	0.123(J)	1.37	<0.395	n/a	n/a	<0.26	n/a	n/a	<0.2
	8/24/2021	<2	n/a	5.67	52.2	<0.26	n/a	<0.26	0.513	1.5	0.134	n/a	n/a	0.091	n/a	n/a	<0.2
	11/9/2021	<2	n/a	6.47	71	<0.26	n/a	<0.26	0.338	1.89	<0.395	n/a	n/a	<0.26	n/a	n/a	<0.2
	3/3/2022	<2	n/a	6.46	62.6	<0.26	n/a	<0.26	0.4	2.77	<0.395	n/a	n/a	<0.26	n/a	n/a	<0.2
	5/23/2022	<2.08	n/a	6.02	79.7	<0.260	n/a	<0.260	0.58	2.85	0.213	n/a	n/a	0.154	n/a	n/a	<0.200
	8/25/2022	<2.08	n/a	4.86	51.2	<0.260	n/a	<0.260	0.348	1.49	0.158	n/a	n/a	0.129	n/a	n/a	<0.200
	3/14/2023	<2.08	n/a	4.5	47.8	<0.260	n/a	<0.260	0.174	1.4	<0.395	n/a	n/a	<0.26	n/a	n/a	<0.200
	8/15/2023	1.44	n/a	4.65	50.2	<0.260	n/a	<0.260	0.368	1.63	<0.395	n/a	n/a	<0.26	n/a	n/a	<0.200
	3/6/2024	0.697	n/a	5.95	51.8	<0.260	n/a	<0.260	0.369	1.68	1.23	n/a	n/a	<0.26	n/a	n/a	<0.200
	8/23/2024	<2.08	n/a	7.89	66.2	<0.260	n/a	<0.260	0.256	1.72	0.575	n/a	n/a	<0.26	n/a	n/a	<0.200
	3/7/2025	<2.08	n/a	5.43	56	<0.260	n/a	<0.260	<0.260	1.72	<0.520	n/a	n/a	<0.26	n/a	n/a	<0.200
	8/19/2025	<2.08	n/a	7.51	79	<0.260	n/a	<0.260	0.0759	1.88	<0.520	n/a	n/a	0.182	n/a	n/a	<0.200
	3/17/2026	<2.08	n/a	5.77	62.1	<0.260	n/a	<0.260	0.278	1.76	0.243	n/a	n/a	<0.416	n/a	n/a	<0.200
MW-6S	d																
	5/11/2020	<2	n/a	0.217(J)	15.1	<2	n/a	<1	0.413	0.000693	0.344(J)	n/a	n/a	0.091(J)	n/a	n/a	n/a
	2/23/2021	<2	n/a	0.089(J)	13.8	<0.25	n/a	<0.25	0.355	0.057(J)	0.75	n/a	n/a	<0.25	n/a	n/a	<0.2
	5/12/2021	<2	n/a	0.125(J)	14.4	<0.26	n/a	<0.26	0.185(J)	0.089(J)	0.287(J)	n/a	n/a	<0.26	n/a	n/a	<0.2
	8/24/2021	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	11/9/2021	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	3/3/2022	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	11/28/2022	n/a	n/a	0.278	19.9	n/a	n/a	n/a	0.485	0.133(J)	0.486	n/a	n/a	0.639	n/a	n/a	n/a
	11/17/2023	n/a	n/a	0.655	22.3	n/a	n/a	n/a	4.05	0.636	4.67	n/a	n/a	9.25	n/a	n/a	n/a
	6/28/2024	n/a	n/a	5.34	45.2	0.72	n/a	0.707	8.35	5.07	45.6	n/a	n/a	98.8	n/a	n/a	n/a
	8/23/2024	n/a															

First Quarter 2026
Historical Database

Page 6 of 24

Elemental Environmental Solutions

First Quarter 2026

Historical Database

		Sb (ug/l)	Al (ug/l)	As (ug/l)	Ba (ug/l)	Be (ug/l)	Ca (ug/l)	Cd (ug/l)	Cr (ug/l)	Co (ug/l)	Cu (ug/l)	Fe (ug/l)	K (ug/l)	Pb (ug/l)	Mg (ug/l)	Mn (ug/l)	Hg (ug/l)
MW-8	d																
	12/23/1992	<3	n/a		1	52 <0.2	n/a		2.8 <50		1 <20	650 n/a		10 n/a	n/a	n/a	n/a
	1/28/1993	<3	n/a		5	139 <0.2	n/a		1.2 <50	<1	<20	920 n/a		7 n/a	n/a	n/a	n/a
	2/18/1993	<3	n/a		3	56	3.7 n/a	<0.1	<50	<1	<20	2520 n/a		6 n/a	n/a	n/a	n/a
	3/10/1993	<3	n/a		2	79 <0.2	n/a	<0.1	<50		2.7 <20	3930 n/a		4 n/a	n/a	n/a	n/a
	12/28/1993	<3	n/a		5	146 <0.2	n/a		0.1 <50		3 <20	3600 n/a	<1	n/a	n/a	n/a	n/a
	3/29/1994	<3	n/a		4	134 <0.2	n/a	<0.1	<50	<1	<20	3400 n/a		5 n/a	n/a	n/a	n/a
	6/29/1994	<3	n/a		3	96 <0.2	n/a		0.1 <50	<1	<20	2200 n/a		8 n/a	n/a	n/a	n/a
	9/30/1994	<3	n/a		3	62 <0.2	n/a		0.7 <50		5 <20	600 n/a		8 n/a	n/a	n/a	n/a
	3/8/1995	<3	n/a		3	148 <0.2	n/a	<0.1	<50		5 <20	1680 n/a		2 n/a	n/a	n/a	n/a
	9/28/1995	<3	n/a		8	211 <0.2	n/a	<0.1	<50		4 <20	4380 n/a		9 n/a	n/a	n/a	n/a
	4/1/1996	<3	n/a	<1		90 <0.2	n/a	<0.1	<50		4 <20	1880 n/a		2 n/a	n/a	n/a	n/a
	9/26/1996	<3	n/a	<1		65 <0.2	n/a	<0.1	<50		4 <20	4890 n/a	<1	n/a	n/a	n/a	n/a
	3/20/1997	<3	n/a	<1		56 <0.2	n/a	<0.1	<80		2 <20	1450 n/a	<1	n/a	n/a	n/a	n/a
	8/28/1997	<3	n/a	<1		120 <0.2	n/a	<0.1	<80		5 <20	1020 n/a	<1	n/a	n/a	n/a	n/a
	3/25/1998	<3	n/a	<1		91 <0.2	n/a	<0.1	<80		2 <30	760 n/a		3 n/a	n/a	n/a	n/a
	9/21/1998	<3	n/a		5	37 <0.2	n/a	<0.1	<80		1 <30	1960 n/a	<1	n/a	n/a	n/a	n/a
	3/25/1999	<3	n/a		4	71 <0.2	n/a	<0.1	<80		4 <30	1470 n/a	<1	n/a	n/a	n/a	n/a
	9/29/1999	<3	n/a		4	33 <0.2	n/a	<0.1	<80	<1	<30	870 n/a	<1	n/a	n/a	n/a	n/a
	3/21/2000	n/a	n/a		3	51 <0.2	n/a	n/a	n/a	n/a	<10	n/a		2 n/a	n/a	n/a	n/a
	9/21/2000	n/a	n/a		4	57 <0.2	n/a	n/a	n/a	n/a	<20	n/a		1 n/a	n/a	n/a	n/a
	3/29/2001	n/a	n/a		3	28 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	8/31/2001	n/a	n/a		3	29 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	2/26/2002	n/a	n/a		3	35 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	8/26/2002	n/a	n/a	<1		27 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	3/10/2003	n/a	n/a		2	31 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	8/29/2003	n/a	n/a		2	34 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	2/12/2004	n/a	n/a	<1		36 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	8/9/2004	n/a	n/a		2	32 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	2/25/2005	n/a	n/a		2.4	38 <0.2	n/a	n/a	n/a	n/a	<20	n/a		1.1 n/a	n/a	n/a	n/a
	8/9/2005	n/a	n/a		2.5	29 <0.2	n/a	n/a	n/a	n/a	<20	n/a		2 n/a	n/a	n/a	n/a
	2/23/2006	n/a	n/a		3	28 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	8/11/2006	n/a	n/a	<1		31 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	2/21/2007	n/a	n/a		2	26	0.2 n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	8/8/2007	n/a	n/a	<1		28 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	2/7/2008	n/a	n/a		5	25 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	8/15/2008	n/a	n/a		2	24 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	2/11/2009	n/a	n/a	<1		31 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	8/7/2009	n/a	n/a		3	30 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	2/11/2010	n/a	n/a		3	43 <0.2	n/a	n/a	n/a	n/a	<20	n/a		<1	n/a	n/a	n/a
	8/17/2010	n/a	n/a		2 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	2/22/2011	n/a	n/a		6 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	8/24/2011	n/a	n/a		4.14 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	2/7/2012	n/a	n/a		5.42 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	8/14/2012	n/a	n/a		1.8 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	2/15/2013	n/a	n/a		3.63 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	8/6/2013	n/a	n/a	<1		n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	2/18/2014	n/a	n/a		2.82 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	8/20/2014	n/a	n/a		3 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	2/11/2015	n/a	n/a		4.44 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	8/27/2015	n/a	n/a		2.23 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	2/9/2016	n/a	n/a		2.03 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	8/22/2016	n/a	n/a		1.59 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	2/22/2017	n/a	n/a	<1		n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	8/28/2017	n/a	n/a		2.04 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	2/6/2018	n/a	n/a		2.36 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	8/21/2018	n/a	n/a		1.7 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	2/4/2019	n/a	n/a		2.65 n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	9/16/2019	<2	<100		1.2	45 <2		197000	<1	0.606	1.09	2.81	238	1780	0.242	18100	779 n/a
	11/13/2019	<2	n/a		3.12	35.2 <2	n/a		0.215	0.437	1.06	0.259 n/a		0.166	n/a	n/a	n/a
	2/25/2020	<2	n/a		2.51	48.5 <2	n/a		0.044	0.362	0.887	0.16 n/a		<1	n/a	n/a	n/a
	5/11/2020	<2	n/a		1.95	47.7 <2	n/a		0.047(J)	0.346	0.479	0.424 n/a		<1	n/a	n/a	n/a
	8/4/2020	<2	n/a		1.76	46.5 <2	n/a		6.4E-05(J)	0.289	0.000819	0.142(J)		<1	n/a	n/a	n/a
	11/3/2020	<2	n/a		2.37	45.6 <2	n/a		6.80E-05	0.338	0.00135	0.15 n/a		<1	n/a	n/a	n/a
	2/23/2021	<2	n/a		4.67	31.4 <0.25	n/a	<0.25	0.498	0.986	0.975 n/a			<0.25	n/a	n/a	0.0175(J)
	5/12/2021	<2	n/a		4.47	25.5 <0.26	n/a	<0.26	0.287	0.798	0.126(J)	n/a		<0.26	n/a	n/a	<0.2
	8/24/2021	<2	n/a		3.76	36.4 <0.26	n/a		0.061	0.326	0.983	0.537 n/a		<0.26	n/a	n/a	<0.2
	11/9/2021	<2	n/a		3.89	30.9 <0.26	n/a		0.052	0.501	0.821	0.16 n/a		<0.26	n/a	n/a	<0.2
	3/3/2022	<2	n/a		3.54	48.9 <0.26	n/a		0.07	0.45	1.26	<0.395 n/a		<0.26	n/a	n/a	<0.2
	5/23/2022	<2.08	n/a		4.54	25.9 <0.260	n/a	<0.260	0.519	0.148(J)	<0.148	n/a		<0.260	n/a	n/a	<0.200
	3/14/2023	<2.08	n/a		2.23	48 <0.260	n/a		0.038	0.202	0.536	0.127 n/a		<0.260	n/a	n/a	<0.200
	8/15/2023	0.57	n/a		1.46	50.5 <0.260	n/a		0.085	0.389	0.969	<0.520 n/a		<0.416	n/a	n/a	<0.200
	3/6/2024	<2.08	n/a		3.18	43.9 <0.260	n/a		0.091	2.52	1.6	1.51 n/a		1.07	n/a	n/a	<0.200
	8/23/2024	<2.08	n/a		3.84	59 <0.260	n/a		0.116	1.44	1.32	1.09 n/a		1.29	n/a	n/a	<0.200
	3/7/2025	<2.08	n/a		4.88	36.2 <0.260	n/a		0.085	0.218	2.35	0.286 n/a		0.494	n/a	n/a	<0.200
	8/19/2025	<2.08	n/a		1.74	52.5 <0.260	n/a		0.075	<0.260	1.05	0.211 n/a		<0.416	n/a	n/a	<0.200
	3/17/2026	<2.08	n/a		3.39	69.1 <0.260	n/a		0.079	0.641	1.05	0.942 n/a		0.904	n/a	n/a	<0.200
MW-8S	d																
	5/11/2020	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	8/4/2020	<2	n/a	0.149(J)		18.1 <2	n/a	<1	0.423	0.00119	0.458 n/a			<1	n/a	n/a	n/a
	2/23/2021	<2	n/a	0.101(J)		19.2 <0.25	n/a	<0.25	0.621	0.102(J)	0.836 n/a			<0.25	n/a	n/a	0.025(J)
	5/12/2021	<2	n/a	0.114(J)		18.2 <0.26	n/a	<0.26	0.194(J)	0.07(J)	0.234(J)	n/a		<0.26	n/a	n/a	<0.2
	8/24/2021	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	11/9/2021	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	3/3/2022	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	n/a	n/a
	11/28/2022	n/a	n/a	0.116(J)		20.6 n/a	n/a	n/a	0.401	0.064(J)	0.279(J)	n/a		n/a	n/a	n/a	n/a
	3/14/2023	n/a	n/a	0.109		19.5 n/a	n/a	n/a		0.374	0.067	0.675 n/a			0.111	n/a	n/a
	11/17/2023	n/a	n/a	0.14		20 n/a	n/a		0.042	1.12	0.126	0.542 n/a		<0.416	n/a	n/a	n/a
	6/28/2024	n/a	n/a	0.297		22.3 n/a	n/a		0.086	1.99	0.322	1.59 n/a			0.684	n/a	

First Quarter 2026
Historical Database

			Ni (ug/l)	Se (ug/l)	Ag (ug/l)	Na (ug/l)	Tl (ug/l)	Sr (ug/l)	Va (ug/l)	Zn (ug/l)	Fluoride (ug/l)	Chloride (ug/l)	Cyanide (ug/l)	Sulfate (ug/l)	Sulfate (ug/l)	TDS (ug/l)	pH (SU)	Spec. Cond. (umms/cm)	Turb (NTU)
MW-8	d	12/23/1992	<40	<2	<0.2	n/a	<1	n/a	4	80	490	21200	<5	n/a	32000	300000	7.38	465	19.6
		1/28/1993	<40	<2	<0.2	n/a	<1	n/a	<4	90	460	24600	<5	n/a	39200	308000	7.24	532	11.5
		2/18/1993	<40	<2	<0.2	n/a	<1	n/a	7	60	460	17600	<5	n/a	50000	267000	6.88	447	21.2
		3/10/1993	<40	<2	0.5	n/a	<1	n/a	12	20	390	14100	<5	n/a	35100	226000	6.82	454	41.2
		12/28/1993	<40	<2	<0.2	n/a	<1	n/a	14	40	340	25100	<5	n/a	38500	262000	6.74	403	20.6
		3/29/1994	<40	<2	1.2	n/a	<1	n/a	9	<10	430	14000	<5	n/a	37000	262000	7.43	390	11.1
		6/29/1994	<40	<2	0.7	n/a	<1	n/a	<4	<10	180	16400	<5	n/a	35900	264000	6.74	394	30.6
		9/30/1994	<40	<2	<0.2	n/a	<1	n/a	<4	50	220	20000	<5	n/a	47000	319000	7.04	485	9
		3/8/1995	<30	<2	2.4	n/a	<1	n/a	5	<10	400	36000	<5	n/a	171000	584000	6.58	836	12
		9/28/1995	<30	4	<2	n/a	<1	n/a	8	<10	340	43300	<5	n/a	234000	668000	6.67	977	27
		4/1/1996	<50	<2	<2	n/a	<1	n/a	<2	<10	360	31300	<5	n/a	160000	447000	6.65	658	2.03
		9/26/1996	<50	<2	<2	n/a	<1	n/a	<2	<10	400	51900	<5	n/a	146000	608000	6.7	1048	38.3
		3/20/1997	<40	<2	<2	n/a	<1	n/a	<4	<10	440	31300	<5	n/a	128000	443000	6.56	669	4.8
		8/28/1997	<40	<2	<2	n/a	<1	n/a	11	20	400	45400	<5	n/a	292000	730000	6.35	1059	4.23
		3/25/1998	<40	<2	<2	n/a	<1	n/a	6	<10	240	39400	<5	n/a	171000	667000	6.57	818	3.64
		9/21/1998	<40	<2	<2	n/a	<1	n/a	<4	<10	360	27200	<5	n/a	95900	420000	6.13	589	2.66
		3/25/1999	<40	<2	<2	n/a	<1	n/a	<4	<10	260	38000	<5	n/a	193000	592000	6.16	711	5.26
		9/29/1999	<40	<2	<2	n/a	<1	n/a	<4	<10	290	34100	<20	n/a	168000	551000	6.54	388	16.1
		3/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	310	n/a	<20	n/a	n/a	n/a	6.46	1167	18.4
		9/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	346	n/a	<20	n/a	n/a	n/a	6.71	958	3.75
		3/29/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	230	n/a	<20	n/a	n/a	n/a	6.51	922	4.88
		8/31/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	310	n/a	<20	n/a	n/a	n/a	7.62	791	4.55
		2/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	330	n/a	<5	n/a	n/a	n/a	6.44	972	1.32
		8/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	230	n/a	<5	n/a	n/a	n/a	6.69	1003	1.3
		3/10/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	620	n/a	<5	n/a	n/a	n/a	6.52	1078	0.99
		8/29/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	390	n/a	<5	n/a	n/a	n/a	6.58	1445	2.59
		2/12/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	240	n/a	<5	n/a	n/a	n/a	6.5	1568	3.24
		8/9/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	380	n/a	<5	n/a	n/a	n/a	6.6	1396	3.68
		2/25/2005	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	414	n/a	<5	n/a	n/a	n/a	8.18	1123	2.06
		8/9/2005	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	403	n/a	<5	n/a	n/a	n/a	6.61	1200	2.86
		2/23/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	400	n/a	<5	n/a	n/a	n/a	6.83	1163	2.15
		8/11/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	470	n/a	<5	n/a	n/a	n/a	6.95	798	3.39
		2/21/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	403	n/a	<5	n/a	n/a	n/a	6.52	781	0.76
		8/8/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	370	n/a	<5	n/a	n/a	n/a	6.67	897	1.83
		2/7/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<100	n/a	<5	n/a	n/a	n/a	6.59	738	1.47
		8/15/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	430	n/a	<5	n/a	n/a	n/a	6.66	550	1.94
		2/11/2009	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	409	n/a	<5	n/a	n/a	n/a	6.61	916	2.37
		8/7/2009	n/a	4	<0.5	n/a	n/a	n/a	n/a	<10	345	n/a	<5	n/a	n/a	n/a	5.7	896	4.85
		2/11/2010	n/a	<2	<0.5	n/a	n/a	n/a	n/a	<10	338	n/a	<5	n/a	n/a	n/a	6.55	1116	4.77
		8/17/2010	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	382	n/a	<5	n/a	n/a	n/a	6.8	810	3.75
		2/22/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	590	n/a	<2	n/a	n/a	n/a	6.43	701	3.38
		8/24/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	347	n/a	<2	n/a	n/a	n/a	6.52	1019	4.48
		2/7/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	501	n/a	<2	n/a	n/a	n/a	6.32	803	2.96
		8/14/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	489	n/a	<2	n/a	n/a	n/a	6.52	931	5.02
		2/15/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	366	n/a	<5	n/a	n/a	n/a	6.85	689	4.98
		8/6/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	578	n/a	<5	n/a	n/a	n/a	6.34	807	5.03
		2/18/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	414	n/a	<5	n/a	n/a	n/a	6.64	1242	17.3
		8/20/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	338	n/a	8	n/a	n/a	n/a	5.99	1090	4.66
		2/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	380	n/a	<5	n/a	n/a	n/a	6.7	1198	4.59
		8/27/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	304	n/a	8	n/a	n/a	n/a	6.56	801	3.78
		2/9/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	312	n/a	<5	n/a	n/a	n/a	6.61	1108	3.18
		8/22/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	368	n/a	<5	n/a	n/a	n/a	6.62	1353	3.19
		2/22/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	348	n/a	<5	n/a	n/a	n/a	6.34	1182	4.42
		8/28/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	457	n/a	<5	n/a	n/a	n/a	6.62	1291	3.18
		2/6/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	513	n/a	<5	n/a	n/a	n/a	6.74	1130	1.61
		8/21/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	386	n/a	<5	n/a	n/a	n/a	6.55	1214	1.12
		2/4/2019	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	361	n/a	<5	n/a	n/a	n/a	6.65	1110	2.59
		9/16/2019	1.74	<2	<2	48700	<2	0.463	0.239	4.25	407	n/a	<5	<50	n/a	n/a	6.56	1192	1.31
		11/13/2019	1.26	<2	0.109	n/a	0.141	<2	0.602	<10	341	n/a	<5	<50	n/a	n/a	6.34	860	0.41
		2/25/2020	2.57	<2	<2	n/a	<2	<2	0.163	8.19	304	n/a	<5	22	n/a	n/a	6.8	1058	1.95
		5/11/2020	1.15	<2	<2	n/a	<2	<2	0.224(J)	9.86(J)	360	n/a	<5	<50	n/a	n/a	6.76	1006	1.41
		8/4/2020	1.46	<2	<2	n/a	<2	<2	0.203(J)	<10	402	n/a	<5	<50	n/a	n/a	6.58	901	1.11
		11/3/2020	1.07	<2	<2	n/a	<2	<2	0.168	<10	416	n/a	<5	<50	n/a	n/a	6.55	944	1.69
		2/23/2021	1.23	<5	<0.3	n/a	<0.25	<20	0.379	<20	393	n/a	<5	<150	n/a	n/a	6.82	701	1.88
		5/12/2021	1.94	<5.2	<0.312	n/a	<0.26	<20.8	0.378	<20	379	n/a	<5	<150	n/a	n/a	6.59	563	0.87
		8/24/2021	1.64	<5.2	<0.312	n/a	<0.26	<20.8	0.304	7.14	375	n/a	<5	<150	n/a	n/a	6.67	414	1.09
		11/9/2021	1.41	<5.2	<0.312	n/a	<0.26	<20.8	0.279	<20.8	550	n/a	<5	<150	n/a	n/a	6.53	727	0.61
		3/3/2022	0.91	<5.2	<0.312	n/a	<0.26	<20.8	0.215	<20.8	445	n/a	<5	<150	n/a	n/a	6.57	904	2.39
		5/23/2022	1.49	<5.20	<0.312	n/a	<0.260	<20.8	0.335	<20.8	473	n/a	<5	<150	n/a	n/a	6.61	503	0.98
		3/14/2023	1.17	<5.20	<0.312	n/a	<0.260	<20.8	0.194	<20.8	442	n/a	4	<150	n/a	n/a	6.98	1127	7.51
		8/15/2023	1.4	<5.20	<0.312	n/a	<0.260	<20.8	0.145	<20.8	444	n/a	<5	<150	n/a	n/a	6.69	1305	3.53
		3/6/2024	2.11	<5.20	<0.312	n/a	<0.260	1.75	5.59	6.64	302	n/a	<5	<150	n/a	n/a	6.99	442	38.3
		8/23/2024	2.74	<5.20	<0.312	n/a	<0.260	<20.8	3.42	7.15	1710	n/a	2	<150	n/a	n/a	6.7	794	18.7
		3/7/2025	2.06	<5.20	<0.312	n/a	<0.260	<20.8	0.643	<20.8	791	n/a	<5	<150	n/a	n/a	6.45	948	10.03
		8/19/2025	1.22	<5.20	<0.312	n/a	<0.260	<20.8	0.656	<20.8	830	n/a	<5	<150	n/a	n/a	6.47	1256	1.11
		3/17/2026	1.73	<5.20	<0.312	n/a	0.043	<20.8	1.46	<20.8	575	n/a	<5	<150	n/a	n/a	6.75	1206	20.99
MW-8S	d	5/11/2020	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	449	n/a	<5	<50	n/a	n/a	7.17	2090	0.48
		8/4/2020	0.68	7.41	<2	n/a	<2	<2	1.78	5.33	504	n/a	<5	<50	n/a	n/a	7.06	1505	2.29
		2/23/2021																	

Elemental Environmental Solutions

First Quarter 2026

Historical Database

		Sb (ug/l)	Al (ug/l)	As (ug/l)	Ba (ug/l)	Ba (ug/l)	Ca (ug/l)	Ca (ug/l)	Cr (ug/l)	Co (ug/l)	Cu (ug/l)	Fe (ug/l)	K (ug/l)	Pb (ug/l)	Mg (ug/l)	Mn (ug/l)	Hg (ug/l)
MW-10	u																
	7/20/1994	<3	n/a	<1		313	<0.2	n/a	<0.1	<50		22	<20		4330	n/a	
	7/20/1994	<3	n/a	<1		436	<0.2	n/a	<0.1	<50		12	<20		8000	n/a	
	7/20/1994	<3	n/a	<1		393	<0.2	n/a	<0.1	<50		28	<20		4570	n/a	
	7/20/1994	<3	n/a	<1		350	<0.2	n/a	<0.1	<50		26	<20		4190	n/a	
	9/30/1994	<3	n/a	<1		124	<0.2	n/a	<0.1	<50		21	<20		1570	n/a	
	3/8/1995	<3	n/a	<1		155	<0.2	n/a	<0.1	<50		22	<20		3020	n/a	
	9/28/1995	<3	n/a	<1		241	<0.2	n/a	<0.1	<50		23	20		41400	n/a	
	4/1/1996	<3	n/a	<1		90	<0.2	n/a	<0.1	<50		18	<20		19900	n/a	
	9/26/1996	<3	n/a	<1		176	<0.2	n/a	<0.1	<50		23	<20		37300	n/a	
	8/28/1997	<3	n/a	<1		109	<0.2	n/a	<0.1	<50		10	<20		32000	n/a	
	3/25/1998	<3	n/a	<1		35	<0.2	n/a	<0.1	<80		8	<30		460	n/a	
	9/21/1998	<3	n/a	<1		14	<0.2	n/a	<0.1	<80	<1				900	n/a	
	3/25/1999	<3	n/a	<1		51	<0.2	n/a	<0.1	<80		2	<30		970	n/a	
	9/29/1999	<3	n/a	<1		34	<0.2	n/a	<0.1	<80	<1				300	n/a	
	3/21/2000	n/a	n/a	<1		17	<0.2	n/a	n/a	n/a	n/a	<10	n/a		n/a	n/a	
MW-12	u																
	9/28/1995	<3	n/a	<1		61	<0.2	n/a	<0.1	<50	<1		<20		1810	n/a	
	10/27/1995		3	n/a		68	<0.2	n/a	<0.1	<50		3	<20		2080	n/a	
	11/29/1995	<3	n/a	<2		106	<0.2	n/a	<0.1	<50		3	<30		2380	n/a	
	12/27/1995	<3	n/a	<1		147	<0.2	n/a	<0.1	<50	<1		<20		2370	n/a	
	4/1/1996	<3	n/a	<1		96	0.2	n/a	<0.1	<50		4	<20		3770	n/a	
	9/26/1996	<3	n/a	<1		97	<0.2	n/a	<0.1	<50		8	<20		7900	n/a	
	3/20/1997	<3	n/a	<1		26	<0.2	n/a	<0.1	<80	<1		<20		3190	n/a	
	8/28/1997	<3	n/a	<1		34	<0.2	n/a	<0.1	<80		2	<30		3260	n/a	
	3/25/1998	<3	n/a	<1		26	<0.2	n/a	<0.1	<80	<1		<30		3430	n/a	
	9/21/1998	<3	n/a	<1		18	<0.2	n/a	<0.1	<80	<1		<30		3330	n/a	
	3/25/1999	<3	n/a	<1		39	<0.2	n/a	<0.1	<80		2	<30		3040	n/a	
	9/29/1999	<3	n/a	<1		15	<0.2	n/a	<0.1	<80	<1		<30		2520	n/a	
	3/21/2000	n/a	n/a	<1		17	<0.2	n/a	n/a	n/a	n/a	<10	n/a		n/a	n/a	
	9/21/2000	n/a	n/a	<1		24	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	3/29/2001	n/a	n/a	<1		13	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	8/31/2001	n/a	n/a	<1		15	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	2/26/2002	n/a	n/a	<1		14	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	8/26/2002	n/a	n/a	<1		16	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	3/10/2003	n/a	n/a	<1		16	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	8/29/2003	n/a	n/a	<1		14	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	2/12/2004	n/a	n/a	<1		1.3	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	8/10/2004	n/a	n/a	<1		13	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	2/25/2005	n/a	n/a		1	15	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	8/9/2005	n/a	n/a	<1		13	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	2/21/2006	n/a	n/a	<1		11	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	8/11/2006	n/a	n/a	<1		14	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	2/21/2007	n/a	n/a	<1		13	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	8/8/2007	n/a	n/a	<1		35	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	2/7/2008	n/a	n/a	<1		14	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	8/14/2008	n/a	n/a	<1		15	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	2/11/2009	n/a	n/a	<1		13	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	8/7/2009	n/a	n/a	<1		20	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	2/11/2010	n/a	n/a	<1		14	<0.2	n/a	n/a	n/a	n/a	<20	n/a		n/a	n/a	
	8/17/2010	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	2/22/2011	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	8/24/2011	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	2/7/2012	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	8/14/2012	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	2/15/2013	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	8/6/2013	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	2/18/2014	n/a	n/a	<1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	8/20/2014	n/a	n/a	<0.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	2/11/2015	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	8/27/2015	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	2/9/2016	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	8/22/2016	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	2/22/2017	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	8/28/2017	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	2/6/2018	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	8/21/2018	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	2/4/2019	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a		n/a	n/a	
	9/16/2019	<2	12.8	<2		7.23	<2		33700	<1	<2	<2	2.09	367	3250	0.346	3820
	11/13/2019	<2	n/a		0.159	13.3	<2	n/a		<1	2.23	0.107	0.24	n/a	n/a	0.127	n/a
	2/25/2020	<2	n/a		0.0061	12.8	<2	n/a		<1	1.2	0.076	0.177	n/a	n/a	<1	n/a
	5/11/2020	<2	n/a		0.111	12.9	<2	n/a		<1	1.5	0.179	0.169	n/a	n/a	0.119	n/a
	8/4/2020	<2	n/a	0.072(J)		15.3	<2	n/a		<1	0.487	6E-05(J)	0.144(J)	n/a	n/a	<1	n/a
	11/3/2020	<2	n/a	0.072		13.8	<2	n/a		<1	0.445	7.30E-05	<20	n/a	n/a	0.127	n/a
	8/23/2021	<2	n/a	0.064(J)		12.4	<0.25	n/a		<0.25	0.78	0.09(J)	0.261(J)	n/a	n/a	0.093(J)	n/a
	5/12/2021	<2	n/a	0.074(J)		12.3	<0.26	n/a		<0.26	1.77	0.128(J)	0.298(J)	n/a	n/a	0.222(J)	n/a
	8/24/2021	<2	n/a	<0.250		12.6	<0.26	n/a		<0.26	0.756	0.173	0.115	n/a	n/a	<0.250	n/a
	11/9/2021	<2	n/a	0.079		14.2	<0.26	n/a		<0.26	1.5	0.123	0.483	n/a	n/a	0.105	n/a
	3/3/2022	<2	n/a	0.067		12.6	<0.26	n/a		<0.26	0.785	0.112	0.607	n/a	n/a	0.099	n/a
	5/23/2022	<2.08	n/a	<0.260		14.5	<0.260	n/a		<0.260	0.78	0.113	0.153(J)	n/a	n/a	<0.260	n/a
	8/25/2022	<2.08	n/a	<0.260		15.1	<0.260	n/a		<0.260	0.889	0.1	0.15	n/a	n/a	<0.260	n/a
	3/14/2023		0.62	n/a	0.054	12.7	<0.260	n/a		<0.260	0.847	0.149	<0.395	n/a	n/a	<0.260	n/a
	8/15/2023	0.617(J)	n/a	0.064(J)		11.4	<0.260	n/a		<0.260	1.21	0.188(J)	0.261(J)	n/a	n/a	<0.416	n/a
	3/6/2024		5.16	n/a	<0.260	11	<0.260	n/a		<0.260	0.414	0.091	0.401	n/a	n/a	0.19	n/a
	8/23/2024	<2.08	n/a	0.08		12.3	<0.260	n/a		<0.260	1.35	0.249	0.214	n/a	n/a	<0.416	n/a
	3/7/2025	<2.08	n/a	0.08		12.6	<0.260	n/a		<0.260	0.104	0.208	0.211	n/a	n/a	0.133	n/a
	8/19/2025	<2.08	n/a	<0.260		11.5	<0.260	n/a		<0.260	0.146	0.219	2.33	n/a	n/a	<0.416	n/a
	3/17/2026	<2.08	n/a	<0.260		15	<0.260	n/a		<0.260	0.295	0.257	0.804	n/a	n/a	<0.416	n/a

Elemental Environmental Solutions

First Quarter 2026 Historical Database

		N (ug/l)	Se (ug/l)	Ag (ug/l)	Na (ug/l)	Ti (ug/l)	Sh (ug/l)	Va (ug/l)	Zn (ug/l)	Fluoride (ug/l)	Chloride (ug/l)	Cyanide (ug/l)	Sulfide (ug/l)	Sulfate (ug/l)	TDS (ug/l)	pH (SU)	Spec. Cond. (umhos/cm)	Turb (NTU)
MW-10	u																	
	7/20/1994	<40	<2		14 n/a	<1	n/a	82	20	150	608000	<0.005	n/a	1076000	3054000	6.75	4050	17.9
	7/20/1994	<40	<2		13 n/a	<1	n/a	71	<10	200	634000	<0.005	n/a	1163000	3060000	7.06	4060	11.5
	7/20/1994	<40	<2		15 n/a	<1	n/a	89	<10	160	617000	<0.005	n/a	1121000	3024000	6.78	4070	14.7
	7/20/1994	<40	<2		15 n/a	<1	n/a	83	90	160	617000	<0.005	n/a	1101000	3078000	6.78	4100	14
	9/30/1994	<40	<2		8 n/a	<1	n/a	49	<10	<10	795000	<0.005	n/a	1430000	3710000	6.7	4900	17.9
	3/8/1995	<30	<2		32 n/a	<1	n/a	60	<10	200	874000	<0.005	n/a	1635000	4230000	6.59	5500	15
	9/28/1995	<30	<2		30 n/a	<1	n/a	62	<10	<10	930000	<0.005	n/a	1780000	4370000	6.57	5550	7.4
	4/1/1996	<50	<2	<2	n/a	1	n/a	39	<10	<100	678000	<0.005	n/a	1057000	3212000	6.57	4150	67.7
	9/26/1996	<50	<2		9 n/a	<1	n/a	168	30	<10	957000	0.011	n/a	1630000	4350000	6.59	5390	95.6
	8/28/1997	<50	<2		4 n/a	<1	n/a	44	<10	190	364000	<0.005	n/a	745000	2150000	6.24	2620	209
	3/25/1998	<40	<2		9 n/a	<1	n/a	29	<10	<100	338000	<0.005	n/a	569000	1980000	6.51	2390	1.81
	9/21/1998	<40	<2	<2	n/a	<1	n/a	<4	<10	120	370000	<0.005	n/a	673000	1899000	6.33	2580	2.25
	3/25/1999	<40	<2	<2	n/a	<1	n/a	<4	<10	230	264000	<0.005	n/a	513000	1410000	6.07	1093	5.35
	9/29/1999	<40	<2	<2	n/a	<1	n/a	<4	<10	130	298000	<0.02	n/a	539000	1542000	6.37	626	8.47
	3/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	210	n/a	<0.02	n/a	n/a	n/a	6.4	1578	19.9
MW-12	u																	
	9/28/1995	<30	<2		2 n/a	<1	n/a	8	<10	230	9500	<5	n/a	61100	336000	7.27	468	15
	10/27/1995	<30	<2		3 n/a	<1	n/a	<2	<10	330	14900	<5	n/a	26400	235000	6.91	352	11.4
	11/29/1995	<40	<2	<2	n/a	<1	n/a	5	<10	290	13600	<5	n/a	30000	367000	6.98	493	10.8
	12/27/1995	<30	<2	<2	n/a	<1	n/a	3	<10	<100	12700	<5	n/a	30600	290000	7.01	424	8.38
	4/1/1996	<50	<2	<2	n/a	<1	n/a	<2	<10	190	14600	<5	n/a	46700	308000	7.02	435	13.33
	9/26/1996	<50	<2	<2	n/a	<1	n/a	<2	20	<10	10800	<5	n/a	20000	270000	6.95	416	51.1
	3/20/1997	<40	<2	<2	n/a	<1	n/a	<4	<10	220	13500	<5	n/a	25200	250000	6.56	360	9.2
	8/28/1997	<40	<2	<2	n/a	<1	n/a	<4	50	240	7060	<5	n/a	31700	233000	6.5	339	10.7
	3/25/1998	<40	<2	<2	n/a	<1	n/a	<4	<10	160	11200	<5	n/a	28500	282000	6.7	333	17.3
	9/21/1998	<40	<2	<2	n/a	<1	n/a	<4	<10	280	10200	<5	n/a	28600	226000	6.41	326	7.68
	3/25/1999	<40	<2	<2	n/a	<1	n/a	<4	<10	<100	10000	<5	n/a	29900	251000	5.86	315	19.9
	9/29/1999	<40	<2	<2	n/a	<1	n/a	<4	<10	194	10200	<20	n/a	26900	249000	6.56	225	11.73
	3/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	180	n/a	<20	n/a	n/a	n/a	6.42	207	28.5
	9/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	200	n/a	<20	n/a	n/a	n/a	6.63	344	8.11
	3/29/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	140	n/a	<20	n/a	n/a	n/a	6.1	340	12.8
	8/31/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<100	n/a	<20	n/a	n/a	n/a	6.76	341	4.34
	2/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	199	n/a	<5	n/a	n/a	n/a	6.46	316	6.17
	8/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	150	n/a	<5	n/a	n/a	n/a	6.69	322	5.45
	3/10/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<250	n/a	<5	n/a	n/a	n/a	6.64	321	22.1
	8/29/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	270	n/a	<5	n/a	n/a	n/a	6.6	335	6.56
	2/12/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	240	n/a	<5	n/a	n/a	n/a	6.5	321	4.01
	8/10/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	290	n/a	<5	n/a	n/a	n/a	6.8	314	6.94
	2/25/2005	n/a	2.3	<2	n/a	n/a	n/a	n/a	<10	286	n/a	<5	n/a	n/a	n/a	7.02	318	35.4
	8/9/2005	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	275	n/a	<5	n/a	n/a	n/a	6.63	398	9.97
	2/21/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	350	n/a	<5	n/a	n/a	n/a	6.84	310	4.83
	8/11/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	310	n/a	<5	n/a	n/a	n/a	6.83	225	3.28
	2/21/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	269	n/a	<5	n/a	n/a	n/a	6.45	316	1.28
	8/8/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	228	n/a	<5	n/a	n/a	n/a	6.59	306	2.23
	2/7/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<100	n/a	<5	n/a	n/a	n/a	6.57	252	3.26
	8/14/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	247	n/a	<5	n/a	n/a	n/a	6.6	225	3.53
	2/11/2009	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	238	n/a	<5	n/a	n/a	n/a	6.53	286	2.69
	8/7/2009	n/a	<2	<0.5	n/a	n/a	n/a	n/a	<10	198	n/a	<5	n/a	n/a	n/a	5.56	293	4.78
	2/11/2010	n/a	<2	<0.5	n/a	n/a	n/a	n/a	<10	191	n/a	<5	n/a	n/a	n/a	6.49	282	0.91
	8/17/2010	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	219	n/a	<5	n/a	n/a	n/a	6.72	250	0.85
	2/22/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	280	n/a	<2	n/a	n/a	n/a	6.37	296	0.47
	8/24/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	207	n/a	<2	n/a	n/a	n/a	6.31	276	0.59
	2/7/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	306	n/a	<2	n/a	n/a	n/a	6.32	279	2.63
	8/14/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	314	n/a	<2	n/a	n/a	n/a	6.54	298	0.38
	2/15/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	209	n/a	<5	n/a	n/a	n/a	6.69	177	3.62
	8/6/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	275	n/a	<5	n/a	n/a	n/a	6.3	326	0.97
	2/18/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	228	n/a	<5	n/a	n/a	n/a	6.53	302	0.73
	8/20/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	205	n/a	<5	n/a	n/a	n/a	6.26	291	1.9
	2/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	205	n/a	<5	n/a	n/a	n/a	6.69	299	0.95
	8/27/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	171	n/a	5	n/a	n/a	n/a	6.54	272	0.91
	2/9/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	312	n/a	<5	n/a	n/a	n/a	6.69	282	5.32
	8/22/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	206	n/a	<5	n/a	n/a	n/a	6.52	281	1.66
	2/22/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	203	n/a	<5	n/a	n/a	n/a	5.65	296	1.3
	8/28/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	281	n/a	<5	n/a	n/a	n/a	6.6	288	3.66
	2/6/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	283	n/a	<5	n/a	n/a	n/a	6.6	271	3.68
	8/21/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	208	n/a	<5	n/a	n/a	n/a	6.54	283	2.79
	2/4/2019	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	190	n/a	<5	n/a	n/a	n/a	6.52	293	2.24
	9/16/2019	1.78	<2	<2	15100	<2	<2	0.257	18.9	245	n/a	<5	<50	n/a	n/a	6.58	286	2.88
	11/13/2019	1.74	<2	<2	n/a	<2	<2	0.598	<10	181	n/a	<5	<50	n/a	n/a	6.71	291	2.26
	2/25/2020	1.06	<2	<2	n/a	<2	<2	0.216	16.9	182	n/a	<5	<50	n/a	n/a	6.62	292	1.08
	5/11/2020	9.12	<2	<2	n/a	<2	<2	0.397	<10	200	n/a	<5	53	n/a	n/a	6.42	284	2.18
	8/4/2020	0.65	<3	<2	n/a	<2	<2	0.135(J)	<10	258	n/a	<5	113	n/a	n/a	6.47	283	3.11
	11/3/2020	0.57	<3	<2	n/a	<2	<2	0.1	4.99	259	n/a	<5	128	n/a	n/a	6.59	321	1.88
	2/23/2021	0.59	<5	<0.3	n/a	<0.25	<20	0.293	<20	248	n/a	<5	<150	n/a	n/a	6.64	288	1.98
	5/12/2021	2.75	<5.2	<0.312	n/a	<0.26	<20.8	0.152(J)	7.9(J)	239	n/a	<5	<150	n/a	n/a	6.59	249	0.81
	8/24/2021	0.28	<5.2	<0.312	n/a	<0.26	<20.8	0.143	5.06	216	n/a	<5	<150	n/a	n/a	6.68	170.2	0.63
	11/9/2021	1	<5.2	<0.312	n/a	<0.26	<20.8	0.276	<20.8	364	n/a	<5	<150	n/a	n/a	6.55	299	0.43
	3/3/2022	0.63	<5.2	<0.312	n/a	<0.26	<20.8	0.118	<20.8	273	n/a	<5	<150	n/a	n/a	6.55	277	1.09
	5/23/2022	0.42(J)	<5.20	<0.312	n/a	&lt												

Elemental Environmental Solutions

First Quarter 2026

Historical Database

		Sb (ug/l)		Al (ug/l)		As (ug/l)		Ba (ug/l)		Be (ug/l)		Ca (ug/l)		Ca (ug/l)		Cr (ug/l)		Co (ug/l)		Cu (ug/l)		Fe (ug/l)		K (ug/l)		Pb (ug/l)		Mg (ug/l)		Mn (ug/l)		Hg (ug/l)
MW-14	d																															
	9/28/1995	<3		n/a	<1		65	<0.2		n/a	<0.1	<50	1	<20	6830	n/a									4	n/a	n/a	n/a	n/a			
	10/27/1995		6	n/a			201	0.3		n/a	<0.1	<50	8	<20	10000	n/a									7	n/a	n/a	n/a	n/a			
	11/29/1995	<3		n/a		3	53	<0.2		n/a	<0.1	<50	2	<30	4140	n/a	<1							<1	n/a	n/a	n/a	n/a				
	12/27/1995	<3		n/a	<1		110	<0.2		n/a	<0.1	<50	1	<20	4640	n/a	<1							<1	n/a	n/a	n/a	n/a				
	4/1/1996	<3		n/a	<1		55	0.2		n/a	<0.1	<50	3	<20	4670	n/a								3	n/a	n/a	n/a	n/a				
	9/26/1996	<3		n/a	<1		64	<0.2		n/a	<0.1	<50	2	<20	2850	n/a	<1							<1	n/a	n/a	n/a	n/a				
	3/20/1997	<3		n/a	<1		40	<0.2		n/a	<0.1	<80	2	<20	3950	n/a	<1							<1	n/a	n/a	n/a	n/a				
	8/28/1997	<3		n/a	<1		53	<0.2		n/a	<0.1	<80	3	<20	3540	n/a	<1							<1	n/a	n/a	n/a	n/a				
	3/25/1998	<3		n/a	<1		51	<0.2		n/a	<0.1	<80	<1	<30	3860	n/a	<1							<1	n/a	n/a	n/a	n/a				
	9/21/1998	<3		n/a		7	45	<0.2		n/a	<0.1	<80	2	<30	4420	n/a	<1							<1	n/a	n/a	n/a	n/a				
	3/25/1999	<3		n/a		6	53	<0.2		n/a	<0.1	<80	2	<30	5210	n/a	<1							<1	n/a	n/a	n/a	n/a				
	9/29/1999	<3		n/a		11	32	<0.2		n/a	<0.1	<80	1	<30	4690	n/a	<1							<1	n/a	n/a	n/a	n/a				
	3/21/2000	n/a	n/a	n/a		7	33	<0.2		n/a	n/a	n/a	n/a	<10	n/a	n/a								1	n/a	n/a	n/a	n/a				
	9/21/2000	n/a	n/a	n/a		9	50	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a								1	n/a	n/a	n/a	n/a				
	3/29/2001	n/a	n/a	n/a		10	29	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	8/31/2001	n/a	n/a	n/a		20	52	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	11/21/2001	n/a	n/a	n/a		17	41	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	2/26/2002	n/a	n/a	n/a		14	36	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
MW-16	d																															
	6/28/2000	n/a		n/a	<1		120	<0.2		n/a	n/a	n/a	n/a	<30	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	9/21/2000	n/a		n/a	<1		48	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a								1	n/a	n/a	n/a	n/a				
	12/21/2000	n/a		n/a		1	77	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	3/29/2001	n/a		n/a	<1		19	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	5/7/2001	n/a		n/a	<1		19	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	8/31/2001	n/a		n/a	<1		20	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	12/6/2001	n/a		n/a	<1		19	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	2/26/2002	n/a		n/a	<1		19	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	8/26/2002	n/a		n/a	<1		20	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	3/10/2003	n/a		n/a	<1		20	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	8/29/2003	n/a		n/a	<1		21	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	2/12/2004	n/a		n/a	<1		22	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	8/10/2004	n/a		n/a	<1		21	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	2/25/2005	n/a		n/a	<1		19	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a									1.3	n/a	n/a	n/a	n/a			
	8/9/2005	n/a		n/a	<1		27	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a								1	n/a	n/a	n/a	n/a				
	2/21/2006	n/a		n/a	<1		17	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	8/11/2006	n/a		n/a	<1		20	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	2/21/2007	n/a		n/a	<1		21	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	8/8/2007	n/a		n/a	<1		16	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	2/7/2008	n/a		n/a	<1		17	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	8/14/2008	n/a		n/a	<1		16	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a								1	n/a	n/a	n/a	n/a				
	2/11/2009	n/a		n/a	<1		21	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	2							<1	n/a	n/a	n/a	n/a				
	8/7/2009	n/a		n/a	<1		33	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	2/11/2010	n/a		n/a	<1		18	<0.2		n/a	n/a	n/a	n/a	<20	n/a	n/a	<1							<1	n/a	n/a	n/a	n/a				
	8/17/2010	n/a		n/a	<1	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	2/22/2011	n/a		n/a	<1	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	8/24/2011	n/a		n/a	<1	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	2/7/2012	n/a		n/a	<1	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	8/14/2012	n/a		n/a	<1	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	2/15/2013	n/a		n/a	<1	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	8/6/2013	n/a		n/a	<1	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	2/18/2014	n/a		n/a	<1.1	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	8/20/2014	n/a		n/a	<0.3	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	2/11/2015	n/a		n/a	<1	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	8/27/2015	n/a		n/a	<1	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	2/9/2016	n/a		n/a		2.32	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	8/22/2016	n/a		n/a	<1	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	2/22/2017	n/a		n/a	<1	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	8/28/2017	n/a		n/a	<1	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	2/6/2018	n/a		n/a	<1	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a	n/a	n/a	n/a				
	8/21/2018	n/a		n/a	<1	n/a	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a						n/a	n/a							

Elemental Environmental Solutions

First Quarter 2026

Historical Database

		Ni (ug/l)	Se (ug/l)	Ag (ug/l)	Na (ug/l)	Tl (ug/l)	Sr (ug/l)	Va (ug/l)	Zn (ug/l)	Fluoride (ug/l)	Chloride (ug/l)	Oranide (ug/l)	Sulfide (ug/l)	Sulfate (ug/l)	TDS (ug/l)	pH (SU)	Spec. Cond. (umhos/cm)	Turb (NTU)	
MW-14	d																		
	9/28/1995	<30	<2		2 n/a	<1	n/a	12	<10	230	7400	<0.005	n/a	62200	233000	6.6	307	21.8	
	10/27/1995	<30	<2		14 n/a	<1	n/a	24	<10	280	18200	<0.005	n/a	71000	268000	6.66	394	72.9	
	11/29/1995	<40	<2	<2	n/a	<1	n/a	<3	<10	320	12500	<0.005	n/a	35400	257000	6.48	326	5.63	
	12/27/1995	<30	<2	<2	n/a	<1	n/a	4	<10	140	11600	<0.005	n/a	30200	230000	6.51	328	5.57	
	4/1/1996	<50	<2	<2	n/a	<1	n/a	<2	<10	260	11500	<0.005	n/a	44400	229000	6.65	333	10.5	
	9/26/1996	<50	<2	<2	n/a	<1	n/a	<2	30	<10	18400	<0.005	n/a	34000	281000	6.58	402	25.2	
	3/20/1997	<40	<2	<2	n/a	<1	n/a	<4	<10	340	12500	<0.005	n/a	30500	235000	6.56	336	2.2	
	8/28/1997	<40	<2	<2	n/a	<1	n/a	<4	<10	310	14100	<0.005	n/a	38700	240000	6.18	361	3.95	
	3/25/1998	<40	<2	<2	n/a	<1	n/a	<4	<10	270	13200	<0.005	n/a	33700	278000	6.51	355	6.02	
	9/21/1998	<40	<2	<2	n/a	<1	n/a	<4	<10	310	11000	<0.005	n/a	34000	251000	6.26	342	3.52	
	3/25/1999	<40	<2	<2	n/a	<1	n/a	<4	<10	290	10100	<0.005	n/a	33700	248000	5.91	303	6.83	
	9/29/1999	<40	<2	<2	n/a	<1	n/a	<4	<10	260	13100	<0.02	n/a	33600	246000	6.52	260	4.71	
	3/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	270	n/a	<0.02	n/a	n/a	n/a	6.45	320	9.59	
	9/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	311	n/a	<0.02	n/a	n/a	n/a	6.66	468	6.13	
	3/29/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	200	n/a	<0.02	n/a	n/a	n/a	6.43	422	9.08	
	8/31/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	280	n/a	<0.02	n/a	n/a	n/a	6.94	480	3.98	
	11/21/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	250	n/a	<0.005	n/a	n/a	n/a	6.59	448	3.43	
	2/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	323	n/a	<0.005	n/a	n/a	n/a	6.42	438	6.42	
MW-16	d																		
	6/28/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	20	134	n/a	<20	n/a	n/a	n/a	6.5	656	2.38	
	9/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	173	n/a	<20	n/a	n/a	n/a	6.43	507	4.05	
	12/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	171	n/a	<20	n/a	n/a	n/a	6.08	473	2.77	
	3/29/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	110	n/a	<20	n/a	n/a	n/a	6.09	470	5.87	
	5/7/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<100	n/a	<20	n/a	n/a	n/a	6.25	416	2.57	
	8/31/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	140	n/a	<20	n/a	n/a	n/a	6.63	508	3.43	
	12/6/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	110	n/a	<5	n/a	n/a	n/a	6.6	505	3.58	
	2/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	158	n/a	<5	n/a	n/a	n/a	6.34	492	2.75	
	8/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	130	n/a	<5	n/a	n/a	n/a	6.59	498	2.08	
	3/10/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	290	n/a	<5	n/a	n/a	n/a	6.58	487	2.39	
	8/29/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	11	230	n/a	<5	n/a	n/a	n/a	6.47	493	1.5	
	2/12/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	190	n/a	<5	n/a	n/a	n/a	6.42	476	4.51	
	8/10/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	240	n/a	<5	n/a	n/a	n/a	6.59	454	3.83	
	2/25/2005	n/a		2.3	<2	n/a	n/a	n/a	<10	244	n/a	<5	n/a	n/a	n/a	7.12	467	5.52	
	8/9/2005	n/a	<2	<2	n/a	n/a	n/a	n/a	10	206	n/a	<5	n/a	n/a	n/a	6.44	487	2.62	
	2/21/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	310	n/a	<5	n/a	n/a	n/a	6.64	444	4.23	
	8/11/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	227	n/a	<5	n/a	n/a	n/a	6.64	319	1.37	
	2/21/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	211	n/a	<5	n/a	n/a	n/a	6.41	446	1.05	
	8/8/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	200	n/a	<5	n/a	n/a	n/a	6.54	368	1.05	
	2/7/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<100	n/a	<5	n/a	n/a	n/a	6.38	368	1.05	
	8/14/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	24	209	n/a	<5	n/a	n/a	n/a	6.53	297	2.23	
	2/11/2009	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	185	n/a	<5	n/a	n/a	n/a	6.48	418	2.4	
	8/7/2009	n/a	<2	<0.5	n/a	n/a	n/a	n/a	<10	164	n/a	<5	n/a	n/a	n/a	5.78	419	3.8	
	2/11/2010	n/a	<2	<0.5	n/a	n/a	n/a	n/a	<10	162	n/a	<5	n/a	n/a	n/a	6.45	408	2.77	
	8/17/2010	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	185	n/a	<5	n/a	n/a	n/a	6.6	347	1.62	
	2/22/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	260	n/a	<2	n/a	n/a	n/a	6.34	418	1.47	
	8/24/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	180	n/a	<2	n/a	n/a	n/a	6.33	398	0.82	
	2/7/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	279	n/a	<2	n/a	n/a	n/a	6.34	396	1.6	
	8/14/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	275	n/a	2	n/a	n/a	n/a	6.49	414	2.39	
	2/15/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	165	n/a	<5	n/a	n/a	n/a	6.72	213	3.86	
	8/6/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	242	n/a	<5	n/a	n/a	n/a	6.42	440	2.11	
	2/18/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	190	n/a	<5	n/a	n/a	n/a	6.55	408	3.29	
	8/20/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	178	n/a	<5	n/a	n/a	n/a	6.26	388	3.39	
	2/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	181	n/a	<5	n/a	n/a	n/a	6.69	396	1.68	
	8/27/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	143	n/a	7	n/a	n/a	n/a	6.5	369	1.31	
	2/9/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	150	n/a	<5	n/a	n/a	n/a	6.67	385	11.7	
	8/22/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	193	n/a	<5	n/a	n/a	n/a	6.53	368	2.11	
	2/22/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	174	n/a	<5	n/a	n/a	n/a	5.86	379	2.41	
	8/28/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	272	n/a	<5	n/a	n/a	n/a	6.64	359	2.7	
	2/6/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	277	n/a	<5	n/a	n/a	n/a	6.64	338	4.29	
	8/21/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	189	n/a	<5	n/a	n/a	n/a	6.59	357	0.96	
	2/4/2019	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	170	n/a	<5	n/a	n/a	n/a	6.59	369	1.72	
	9/16/2019	20.2	<2	<2	16000	<2	<2	0.269	3.17	231	n/a	<5	<50	n/a	n/a	6.63	346	1.71	
	11/13/2019	6.63	<2	<2	n/a	<2	<2	0.662	4.93	167	n/a	<5	<50	n/a	n/a	6.39	358	2.39	
	2/25/2020	1.64	<2		0.066	n/a	<2	<2	0.344	13.2	167	n/a	<5	71	n/a	n/a	6.61	358	1.81
	5/11/2020	2.15	<2	<2	n/a	<2	<2	0.087	<25	181	n/a	4	<50	n/a	n/a	6.49	357	1.11	
	8/4/2020	0.85	<2	<2	n/a	<2	<2	0.086(J)	<25	236	n/a	<5	<50	n/a	n/a	6.48	313	1.01	
	11/3/2020	0.6	<2	<2	n/a	<2	<2	0.059	8.3	237	n/a	<5	<50	n/a	n/a	6.59	352	1.09	
	2/23/2021	0.25(J)	<5	<0.3	n/a	<0.25	<20	0.049(J)	<20	219	n/a	<5	<150	n/a	n/a	6.75	366	0.64	
	5/12/2021	0.66	<5.2	<0.312	n/a	<0.26	<20.8	0.06(J)	9.54(J)	213	n/a	<5	<150	n/a	n/a	6.64	310	0.79	
	8/24/2021	0.31	<5.2	<0.312	n/a	<0.26	<20.8	<0.250	<20	190	n/a	<5	<150	n/a	n/a	6.61	204	0.5	
	11/9/2021	0.4	<5.2	<0.312	n/a	<0.26	<20.8	<0.26	<20.8	347	n/a	<5	<150	n/a	n/a	6.6	358	0.4	
	3/3/2022	0.62	<5.2	<0.312	n/a	<0.26	<20.8	<0.26	<20.8	256	n/a	<5	<150	n/a	n/a	6.6	321	0.88	
	5/23/2022	0.29(J)	<5.20	<0.312	n/a	<2.60	<20.8	<0.260	<20.8	314(J)	n/a	<5	<150	n/a	n/a	6.78	303	1.22	
	8/25/2022	0.33	<5.20	<0.312	n/a	<2.60	<20.8	<0.260	<20.8	284	n/a	<5	<150	n/a	n/a	6.26	162.4	4.84	
	8/25/2022	0.33	<5.20	<0.312	n/a	<2.60	<20.8	<0.260	<20.8	284	n/a	<5	<150	n/a	n/a	6.26	162.4	4.84	
	8/15/2023	3.23	<5.20	<0.312	n/a	<0.260	<20.8	0.208 (J)	8.48 (J)	255	n/a	<5	<150	n/a	n/a	6.17	203	11.3	
	3/6/2024	<1.56	<5.20	<0.312	n/a	<0.260	1.71	<0.260	<20.8	265	n/a	2	<150	n/a	n/a	6.24	484	6.5	
	8/23/2024	2.82	<5.20	<0.312	n/a	<0.260	<20.8	0.15	11	277	n/a	<5	<150	n/a	n/a	6.58	292	10.06	
	3/7/2025	<1.56	<5.20	<0.312	n/a	<0.260	<20.8	0.131	<20.8	280	n/a	<5	<150</						

Elemental Environmental Solutions

First Quarter 2026 Historical Database

		Si (ug/l)	Al (ug/l)	As (ug/l)	Ba (ug/l)	Be (ug/l)	Cd (ug/l)	Co (ug/l)	Cr (ug/l)	Cu (ug/l)	Fe (ug/l)	K (ug/l)	Pb (ug/l)	Mg (ug/l)	Mn (ug/l)	Hg (ug/l)
MW-18	d															
	3/25/1999	<3	n/a	<1	24	<0.2	n/a	<0.1	<80	0.002	<30	1540	n/a	<1	n/a	n/a
	9/29/1999	<3	n/a	<1	9	<0.2	n/a	<0.1	<80	<1	<30	1460	n/a	<1	n/a	n/a
	3/21/2000	n/a	n/a	<1	14	<0.2	n/a	n/a	n/a	n/a	<10	n/a	n/a	1	n/a	n/a
	6/28/2000	n/a	n/a	<1	18	<0.2	n/a	n/a	n/a	n/a	<30	n/a	n/a	<1	n/a	n/a
	9/21/2000	n/a	n/a	<1	16	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a
	12/21/2000	n/a	n/a	<1	38	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	3/29/2001	n/a	n/a	<1	7	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	5/7/2001	n/a	n/a	<1	7	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	8/31/2001	n/a	n/a	<1	8	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	2/26/2002	n/a	n/a	<1	8	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	8/26/2002	n/a	n/a	<1	8	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	3/10/2003	n/a	n/a	<1	10	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	8/29/2003	n/a	n/a	<1	10	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	2/12/2004	n/a	n/a	<1	28	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	8/9/2004	n/a	n/a	<1	9	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	2/25/2005	n/a	n/a	<1	8	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	1.1	n/a	n/a
	8/9/2005	n/a	n/a	<1	10	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	2/22/2006	n/a	n/a	<1	8	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	8/11/2006	n/a	n/a	<1	9	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	2/21/2007	n/a	n/a	<1	9	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	8/8/2007	n/a	n/a	<1	29	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	2/7/2008	n/a	n/a	<1	8	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	8/14/2008	n/a	n/a	<1	7	0.3	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	2/11/2009	n/a	n/a	<1	9	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	8/7/2009	n/a	n/a	<1	15	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	2/11/2010	n/a	n/a	<1	16	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a
	8/17/2010	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2011	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/24/2011	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/7/2012	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/14/2012	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/15/2013	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/6/2013	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/18/2014	n/a	n/a	<1.1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/20/2014	n/a	n/a	<0.3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/11/2015	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/27/2015	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/9/2016	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/22/2016	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2017	n/a	n/a	3.62	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/28/2017	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/6/2018	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/21/2018	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/4/2019	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	9/16/2019	<2	<100	<2	7.24	<2	59000	<1	0.583	<2	1.74	466	3420	<2	12200	229
	11/13/2019	<2	<100	0.247	9.15	<2	n/a	<1	0.182	<2	0.204	n/a	n/a	<2	n/a	n/a
	2/25/2020	<2	<100	0.247	9.15	<2	n/a	<1	0.269	0.063	0.204	n/a	n/a	<2	n/a	n/a
	5/11/2020	<2	<100	0.368	11.8	<2	n/a	<1	0.369	5.1E-05(J)	0.447	n/a	n/a	<2	n/a	n/a
	8/4/2020	<2	<100	0.218(J)	9.01	<2	n/a	<1	0.257(J)	0.000153(J)	n/a	<3	n/a	n/a	n/a	<0.002
	11/3/2020	<2	<100	0.204	8.51	<2	n/a	<1	0.308	<2	<20	n/a	n/a	<3	n/a	n/a
	2/23/2021	<2	n/a	0.177(J)	8.11	<0.25	n/a	<0.25	0.251	<0.25	0.169(J)	n/a	n/a	<0.25	n/a	n/a
	5/12/2021	<2	n/a	0.197(J)	8.74	<0.26	n/a	<0.26	0.331	0.036(J)	<0.395	n/a	n/a	<0.26	n/a	n/a
	8/24/2021	<2	n/a	0.206	10.8	<0.26	n/a	<0.26	0.42	0.038	0.417	n/a	n/a	0.079	n/a	<0.2
	11/9/2021	<2	n/a	0.291	12.6	<0.26	n/a	<0.26	0.577	0.073	0.187	n/a	n/a	0.301	n/a	<0.2
	3/3/2022	<2	n/a	0.193	8.2	<0.26	n/a	<0.26	0.307	<0.26	0.342	n/a	n/a	<0.26	n/a	<0.2
	5/23/2022	<2.08	n/a	0.223(J)	11.1	<2.60	n/a	<0.260	0.47	0.035(J)	<0.260	n/a	n/a	<0.260	n/a	<0.200
	3/14/2023	<2.08	n/a	0.219	8.35	<2.60	n/a	<0.260	0.222	<0.26	<0.260	n/a	n/a	0.091	n/a	<0.200
	8/15/2023	<2.08	n/a	0.197(J)	8.36	<2.60	n/a	<0.260	0.732	0.046(J)	0.168(J)	n/a	n/a	<0.416	n/a	<0.200
	3/6/2024	<2.08	n/a	0.191	8.38	<2.60	n/a	<0.260	0.36	<0.260	21.6	n/a	n/a	4.06	n/a	<0.200
	8/23/2024	<2.08	n/a	0.216	8.67	<2.60	n/a	<0.260	0.263	<0.260	<0.520	n/a	n/a	<0.416	n/a	<0.200
	3/7/2025	<2.08	n/a	0.235	9.4	<2.60	n/a	<0.260	0.121	<0.260	<0.520	n/a	n/a	<0.416	n/a	<0.200
	8/19/2025	<2.08	n/a	0.203	9.36	<2.60	n/a	<0.260	<0.260	<0.260	<0.520	n/a	n/a	<0.416	n/a	<0.200
	3/17/2026	<2.08	n/a	0.287	10.2	<2.60	n/a	<0.260	0.384	0.037	0.272	n/a	n/a	<0.416	n/a	<0.200
MW-18S	d															
	5/11/2020	<2	<100	0.287	15.6	<2	n/a	9.8E-05(J)	0.632	0.000188(J)	1.32	n/a	n/a	0.1(J)	n/a	n/a
	8/4/2020	<2	<100	0.345	15.2	<2	0.064(J)	<1	0.733	0.00197	0.777	n/a	n/a	<3	n/a	n/a
	11/3/2020	<2	<100	0.373	15.9	<2	n/a	0.000105	0.457	0.000251	0.532	n/a	n/a	0.096	n/a	n/a
	2/23/2021	<2	n/a	0.273	14.3	<0.25	n/a	0.093(J)	0.541	0.129(J)	1.44	n/a	n/a	<0.25	n/a	<0.2
	5/12/2021	0.524(J)	n/a	0.349	18.9	<0.26	n/a	0.085(J)	0.813	0.164(J)	1.1	n/a	n/a	0.1(J)	n/a	<0.2
	8/24/2021	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	11/9/2021	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	3/3/2022	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	5/27/2022	<2.08	n/a	0.221(J)	15.4	<2.60	n/a	0.051(J)	1.58	0.107(J)	0.777	n/a	n/a	<0.260	n/a	<0.200
	11/28/2022	0.354(J)	n/a	0.27	14.5	<2.60	n/a	0.095(J)	0.608	0.108(J)	0.585	n/a	n/a	<0.260	n/a	<0.200
	3/14/2023	<2.08	n/a	0.269	14.4	0.19	n/a	0.075	1.13	0.14	0.838	n/a	n/a	0.098	n/a	<0.200
	8/15/2023	<2.08	n/a	0.237(J)	8.4	<0.260	n/a	<0.260	0.399	0.052(J)	<0.520	n/a	n/a	0.142(J)	n/a	<0.200
	11/17/2023	<2.08	n/a	0.302	13.7	<0.260	n/a	0.105	1.3	0.187	1.11	n/a	n/a	<0.416	n/a	<0.200
	3/6/2024	<2.08	n/a	0.357	13.3	<0.260	n/a	0.085	0.753	0.119	0.66	n/a	n/a	<0.416	n/a	<0.200
	6/28/2024	<2.08	n/a	0.323	13.9	<0.260	n/a	0.091	1.47	0.165	1.01	n/a	n/a	0.205	n/a	<0.200
	8/23/2024	0.724	n/a	0.396	14	<0.260	n/a	0.083	0.586	0.338	0.608	n/a	n/a	<0.416	n/a	<0.200
	11/15/2024	<2.08	n/a	0.339	14.4	<0.260	n/a	0.094	0.858	0.173	0.69	n/a	n/a	<0.416	n/a	<0.200
	6/11/2025	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

Elemental Environmental Solutions

First Quarter 2026

Historical Database

			Ni (ug/l)	Se (ug/l)	As (ug/l)	Mo (ug/l)	Ti (ug/l)	Sr (ug/l)	Va (ug/l)	Zn (ug/l)	Fluoride (ug/l)	Chloride (ug/l)	Cyanide (ug/l)	Sulfide (ug/l)	Sulfate (ug/l)	TDS (ug/l)	pH (SU)	Spec. Cond. (umhos/cm)	Turb (NTU)
MW-18	d																		
		3/25/1999	<40	<2	<2	n/a	<1	n/a	<4	<10	200	19100	<5	n/a	32100	351000	6.38	379	80.49
		9/29/1999	<40	<2	<2	n/a	<1	n/a	<4	<10	170	19800	<20	n/a	32700	319000	6.88	263	24.5
		3/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	180	n/a	<20	n/a	n/a	n/a	6.76	430	6.05
		6/28/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	212	n/a	<20	n/a	n/a	n/a	6.61	455	4.48
		9/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	208	n/a	<20	n/a	n/a	n/a	6.92	447	3.02
		12/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	210	n/a	<20	n/a	n/a	n/a	6.31	413	8.16
		3/29/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	130	n/a	<20	n/a	n/a	n/a	6.85	433	4.88
		5/7/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	120	n/a	<20	n/a	n/a	n/a	6.55	409	2.41
		8/31/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	170	n/a	<20	n/a	n/a	n/a	7.07	453	2.47
		2/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	11	201	n/a	<5	n/a	n/a	n/a	6.64	440	1.56
		8/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	150	n/a	<5	n/a	n/a	n/a	6.87	445	1.17
		3/10/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	300	n/a	<5	n/a	n/a	n/a	6.71	446	1.56
		8/29/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	260	n/a	<5	n/a	n/a	n/a	6.74	461	2.09
		2/12/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	230	n/a	<5	n/a	n/a	n/a	6.69	443	2.23
		8/9/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	240	n/a	<5	n/a	n/a	n/a	6.7	441	1.84
		2/25/2005	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	253	n/a	<5	n/a	n/a	n/a	7.28	453	1.21
		8/9/2005	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	227	n/a	<5	n/a	n/a	n/a	6.78	477	1.48
		2/22/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	290	n/a	<5	n/a	n/a	n/a	7.04	449	1.03
		8/11/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	228	n/a	<5	n/a	n/a	n/a	6.99	333	1.33
		2/21/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	215	n/a	<5	n/a	n/a	n/a	6.74	478	0.041
		8/8/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	195	n/a	<5	n/a	n/a	n/a	6.87	467	2.4
		2/7/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<100	n/a	<5	n/a	n/a	n/a	6.95	385	0.92
		8/14/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	201	n/a	<5	n/a	n/a	n/a	6.82	356	2.46
		2/11/2009	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	195	n/a	<5	n/a	n/a	n/a	6.8	462	0.85
		8/7/2009	n/a	<2	<0.5	n/a	n/a	n/a	n/a	<10	172	n/a	<5	n/a	n/a	n/a	5.52	467	4.07
		2/11/2010	n/a	<2	<0.5	n/a	n/a	n/a	n/a	<10	165	n/a	<5	n/a	n/a	n/a	7.23	468	0.82
		8/17/2010	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	189	n/a	<5	n/a	n/a	n/a	6.78	199	2
		2/22/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	190	n/a	<2	n/a	n/a	n/a	6.73	471	1.49
		8/24/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	187	n/a	<2	n/a	n/a	n/a	6.99	552	2.9
		2/7/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	262	n/a	<2	n/a	n/a	n/a	6.6	456	2.34
		8/14/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	244	n/a	2	n/a	n/a	n/a	6.79	484	2.5
		2/15/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	189	n/a	<5	n/a	n/a	n/a	7.12	304	0.68
		8/6/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	267	n/a	<5	n/a	n/a	n/a	6.65	531	1.28
		2/18/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	193	n/a	<5	n/a	n/a	n/a	6.85	505	1.81
		8/20/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	187	n/a	<5	n/a	n/a	n/a	6.33	491	2.63
		2/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	184	n/a	<5	n/a	n/a	n/a	7.04	509	1.75
		8/27/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	142	n/a	<5	n/a	n/a	n/a	6.69	464	1.98
		2/9/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	155	n/a	<5	n/a	n/a	n/a	6.85	481	1.38
		8/22/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	193	n/a	<5	n/a	n/a	n/a	6.88	473	2.08
		2/22/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	186	n/a	<5	n/a	n/a	n/a	6.61	495	1.24
		8/28/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	268	n/a	<5	n/a	n/a	n/a	6.95	489	1.81
		2/6/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	309	n/a	<5	n/a	n/a	n/a	7.01	489	0.88
		8/21/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	188	n/a	<5	n/a	n/a	n/a	6.82	489	0.45
		2/4/2019	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	174	n/a	<5	n/a	n/a	n/a	6.84	500	1
		9/16/2019	<2	<2	<2	24800	<2	<2	<5	<25	230	n/a	<5	<50	n/a	n/a	6.86	504	0.41
		11/13/2019	<2	<2	0.061	n/a	<2	<2	0.042	<25	161	n/a	<5	<50	n/a	n/a	6.97	518	0.37
		2/25/2020	<2	<2	0.061	n/a	<2	<2	0.006	<25	167	n/a	<5	<50	n/a	n/a	6.91	480	0.78
		5/11/2020 0.19(j)	<2	<2	n/a	n/a	<2	<2	0.151	<25	177	n/a	<5	<50	n/a	n/a	6.96	484	0.83
		8/4/2020	<2	<2000	n/a	<2	<2	<5	14	232	n/a	<5000	6.75	414000	n/a	980	<0.05	n/a	n/a
		11/3/2020	0.36	<2	<2	n/a	<2	<2	<5	<25	231	n/a	<5	<50	n/a	n/a	6.87	491	0.56
		2/23/2021	<0.5	<5	<0.3	n/a	<0.25	<20	<0.25	<20	213	n/a	<5	<150	n/a	n/a	6.83	483	0.32
		5/12/2021	0.73	<5.2	<0.312	n/a	<0.26	<20.8	0.072(j)	6.03	211	n/a	<5	<150	n/a	n/a	6.83	435	0.72
		8/24/2021	0.16	<5.2	<0.312	n/a	<0.26	<20.8	0.055	4.86	181	n/a	<5	<150	n/a	n/a	7.03	267	0.71
		11/9/2021	0.37	<5.2	<0.312	n/a	<0.26	<20.8	0.207	<20.8	341	n/a	<5	<150	n/a	n/a	6.82	523	1.01
		3/3/2022	<0.52	<5.2	<0.312	n/a	<0.26	<20.8	<0.26	<20.8	251	n/a	<5	<150	n/a	n/a	7.15	445	0.98
		5/23/2022 0.2(j)	<5.20	<0.312	n/a	<0.260	<20.8	0.042(j)	<20.8	301(j)	n/a	<5	150	n/a	n/a	6.93	414	1.17	
		3/14/2023	<0.52	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	256	n/a	<5	<150	n/a	n/a	7.12	545	1.97
		8/15/2023 0.47 (j)	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	243	n/a	<5	<150	n/a	n/a	6.38	468	1.3	
		3/6/2024	<1.56	<5.20	<0.312	n/a	<0.260	1.78	<0.260	<20.8	259	n/a	<5	<150	n/a	n/a	6.66	335	3.11
		8/23/2024	0.5	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	259	n/a	<5	<150	n/a	n/a	6.94	486	3.62
		3/7/2025	<1.56	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	274	n/a	<5	<150	n/a	n/a	6.65	444	0.53
		8/19/2025	<1.56	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	246	n/a	<5	<150	n/a	n/a	7.17	572	0.09
		3/17/2026	<1.56	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	247	n/a	<5	<150	n/a	n/a	7.07	584	0.02
MW-18S	d																		
		5/11/2020	2.03	23	<2	n/a	<2	<2	0.397	<25	1370	n/a	10	<50	n/a	n/a	7.04	2960	2.2
		8/4/2020	1.69	39.8	<2	n/a	<2	<2	2.16	<25	1400	n/a	<5	<50	n/a	n/a	7.12	2100	3.11
		11/3/2020	0.85	13.9	<2	n/a	<2	<2	0.199	<25	1540	n/a	<5	<50	n/a	n/a	6.83	2540	0.71
		2/23/2021	1.75	29.1	<0.3	n/a	<0.25	<20	0.292	<20	1500	n/a	<5	<150	n/a	n/a	7.19	2830	0.64
		5/12/2021	6.79	27.5	<0.312	n/a	<0.26	<20.8	0.363	7.53(j)	1300	n/a	<5	<150	n/a	n/a	7.14	1565	1.13
		8/24/2021	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	7.12	3040	0.68
		11/9/2021	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	7	2860	2.32
		3/3/2022	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	7.09	2410	0.66
		5/27/2022	1.98	19.8	<0.312	n/a	<0.260	<20.8	0.177(j)	<20.8	1.46	n/a	<5	<150	n/a	n/a	7.22	2890	0.91
		11/28/2022	1.83	32.2	<0.312	n/a	<0.260	<20.8	0.293	<20.8	1.75	n/a	<5	<150	n/a	n/a	7.25	2060	5.11
		3/14/2023	1.76	28.8	<0.312	n/a	<0.260	<20.8	0.248	<20.8	1.73	n/a	2	<150	n/a	n/a	7.36	2660	1.67
		8/15/2023 0.18 (j)	<5.20	<0.312	n/a	<0.260	<20.8	0.073(j)	<20.8	0.24	n/a	<5	<150	n/a	n/a	6.8	550	14.3	
		11/17/2023	2.13	28.1	<0.312	n/a	<0.260	<20.8	0.262	<20									

Elemental Environmental Solutions

First Quarter 2026

Historical Database

		Sr (ug/l)	Al (ug/l)	As (ug/l)	Ba (ug/l)	Ba (ug/l)	Ca (ug/l)	Ca (ug/l)	Cr (ug/l)	Co (ug/l)	Cu (ug/l)	Fe (ug/l)	K (ug/l)	Pb (ug/l)	Mg (ug/l)	Mn (ug/l)	Hg (ug/l)
MW-20	d																
	6/28/2000	n/a	n/a	<1	50	<0.2	n/a	n/a	n/a	n/a	<30	n/a	n/a	<1	n/a	n/a	n/a
	9/21/2000	n/a	n/a	<1	31	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	12/21/2000	n/a	n/a	<1	50	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	3/29/2001	n/a	n/a	<1	17	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	5/7/2001	n/a	n/a	<1	17	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/31/2001	n/a	n/a	<1	18	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	12/6/2001	n/a	n/a	<1	14	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/26/2002	n/a	n/a	<1	14	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
MW-22	d																
	6/28/2000	n/a	n/a	1	66	<0.2	n/a	n/a	n/a	n/a	1	n/a	n/a	<1	n/a	n/a	n/a
	9/21/2000	n/a	n/a	<1	25	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	12/21/2000	n/a	n/a	<1	36	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	3/29/2001	n/a	n/a	<1	11	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	5/7/2001	n/a	n/a	<1	11	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/31/2001	n/a	n/a	<1	12	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	12/6/2001	n/a	n/a	<1	11	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/26/2002	n/a	n/a	<1	11	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
MW-24	d																
	5/21/2002	n/a	n/a	2	65	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	2	n/a	n/a	n/a
	8/26/2002	n/a	n/a	<1	64	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	11/19/2002	n/a	n/a	4	28	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	3/10/2003	n/a	n/a	5	85	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	6/25/2003	n/a	n/a	4	64	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/29/2003	n/a	n/a	4	65	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	12/22/2003	n/a	n/a	<1	65	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/13/2004	n/a	n/a	3	67	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/10/2004	n/a	n/a	3	72	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/25/2005	n/a	n/a	3.8	60	0.37	n/a	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	8/10/2005	n/a	n/a	2.7	67	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/22/2006	n/a	n/a	2	58	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/11/2006	n/a	n/a	<1	67	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/21/2007	n/a	n/a	<1	65	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/8/2007	n/a	n/a	<1	11	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/7/2008	n/a	n/a	4	64	0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/15/2008	n/a	n/a	3	68	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/11/2009	n/a	n/a	<1	69	<0.2	n/a	n/a	n/a	n/a	20	n/a	n/a	<1	n/a	n/a	n/a
	8/7/2009	n/a	n/a	3	55	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/11/2010	n/a	n/a	3	112	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/17/2010	n/a	n/a	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2011	n/a	n/a	4	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/24/2011	n/a	n/a	2.7	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/7/2012	n/a	n/a	3.88	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/14/2012	n/a	n/a	2.38	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/15/2013	n/a	n/a	2.18	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/6/2013	n/a	n/a	2.28	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/18/2014	n/a	n/a	2.17	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/20/2014	n/a	n/a	3	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/11/2015	n/a	n/a	3.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/27/2015	n/a	n/a	3.67	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/9/2016	n/a	n/a	3.25	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/22/2016	n/a	n/a	3.39	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2017	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/28/2017	n/a	n/a	3.57	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/6/2018	n/a	n/a	3.55	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/21/2018	n/a	n/a	3.59	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/4/2019	n/a	n/a	3.6	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	9/16/2019	<2	<100	2.81	53.7	<2	27200	<1	<2	0.665	2.09	4460	3410	<2	4230	263	n/a
	11/13/2019	<2	n/a	3.73	74.3	<2	n/a	<1	0.173	0.695	<20	n/a	n/a	<2	n/a	n/a	n/a
	2/25/2020	<2	n/a	3.59	67.1	<2	n/a	<1	0.282	0.646	0.398	n/a	n/a	<2	n/a	n/a	n/a
	5/11/2020	<2	n/a	4.13	80.6	<2	n/a	<1	0.397	0.652	0.254(J)	n/a	n/a	<2	n/a	n/a	n/a
	8/4/2020	0.345(J)	n/a	3.67	76.3	<2	n/a	3.9E-05(J)	0.309	0.000638	0.131	n/a	n/a	<2	n/a	n/a	n/a
	11/3/2020	<2	n/a	3.55	73	<2	n/a	<1	0.284	0.000672	<20	n/a	n/a	<2	n/a	n/a	n/a
	2/23/2021	<2	n/a	3.81	83.3	<0.25	n/a	<0.25	0.48	0.703	0.384	n/a	n/a	0.159(J)	n/a	n/a	<0.2
	5/12/2021	<2	n/a	3.85	76.7	<0.26	n/a	<0.26	0.186(J)	0.757	0.426	n/a	n/a	0.126(J)	n/a	n/a	<0.2
	8/24/2021	<2	n/a	3.54	68.9	<0.26	n/a	<0.26	0.437	0.737	1.43	n/a	n/a	0.143	n/a	n/a	<0.2
	11/9/2021	<2	n/a	4.3	109	<0.26	n/a	<0.26	1.19	0.852	0.85	n/a	n/a	0.435	n/a	n/a	<0.2
	3/3/2022	<2	n/a	3.92	82	<0.26	n/a	<0.26	0.577	0.759	0.494	n/a	n/a	0.2	n/a	n/a	<0.2
	5/23/2022	<2.08	n/a	3.9	77.9	<0.260	n/a	<0.260	0.502	0.764	0.285(J)	n/a	n/a	0.097(J)	n/a	n/a	<0.200
	8/25/2022	<2.08	n/a	3.32	74.4	<0.260	n/a	<0.260	0.421	0.666	0.232	n/a	n/a	0.085	n/a	n/a	<0.200
	3/14/2023	0.344	n/a	3.47	72.1	<0.260	n/a	<0.260	0.134	0.658	<0.395	n/a	n/a	<0.26	n/a	n/a	<0.200
	8/15/2023	<2.08	n/a	3.36	72.5	<0.260	n/a	<0.260	0.399	0.594	<0.520	n/a	n/a	<0.416	n/a	n/a	<0.200
	3/6/2024	0.363	n/a	3.67	66.8	<0.260	n/a	<0.260	0.338	0.608	<0.520	n/a	n/a	<0.416	n/a	n/a	<0.200
	8/23/2024	0.392	n/a	2.67	84.2	<0.260	n/a	<0.260	0.303	0.586	0.16	n/a	n/a	<0.416	n/a	n/a	<0.200
	3/7/2025	<2.08	n/a	2.67	89.7	<0.260	n/a	<0.260	0.162	0.514	0.291	n/a	n/a	<0.416	n/a	n/a	<0.200
	8/19/2025	<2.08	n/a	2.77	104	<0.260	n/a	<0.260	0.102	0.52	0.167	n/a	n/a	0.153	n/a	n/a	<0.200
	3/17/2026	<2.08	n/a	2.83	117	<0.260	n/a	<0.260	0.321	0.509	0.442	n/a	n/a	<0.416	n/a	n/a	<0.200

Elemental Environmental Solutions

First Quarter 2026 Historical Database

		Ni (ug/l)	Se (ug/l)	Ag (ug/l)	Ne (ug/l)	Ti (ug/l)	Sr (ug/l)	Va (ug/l)	Zn (ug/l)	Fluoride (ug/l)	Chloride (ug/l)	Cyanide (ug/l)	Sulfide (ug/l)	Sulfate (ug/l)	TDS (ug/l)	pH (SU)	Spec. Cond. (umhsc/cm)	Turb (NTU)
MW-20	d																	
	6/28/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	251	n/a	<0.02	n/a	n/a	n/a	6.31	299	6.45
	9/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	235	n/a	<0.02	n/a	n/a	n/a	6.69	303	8.63
	12/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	257	n/a	<0.02	n/a	n/a	n/a	6.42	271	8.87
	3/29/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<100	n/a	<0.02	n/a	n/a	n/a	6.13	327	2.05
	5/7/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	140	n/a	<0.02	n/a	n/a	n/a	6.11	191	3.64
	8/31/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	210	n/a	<0.02	n/a	n/a	n/a	6.47	273	3.36
	12/6/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	140	n/a	<0.005	n/a	n/a	n/a	6.61	285	4.25
	2/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	235	n/a	<0.005	n/a	n/a	n/a	6.38	272	6.95
MW-22	d																	
	6/28/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	20	230	n/a	<0.02	n/a	n/a	n/a	6.21	289	17.51
	9/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	228	n/a	<0.02	n/a	n/a	n/a	6.56	279	15.92
	12/21/2000	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	252	n/a	<0.02	n/a	n/a	n/a	5.78	254	8.16
	3/29/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	160	n/a	<0.02	n/a	n/a	n/a	6.03	257	5.8
	5/7/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	130	n/a	<0.02	n/a	n/a	n/a	5.96	179	2.32
	8/31/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	210	n/a	<0.02	n/a	n/a	n/a	7.43	248	1.93
	12/6/2001	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	180	n/a	<0.005	n/a	n/a	n/a	6.51	258	2.27
	2/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	238	n/a	<0.005	n/a	n/a	n/a	6.23	248	4.66
MW-24	d																	
	5/21/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	227	n/a	<5	n/a	n/a	n/a	6.48	261	8.72
	8/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	190	n/a	<5	n/a	n/a	n/a	6.62	263	6.39
	11/19/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	310	n/a	<5	n/a	n/a	n/a	6.55	266	3.3
	3/10/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	470	n/a	<5	n/a	n/a	n/a	6.31	51	6.36
	6/25/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	440	n/a	<5	n/a	n/a	n/a	6.35	265	4.98
	8/28/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	300	n/a	<5	n/a	n/a	n/a	6.47	265	4.03
	12/22/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	330	n/a	<5	n/a	n/a	n/a	6.25	256	5
	2/13/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	290	n/a	<5	n/a	n/a	n/a	6.39	259	3.53
	8/10/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	320	n/a	<5	n/a	n/a	n/a	6.17	248	4.47
	2/25/2005	n/a	3.3	5.6	n/a	n/a	n/a	n/a	<10	302	n/a	<5	n/a	n/a	n/a	8.11	260	4.06
	8/10/2005	n/a	<2	<2	n/a	n/a	n/a	n/a	11	288	n/a	<5	n/a	n/a	n/a	6.48	271	18.27
	2/22/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	410	n/a	<5	n/a	n/a	n/a	6.85	265	3.57
	8/11/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	339	n/a	<5	n/a	n/a	n/a	6.64	152.6	5.43
	2/21/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	303	n/a	<5	n/a	n/a	n/a	6.4	272	1.61
	8/8/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	266	n/a	<5	n/a	n/a	n/a	6.52	213	3.19
	2/7/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<100	n/a	<5	n/a	n/a	n/a	6.48	213	3.19
	8/15/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	282	n/a	<5	n/a	n/a	n/a	6.49	204	2.51
	2/11/2009	n/a	<2	2	n/a	n/a	n/a	n/a	<10	281	n/a	<5	n/a	n/a	n/a	6.49	288	4.98
	8/7/2009	n/a	2	<0.5	n/a	n/a	n/a	n/a	<10	232	n/a	<5	n/a	n/a	n/a	5.42	259	3.48
	2/11/2010	n/a	<2	<0.5	n/a	n/a	n/a	n/a	<10	226	n/a	<5	n/a	n/a	n/a	6.42	256	1.24
	8/17/2010	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	255	n/a	<5	n/a	n/a	n/a	6.53	161	1.52
	2/22/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	360	n/a	<2	n/a	n/a	n/a	6.11	238	1.98
	8/24/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	254	n/a	<2	n/a	n/a	n/a	6.33	255	3.59
	2/7/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	358	n/a	<2	n/a	n/a	n/a	6.22	248	4.94
	8/14/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	369	n/a	<2	n/a	n/a	n/a	6.53	260	3.29
	2/15/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	247	n/a	<5	n/a	n/a	n/a	6.73	206	3.87
	8/6/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	324	n/a	<5	n/a	n/a	n/a	6.27	260	17.7
	2/18/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	277	n/a	<5	n/a	n/a	n/a	6.49	277	11.01
	8/20/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	246	n/a	<5	n/a	n/a	n/a	4.81	277	5.66
	2/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	260	n/a	<5	n/a	n/a	n/a	6.99	273	3.71
	8/27/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	198	n/a	<5	n/a	n/a	n/a	6.33	257	5.11
	2/9/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	212	n/a	<5	n/a	n/a	n/a	6.55	265	2.91
	8/22/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	255	n/a	<5	n/a	n/a	n/a	6.35	262	3.88
	2/22/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	256	n/a	<5	n/a	n/a	n/a	6.3	275	5.45
	8/28/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	333	n/a	<5	n/a	n/a	n/a	6.62	262	4.88
	2/6/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	370	n/a	<5	n/a	n/a	n/a	6.72	260	1.61
	8/21/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	258	n/a	<5	n/a	n/a	n/a	6.5	263	1.81
	2/4/2019	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	234	n/a	<5	n/a	n/a	n/a	6.49	268	0.75
	9/16/2019	0.611	<2	<2	14200	<2	<2	0.228	3.36	290	n/a	<5	<50	n/a	n/a	6.45	251	3.15
	11/13/2019	0.57	<2	<2	n/a	<2	<2	<5	<10	229	n/a	<5	<50	n/a	n/a	6.3	265	0.29
	2/25/2020	0.61	<2	<2	n/a	<2	<2	<5	12.6	233	n/a	<5	28	n/a	n/a	6.69	2600	0.57
	5/11/2020	0.75	<2	<2	n/a	<2	<2	<5	<10	241	n/a	<5	<50	n/a	n/a	6.51	242	3.11
	8/4/2020	0.5	<2	<2	n/a	<2	<2	0.249(j)	<10	299	n/a	<5	<50	n/a	n/a	6.67	237	1.99
	11/3/2020	0.55	<2	<2	n/a	<2	<2	<5	<10	306	n/a	<5	<50	n/a	n/a	6.53	252	3.11
	2/23/2021	0.73	<5	<0.3	n/a	<0.25	<20	0.115(j)	<20	282	n/a	<5	<150	n/a	n/a	6.82	263	3.11
	5/12/2021	0.86	<5.2	<0.312	n/a	<0.26	<20.8	0.086(j)	6.79(j)	276	n/a	<5	<150	n/a	n/a	6.57	230	1.87
	8/24/2021	0.74	<5.2	<0.312	n/a	<0.26	<20.8	0.18	9.98	252	n/a	<5	<150	n/a	n/a	6.61	183.7	1.2
	11/9/2021	1.26	<5.2	<0.312	n/a	<0.26	<20.8	0.495	6.34	425	n/a	<5	<150	n/a	n/a	6.57	262	4.97
	3/3/2022	0.8	<5.2	<0.312	n/a	<0.26	<20.8	0.11	4.96	326	n/a	<5	<150	n/a	n/a	6.56	237	3.05
	5/23/2022	0.78	<5.20	<0.312	n/a	<0.260	<20.8	0.083(j)	<20.8	377	n/a	<5	<150	n/a	n/a	6.8	239	1.41
	8/25/2022	0.77	<5.20	<0.312	n/a	<0.260	<20.8	0.079	<20.8	339	n/a	<5	<150	n/a	n/a	6.67	251	8.67
	3/14/2023	0.56	<5.20	<0.312	n/a	<0.260	<20.8	<0.26	<20.8	315	n/a	<5	<150	n/a	n/a	6.82	266	3.57
	8/15/2023	0.52	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	311	n/a	<5	<150	n/a	n/a	6.25	254	1.51
	3/6/2024	0.55	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	343	n/a	<5	<150	n/a	n/a	6.72	430	5.22
	8/23/2024	0.64	<5.20	<0.312	n/a	<0.260	<20.8	0.05	<20.8	249	n/a	<5	<150	n/a	n/a	6.8	334	3.12
	3/7/2025	<1.56	<5.20	<0.312	n/a	<0.260	<20.8	0.08	<20.8	366	n/a	2	<150	n/a	n/a	6.65	297	10.03
	8/19/2025	<1.56	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	239	n/a	<5	<150	n/a	n/a	6.83	311	6.49
	3/17/2026	<1.56	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	213	n/a	<5	<150	n/a	n/a	6.49	379	3.01

Elemental Environmental Solutions

First Quarter 2026

Historical Database

		Sr (ug/l)	Al (ug/l)	As (ug/l)	Ba (ug/l)	Be (ug/l)	Ca (ug/l)	Cd (ug/l)	Cr (ug/l)	Co (ug/l)	Cu (ug/l)	Fe (ug/l)	K (ug/l)	Pb (ug/l)	Mg (ug/l)	Mn (ug/l)	Hg (ug/l)	
MW-25	d																	
	5/21/2002	n/a	n/a	<1		27	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	8/26/2002	n/a	n/a	<1		26	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	11/19/2002	n/a	n/a	<1		20	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	3/10/2003	n/a	n/a	<1		29	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	6/25/2003	n/a		40	<1	27	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/29/2003	n/a	n/a		1	19	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	12/22/2003	n/a	n/a	<1		27	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/13/2004	n/a	n/a	<1		28	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/10/2004	n/a	n/a	<1		43	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/25/2005	n/a	n/a		1	26	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/10/2005	n/a	n/a	<1		33	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/22/2006	n/a	n/a	<1		25	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/11/2006	n/a	n/a	<1		30	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/21/2007	n/a	n/a	<1		27	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/8/2007	n/a	n/a	<1		73	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/7/2008	n/a	n/a	<1		28	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/15/2008	n/a	n/a		1	27	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/11/2009	n/a	n/a	<1		27	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/7/2009	n/a	n/a	<1		27	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/11/2010	n/a	n/a	<1		52	<0.2	n/a	n/a	n/a	n/a	27	n/a	n/a	<1	n/a	n/a	n/a
	8/17/2010	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2011	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/24/2011	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/7/2012	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/14/2012	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/15/2013	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/6/2013	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/18/2014	n/a	n/a	<1.1		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/20/2014	n/a	n/a		0.8	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/11/2015	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/27/2015	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/9/2016	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/22/2016	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2017	n/a	n/a		1.06	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/28/2017	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/6/2018	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/21/2018	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/4/2019	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	9/16/2019	<2	<100	0.634	18.9	<2	22800	<1	<2	<2	2.67	5080	3270	<2	3710	208	n/a	n/a
	11/13/2019	<2	n/a	0.807	26.2	0.124	n/a	<1	0.138	0.168	0.172	n/a	n/a	3.01	n/a	n/a	n/a	n/a
	2/25/2020	<2	n/a	0.773	30.9	<2	n/a	<1	0.507	0.181	0.361	n/a	n/a	<2	n/a	n/a	n/a	n/a
	5/11/2020	<2	n/a	0.983	29.5	<2	n/a	<1	0.355	0.203(J)	0.43	n/a	n/a	<2	n/a	n/a	n/a	n/a
	8/4/2020	<3	n/a	0.715	22.6	<2	n/a	<1	0.29	0.000194(J)	0.178(J)	n/a	n/a	<2	n/a	n/a	n/a	n/a
	11/3/2020	<3	n/a	0.765	26.2	<2	n/a	<1	0.304	0.000165	0.142	n/a	n/a	<2	n/a	n/a	n/a	n/a
	2/23/2021	<2	n/a	0.745	27.4	<0.25	n/a	<0.25	0.328	0.174(J)	0.307(J)	n/a	n/a	<0.25	n/a	n/a	<0.2	<0.2
	5/12/2021	<2	n/a	0.961	31.5	<0.26	n/a	<0.26	0.204(J)	0.238(J)	0.873	n/a	n/a	<0.26	n/a	n/a	<0.2	<0.2
	8/24/2021	<2	n/a	0.731	25	<0.26	n/a	<0.26	0.341	0.203	0.332	n/a	n/a	0.09	n/a	n/a	<0.2	<0.2
	11/9/2021	<2	n/a	0.747	27.3	<0.26	n/a	<0.26	0.484	0.213	0.399	n/a	n/a	0.11	n/a	n/a	<0.2	<0.2
	3/3/2022	<2	n/a	0.777	26.7	<0.26	n/a	<0.26	0.503	0.218	0.226	n/a	n/a	<0.26	n/a	n/a	<0.2	<0.2
	5/23/2022	<2.08	n/a	0.836	30.4	<2.60	n/a	<0.260	0.762	0.257(J)	0.694	n/a	n/a	0.116(J)	n/a	n/a	<0.200	<0.200
	8/25/2022	<2.08	n/a	0.673	25.8	<2.60	n/a	<0.260	0.365	0.205	0.408	n/a	n/a	0.098	n/a	n/a	<0.200	<0.200
	3/14/2023	<2.08	n/a	0.729	25.9	<2.60	n/a	<0.260	0.194	0.189	<0.395	n/a	n/a	<0.26	n/a	n/a	<0.200	<0.200
	8/15/2023	<2.08	n/a	0.704	21.6	<2.60	n/a	<0.260	0.413	0.17	1.94	n/a	n/a	<0.26	n/a	n/a	<0.200	<0.200
	3/6/2024	<2.08	n/a	0.67	21.9	<2.60	n/a	<0.260	0.338	0.128	<0.520	n/a	n/a	0.396	n/a	n/a	<0.200	<0.200
	8/23/2024	<2.08	n/a	0.747	22	<2.60	n/a	<0.260	0.294	0.147	<0.520	n/a	n/a	<0.416	n/a	n/a	<0.200	<0.200
	3/7/2025	<2.08	n/a	0.746	25.4	<2.60	n/a	<0.260	<0.260	0.142	0.233	n/a	n/a	<0.416	n/a	n/a	<0.200	<0.200
	8/19/2025	<2.08	n/a	0.653	23.6	<2.60	n/a	<0.260	<0.260	0.156	0.162	n/a	n/a	<0.416	n/a	n/a	<0.200	<0.200
	3/17/2026	<2.08	n/a	0.758	35.3	<2.60	n/a	<0.260	0.32	0.135	0.836	n/a	n/a	<0.416	n/a	n/a	<0.200	<0.200

Elemental Environmental Solutions

First Quarter 2026 Historical Database

		N (ug/l)	Se (ug/l)	As (ug/l)	Na (ug/l)	Tl (ug/l)	Sn (ug/l)	Va (ug/l)	Zn (ug/l)	Fluoride (ug/l)	Chloride (ug/l)	Cyanide (ug/l)	Sulfide (ug/l)	Sulfate (ug/l)	TDS (ug/l)	pH (SU)	Spec. Cond. (umhos/cm)	Turb (NTU)
MW-25	d																	
	5/21/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	210	n/a	<5	n/a	n/a	n/a	6.32	228	9.85
	8/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	170	n/a	<5	n/a	n/a	n/a	6.61	235	5.72
	11/19/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	280	n/a	<5	n/a	n/a	n/a	6.49	240	6.21
	3/10/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	460	n/a	<5	n/a	n/a	n/a	6.27	50	7.36
	6/25/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	430	n/a	<5	n/a	n/a	n/a	6.3	241	8.14
	8/29/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	280	n/a	<5	n/a	n/a	n/a	6.41	241	3.83
	12/22/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	290	n/a	<5	n/a	n/a	n/a	6.2	234	3.2
	2/13/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	270	n/a	<5	n/a	n/a	n/a	6.36	235	14.7
	8/10/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	290	n/a	<5	n/a	n/a	n/a	6.26	221	25
	2/25/2005	n/a	2.8	<2	n/a	n/a	n/a	n/a	14	383	n/a	<5	n/a	n/a	n/a	7.04	235	6.77
	8/10/2005	n/a	<2	<2	n/a	n/a	n/a	n/a	10	268	n/a	<5	n/a	n/a	n/a	6.45	243	17
	2/22/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	350	n/a	<5	n/a	n/a	n/a	6.61	246	2.37
	8/11/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	323	n/a	<5	n/a	n/a	n/a	6.57	153.9	6.58
	2/21/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	278	n/a	<5	n/a	n/a	n/a	6.36	244	2.08
	8/8/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	251	n/a	<5	n/a	n/a	n/a	6.46	235	2.98
	2/7/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<100	n/a	<5	n/a	n/a	n/a	6.45	197	3.56
	8/15/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	270	n/a	<5	n/a	n/a	n/a	6.41	190.9	4.69
	2/11/2009	n/a	<2	2	n/a	n/a	n/a	n/a	<10	243	n/a	<5	n/a	n/a	n/a	6.41	n/a	2.46
	8/7/2009	n/a	<2	<0.5	n/a	n/a	n/a	n/a	<10	219	n/a	<5	n/a	n/a	n/a	5.44	238	8.67
	2/11/2010	n/a	<2	<0.5	n/a	n/a	n/a	n/a	21	205	n/a	<5	n/a	n/a	n/a	6.36	234	11.5
	8/17/2010	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	238	n/a	<5	n/a	n/a	n/a	6.48	140	3.62
	2/22/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	380	n/a	<2	n/a	n/a	n/a	6.54	224	3.11
	8/24/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	238	n/a	<2	n/a	n/a	n/a	6.33	334	4.97
	2/7/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	309	n/a	<2	n/a	n/a	n/a	6.19	229	5.03
	8/14/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	277	n/a	<2	n/a	n/a	n/a	6.47	240	6.95
	2/15/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	227	n/a	<5	n/a	n/a	n/a	6.7	197.9	4.16
	8/6/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	300	n/a	<5	n/a	n/a	n/a	6.17	254	9.28
	2/18/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	249	n/a	<5	n/a	n/a	n/a	6.44	257	9
	8/20/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	234	n/a	<5	n/a	n/a	n/a	5.43	263	12.8
	2/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	231	n/a	<5	n/a	n/a	n/a	7.05	247	4.87
	8/27/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	177	n/a	<5	n/a	n/a	n/a	6.29	237	8.87
	2/9/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	191	n/a	<5	n/a	n/a	n/a	6.5	244	6.54
	8/22/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	244	n/a	<5	n/a	n/a	n/a	6.29	236	11.45
	2/22/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	228	n/a	<5	n/a	n/a	n/a	6.24	250	3.97
	8/28/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	319	n/a	<5	n/a	n/a	n/a	6.58	235	5.14
	2/6/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	346	n/a	<5	n/a	n/a	n/a	6.74	232	2.45
	8/21/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	253	n/a	<5	n/a	n/a	n/a	6.35	234	1.99
	2/4/2019	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	220	n/a	<5	n/a	n/a	n/a	6.5	241	2.51
	9/16/2019	0.741	<2	<2	13300	<2	<2	0.211	<25	277	n/a	<5	<50	n/a	n/a	6.3	223	5.21
	11/13/2019	0.56	<2	<2	n/a	<2	<2	<5	<10	216	n/a	<5	<50	n/a	n/a	6.12	243	0.58
	2/25/2020	0.75	<2	<2	n/a	<2	<2	0.071	9.72	217	n/a	<5	<50	n/a	n/a	6.59	220	4.3
	5/11/2020	0.79	<2	<2	n/a	<2	<2	<5	<10	235	n/a	<5	<50	n/a	n/a	6.44	219	9.31
	8/4/2020	0.52	<2	<3	n/a	<2	<2	0.163	<10	286	n/a	<5	<50	n/a	n/a	6.64	215	2.24
	11/3/2020	0.49	<2	<3	n/a	<2	<2	<5	<10	293	n/a	<5	<50	n/a	n/a	6.48	227	4.78
	2/23/2021	0.66	<5	<0.3	n/a	<0.25	<20	<0.25	<20	262	n/a	<5	<150	n/a	n/a	6.78	233	3.31
	5/12/2021	0.88	<5.2	<0.312	n/a	<0.26	<20.8	0.122(J)	<20.8	261	n/a	<5	<150	n/a	n/a	6.49	226	4.79
	8/24/2021	0.61	<5.2	<0.312	n/a	<0.26	<20.8	0.134	13.2	238	n/a	<5	<150	n/a	n/a	6.57	175.6	1.11
	11/9/2021	0.75	<5.2	<0.312	n/a	<0.26	<20.8	0.163	<20.8	408	n/a	<5	<150	n/a	n/a	6.48	237	0.96
	3/3/2022	0.71	<5.2	<0.312	n/a	<0.26	<20.8	0.065	<20.8	311	n/a	<5	<150	n/a	n/a	6.49	217	2.51
	5/23/2022	0.83	<5.20	<0.312	n/a	<0.260	<20.8	0.236(J)	<20.8	395(J)	n/a	<5	<150	n/a	n/a	6.61	202	3.61
	8/25/2022	1.01	<5.20	<0.312	n/a	<0.260	<20.8	0.127	<20.8	322	n/a	<5	<150	n/a	n/a	6.61	215	4.25
	3/14/2023	0.6	<5.20	<0.312	n/a	<0.260	<20.8	<0.26	<20.8	273	n/a	<5	<150	n/a	n/a	6.74	239	9.22
	8/15/2023	0.61	<5.20	<0.312	n/a	<0.260	<20.8	<0.26	<20.8	290	n/a	<5	<150	n/a	n/a	6.52	209	9.68
	3/6/2024	0.59	<5.20	<0.312	n/a	<0.260	<20.8	<0.26	<20.8	323	n/a	2	<150	n/a	n/a	6.61	375	20.1
	8/23/2024	0.71	<5.20	<0.312	n/a	<0.260	<20.8	<0.26	<20.8	310	n/a	<5	<150	n/a	n/a	6.45	227	6.44
	3/7/2025	0.52	<5.20	<0.312	n/a	<0.260	<20.8	<0.26	<20.8	344	n/a	<5	<150	n/a	n/a	6.49	214	10.89
	8/19/2025	0.51	<5.20	<0.312	n/a	<0.260	<20.8	<0.26	<20.8	304	n/a	<5	<150	n/a	n/a	6.32	1108	6
	3/17/2026	0.59	<5.20	0.111	n/a	<0.260	<20.8	<0.26	<20.8	291	n/a	<5	<150	n/a	n/a	6.72	242	8.81

Elemental Environmental Solutions

First Quarter 2026

Historical Database

		Sr (ug/l)	Al (ug/l)	As (ug/l)	Ba (ug/l)	Be (ug/l)	Ca (ug/l)	Cd (ug/l)	Cr (ug/l)	Co (ug/l)	Cu (ug/l)	Fe (ug/l)	K (ug/l)	Pb (ug/l)	Mg (ug/l)	Mn (ug/l)	Hg (ug/l)
MW-26	d																
	5/21/2002	n/a	n/a	<1		18	<0.2	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	8/26/2002	n/a	n/a	<1		20	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	11/19/2002	n/a	n/a	<1		23	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	3/10/2003	n/a	n/a		1	21	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	6/25/2003	n/a	n/a	<1		20	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/29/2003	n/a	n/a		2	19	<0.2	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	12/22/2003	n/a	n/a	<1		19	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/13/2004	n/a	n/a	<1		18	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/10/2004	n/a	n/a		1.1	21	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/25/2005	n/a	n/a		2	17	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/10/2005	n/a	n/a	<1		19	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/22/2006	n/a	n/a	<1		17	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/11/2006	n/a	n/a	<1		19	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/21/2007	n/a	n/a	<1		17	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/8/2007	n/a	n/a	<1		33	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/7/2008	n/a	n/a	<1		16	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/15/2008	n/a	n/a	<1		16	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/12/2009	n/a	n/a	<1		18	<0.2	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	8/7/2009	n/a	n/a	<1		18	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/11/2010	n/a	n/a	<1		38	<0.2	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/17/2010	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2011	n/a	n/a		1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/24/2011	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/7/2012	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/14/2012	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/15/2013	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/6/2013	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/18/2014	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/20/2014	n/a	n/a		1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/11/2015	n/a	n/a		1.01	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/27/2015	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/9/2016	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/22/2016	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2017	n/a	n/a		1.26	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/28/2017	n/a	n/a		1.09	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/6/2018	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/21/2018	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/4/2019	n/a	n/a		1.16	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	9/16/2019	<2	<100	0.849	9.42	<2	26900	<1	<2	0.301	2.08	3780	3120	<2	3740	339	n/a
	11/13/2019	<2	<100	1.02	12.4	<2	n/a	<1	0.129	0.251	0.111	n/a	n/a	<2	n/a	n/a	n/a
	2/25/2020	<2	<100	1.11	16.5	<2	n/a	<1	1.48	0.276	0.43	n/a	n/a	<2	n/a	n/a	n/a
	5/11/2020	<2	<100	1	14.3	<2	n/a	<1	0.315	0.331	0.269(J)	n/a	n/a	<2	n/a	n/a	n/a
	8/4/2020	<2	<100	0.847	11.7	<2	n/a	<1	0.319	0.000349	0.189(J)	n/a	n/a	<2	n/a	n/a	n/a
	11/3/2020	<2	<100	0.964	13	<2	n/a	<1	0.266	0.000275	<20	n/a	n/a	<2	n/a	n/a	n/a
	2/23/2021	<2	n/a	1.24	22	0.089(J)	n/a	0.132(J)	0.609	0.562	0.937	n/a	n/a	0.309	n/a	n/a	<0.2
	5/12/2021	<2	n/a	1.01	17.1	<0.26	n/a	<0.26	0.196(J)	0.392	0.33(J)	n/a	n/a	0.113(J)	n/a	n/a	<0.2
	8/24/2021	<2	n/a	1.07	20.5	<0.26	n/a	<0.26	0.423	0.47	0.582	n/a	n/a	0.167	n/a	n/a	<0.2
	11/9/2021	<2	n/a	1.03	20	<0.26	n/a	<0.26	0.633	0.443	0.681	n/a	n/a	0.154	n/a	n/a	<0.2
	3/3/2022	<2	n/a	1.14	21.1	<0.26	n/a	<0.26	0.553	0.412	0.552	n/a	n/a	0.163	n/a	n/a	<0.2
	5/23/2022	<2.08	n/a	1.06	21	<2.60	n/a	<0.260	0.671	0.471	0.553	n/a	n/a	0.183(J)	n/a	n/a	<0.200
	8/25/2022	<2.08	n/a	0.889	17	<2.60	n/a	<0.260	2.15	0.42	0.478	n/a	n/a	0.127	n/a	n/a	<0.200
	3/14/2023	<2.08	n/a	0.978	17.4	<2.60	n/a	<0.260	0.511	0.268	0.204	n/a	n/a	<0.26	n/a	n/a	<0.200
	8/15/2023	<2.08	n/a	0.923	13.7	<0.260	n/a	<0.260	0.742	0.324	0.372 (J)	n/a	n/a	0.130 (J)	n/a	n/a	<0.200
	3/6/2024	<2.08	n/a	1.02	16.1	<0.260	n/a	<0.260	0.342	0.282	0.152	n/a	n/a	<0.416	n/a	n/a	<0.200
	8/23/2024	0.476	n/a	0.882	11.5	<0.260	n/a	<0.260	0.28	0.259	0.179	n/a	n/a	<0.416	n/a	n/a	<0.200
	3/7/2025	<2.08	n/a	0.915	15.1	<0.260	n/a	<0.260	<0.260	0.246	0.322	n/a	n/a	<0.416	n/a	n/a	<0.200
	8/19/2025	<2.08	n/a	0.932	13.9	<0.260	n/a	<0.260	<0.260	0.213	0.167	n/a	n/a	<0.416	n/a	n/a	<0.200
	3/17/2026	<2.08	n/a	1.21	34.5	<0.260	n/a	<0.260	0.291	0.248	0.53	n/a	n/a	<0.416	n/a	n/a	<0.200

Elemental Environmental Solutions

First Quarter 2026 Historical Database

		N (ug/l)	Se (ug/l)	As (ug/l)	Na (ug/l)	Tl (ug/l)	Sn (ug/l)	Va (ug/l)	Zn (ug/l)	Fluoride (ug/l)	Chloride (ug/l)	Cyanide (ug/l)	Sulfide (ug/l)	Sulfate (ug/l)	TDS (ug/l)	pH (SU)	Spec. Cond. (umhos/cm)	Turb (NTU)
MW-26	d																	
	5/21/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	15	166	n/a	<5	n/a	n/a	n/a	6.88	252	6.93
	8/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	130	n/a	<5	n/a	n/a	n/a	6.68	263	6.67
	11/19/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	230	n/a	<5	n/a	n/a	n/a	6.67	268	6.99
	3/10/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	380	n/a	<5	n/a	n/a	n/a	6.47	256	8.83
	6/25/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	360	n/a	<5	n/a	n/a	n/a	6.45	262	8.64
	8/29/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	220	n/a	<5	n/a	n/a	n/a	6.67	264	6.62
	12/22/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<250	n/a	<5	n/a	n/a	n/a	6.4	256	6.65
	2/13/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	20	160	n/a	<5	n/a	n/a	n/a	6.54	257	4.71
	8/10/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	210	n/a	<5	n/a	n/a	n/a	6.39	245	9.55
	2/25/2005	n/a	<2	2.1	<2	n/a	n/a	n/a	<10	282	n/a	<5	n/a	n/a	n/a	6.97	256	7.08
	8/10/2005	n/a	<2	<2	n/a	n/a	n/a	n/a	10	188	n/a	<5	n/a	n/a	n/a	6.67	265	7.14
	2/22/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	180	n/a	<5	n/a	n/a	n/a	6.79	245	6.64
	8/11/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	201	n/a	<5	n/a	n/a	n/a	6.82	143	7.94
	2/21/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	186	n/a	<5	n/a	n/a	n/a	6.48	261	2.34
	8/8/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	162	n/a	<5	n/a	n/a	n/a	6.63	250	3.31
	2/7/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<100	n/a	<5	n/a	n/a	n/a	6.29	203	2.97
	8/15/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	177	n/a	<5	n/a	n/a	n/a	6.58	188.5	4.78
	2/12/2009	n/a	<2	2	n/a	n/a	n/a	n/a	<10	156	n/a	<5	n/a	n/a	n/a	6.55	282	4.35
	8/7/2009	n/a	<2	<0.5	n/a	n/a	n/a	n/a	<10	136	n/a	<5	n/a	n/a	n/a	6.55	255	5.76
	2/11/2010	n/a	<2	<0.5	n/a	n/a	n/a	n/a	<10	130	n/a	<5	n/a	n/a	n/a	6.65	249	15.9
	8/17/2010	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	154	n/a	<5	n/a	n/a	n/a	6.5	147	4.25
	2/22/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	240	n/a	<2	n/a	n/a	n/a	6.37	236	3.94
	8/24/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	165	n/a	<2	n/a	n/a	n/a	6.65	248	3.28
	2/7/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	232	n/a	<2	n/a	n/a	n/a	6.34	243	4.43
	8/14/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	164	n/a	2	n/a	n/a	n/a	6.69	258	4.96
	2/15/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	143	n/a	<5	n/a	n/a	n/a	7.08	211	7.94
	8/6/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	221	n/a	<5	n/a	n/a	n/a	6.47	275	8.09
	2/18/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	158	n/a	<5	n/a	n/a	n/a	6.63	275	10.7
	8/20/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	162	n/a	<5	n/a	n/a	n/a	5.53	274	8.63
	2/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	149	n/a	<5	n/a	n/a	n/a	6.83	269	2.47
	8/27/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	112	n/a	<5	n/a	n/a	n/a	6.31	247	4.87
	2/9/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	122	n/a	<5	n/a	n/a	n/a	6.67	260	8.25
	8/22/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	212	n/a	<5	n/a	n/a	n/a	6.63	254	8.99
	2/22/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	145	n/a	<5	n/a	n/a	n/a	6.42	271	4.06
	8/28/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	242	n/a	<5	n/a	n/a	n/a	6.71	253	6.11
	2/6/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	244	n/a	<5	n/a	n/a	n/a	6.81	250	3.79
	8/21/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	161	n/a	<5	n/a	n/a	n/a	6.58	251	0.63
	2/4/2019	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	137	n/a	<5	n/a	n/a	n/a	6.69	259	4.22
	9/16/2019	0.876	<2	<2	14800	<2	<2	0.21	2.73	205	n/a	<5	<50	n/a	n/a	6.52	241	5.91
	11/13/2019	0.56	<2	<2	n/a	<2	<2	<5	<10	142	n/a	<5	<50	n/a	n/a	6.25	260	0.56
	2/25/2020	1.2	<2	<2	n/a	<2	<2	<5	10.6	145	n/a	<5	<50	n/a	n/a	6.78	243	4.69
	5/11/2020	0.75	<2	<2	n/a	<2	<2	<5	<10	153	n/a	<5	<50	n/a	n/a	6.56	244	8.38
	8/4/2020	0.55	<2	<3	n/a	<2	<2	0.152(J)	<10	215	n/a	<5	<50	n/a	n/a	6.8	231	3.11
	11/3/2020	0.76	<2	<3	n/a	<2	<2	<5	<10	230	n/a	<5	<50	n/a	n/a	6.57	246	1.98
	2/23/2021	1.07	<5	<0.3	n/a	0.096(J)	<20	0.342	<20	182	n/a	<5	<150	n/a	n/a	6.94	255	6.16
	5/12/2021	0.94	<5.2	<0.312	n/a	<0.26	<20.8	0.107(J)	9.17(J)	186	n/a	<5	<150	n/a	n/a	6.66	238	3.15
	8/24/2021	0.82	<5.2	<0.312	n/a	<0.26	<20.8	0.256	8.94	158	n/a	<5	<150	n/a	n/a	6.71	187.9	3.43
	11/9/2021	1.01	<5.2	<0.312	n/a	<0.26	<20.8	0.222	<20.8	312	n/a	<5	<150	n/a	n/a	6.67	257	1.84
	3/3/2022	0.84	<5.2	<0.312	n/a	<0.26	<20.8	0.116	<20.8	225	n/a	<5	<150	n/a	n/a	6.61	230	4.61
	5/23/2022	1.09	<5.20	<0.312	n/a	<0.260	<20.8	0.286	5.21(J)	299(J)	n/a	<5	<150	n/a	n/a	6.87	214	4.11
	8/25/2022	1.04	<5.20	<0.312	n/a	<0.260	<20.8	0.204	<20.8	217	n/a	<5	<150	n/a	n/a	6.72	232	7.77
	3/14/2023	0.75	<5.20	<0.312	n/a	<0.260	<20.8	<0.26	<20.8	218	n/a	<5	<150	n/a	n/a	6.91	267	12.7
	8/15/2023	0.99	<5.20	<0.312	n/a	<0.260	<20.8	0.078 (J)	5.92 (J)	195	n/a	<5	<150	n/a	n/a	6.67	238	15.5
	3/6/2024	0.67	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	227	n/a	2	<150	n/a	n/a	6.76	497	27.9
	8/23/2024	0.85	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	233	n/a	<5	<150	n/a	n/a	6.7	231	9.62
	3/7/2025	0.74	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	236	n/a	<5	<150	n/a	n/a	6.5	234	8.44
	8/19/2025	0.66	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	213	n/a	<5	<150	n/a	n/a	6.45	264	6.26
	3/17/2026	0.77	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	223	n/a	0.004	<150	n/a	n/a	6.63	137	144

Elemental Environmental Solutions

First Quarter 2026

Historical Database

		Sb (ug/l)	Al (ug/l)	As (ug/l)	Ba (ug/l)	Be (ug/l)	Ca (ug/l)	Cd (ug/l)	Cr (ug/l)	Co (ug/l)	Cu (ug/l)	Fe (ug/l)	K (ug/l)	Pb (ug/l)	Hg (ug/l)	Mn (ug/l)	Hg (ug/l)
MW-27	d																
	5/21/2002	n/a	n/a	<1	21	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	8/26/2002	n/a	n/a	<1	24	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	11/19/2002	n/a	n/a	<1	23	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	3/10/2003	n/a	n/a	<1	23	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	6/25/2003	n/a	n/a	<1	20	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/29/2003	n/a	n/a	2	25	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	12/22/2003	n/a	n/a	<1	22	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/13/2004	n/a	n/a	<1	22	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/10/2004	n/a	n/a	1.2	30	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/25/2005	n/a	n/a	2	19	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	8/10/2005	n/a	n/a	<1	23	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/22/2006	n/a	n/a	<1	18	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/11/2006	n/a	n/a	<1	24	<0.2	n/a	n/a	n/a	n/a	24	n/a	n/a	<1	n/a	n/a	n/a
	2/21/2007	n/a	n/a	<1	22	1.9	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/8/2007	n/a	n/a	<1	16	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/7/2008	n/a	n/a	1	19	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/15/2008	n/a	n/a	<1	24	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/12/2009	n/a	n/a	<1	21	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	1	n/a	n/a	n/a
	8/7/2009	n/a	n/a	<1	22	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	2/11/2010	n/a	n/a	<1	47	<0.2	n/a	n/a	n/a	n/a	<20	n/a	n/a	<1	n/a	n/a	n/a
	8/17/2010	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2011	n/a	n/a	2	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/24/2011	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/7/2012	n/a	n/a	1.02	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/14/2012	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/15/2013	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/6/2013	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/18/2014	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/20/2014	n/a	n/a	1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/11/2015	n/a	n/a	1.48	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/27/2015	n/a	n/a	1.05	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/9/2016	n/a	n/a	1.17	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/22/2017	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/28/2017	n/a	n/a	1.04	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/6/2018	n/a	n/a	1.23	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	8/21/2018	n/a	n/a	<1	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	2/4/2019	n/a	n/a	1.14	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	9/16/2019	<2	<100	0.818	15.9	<2	30800	<1	<2	<2	2.03	4380	3210	0.256	4180	261	n/a
	11/13/2019	<2	<100	1.02	24.4	<2	n/a	<1	0.133	0.155	0.214	n/a	n/a	<1	n/a	n/a	n/a
	2/25/2020	<2	<100	1.19	26.5	<2	n/a	<1	0.263	0.227	0.287	n/a	n/a	<1	n/a	n/a	n/a
	5/11/2020	<2	n/a	1.09	23.7	<2	n/a	<1	0.349	0.000214	3.29	n/a	n/a	<1	n/a	n/a	n/a
	8/4/2020	<2	n/a	1.04	24.9	<2	n/a	<1	0.356	0.000251	0.249	(J)	n/a	<1	n/a	n/a	n/a
	11/3/2020	<2	n/a	0.973	22.9	<2	n/a	<1	0.3	0.000186	0.13	n/a	n/a	<1	n/a	n/a	n/a
	2/23/2021	<2	n/a	1.38	32.6	<0.25	n/a	<0.25	0.413	0.245	(J)	472000	n/a	n/a	0.139	(J)	n/a
	5/12/2021	<2	n/a	1.23	24.9	<0.26	n/a	<0.26	0.245	(J)	0.291	0.368	(J)	n/a	0.232	(J)	n/a
	8/24/2021	<2	n/a	1.17	28	<0.26	n/a	<0.26	0.589	0.279	0.412	n/a	n/a	0.199	n/a	n/a	<0.2
	11/9/2021	<2	n/a	1.09	24.9	<0.26	n/a	<0.26	0.674	0.33	0.339	n/a	n/a	0.162	n/a	n/a	<0.2
	3/3/2022	<2	n/a	1.04	20.5	<0.26	n/a	<0.26	0.415	0.218	1.33	n/a	n/a	0.299	n/a	n/a	<0.2
	5/23/2022	<2.08	n/a	1.01	22	<0.260	n/a	<0.260	0.66	0.261	0.414	n/a	n/a	0.118	(J)	n/a	<0.200
	8/25/2022	<2.08	n/a	1.01	23.7	<0.260	n/a	<0.260	0.475	0.242	1.16	n/a	n/a	0.171	n/a	n/a	<0.200
	3/14/2023	<2.08	n/a	1.01	23.8	0.113	n/a	<0.260	0.171	0.182	<0.395	n/a	n/a	<0.26	n/a	n/a	<0.200
	8/15/2023	<2.08	n/a	1.08	27.3	<0.260	n/a	<0.260	0.556	0.213	(J)	0.204	(J)	n/a	<0.416	n/a	<0.200
	3/6/2024	<2.08	n/a	1.15	25.2	<0.260	n/a	<0.260	0.417	0.174	<0.520	n/a	n/a	<0.416	n/a	n/a	<0.200
	8/23/2024	0.344	n/a	1.02	25.1	<0.260	n/a	<0.260	0.325	0.159	<0.520	n/a	n/a	<0.416	n/a	n/a	<0.200
	3/7/2025	<2.08	n/a	1.18	28.5	<0.260	n/a	<0.260	<0.260	0.162	0.254	n/a	n/a	<0.416	n/a	n/a	<0.200
	8/19/2025	<2.08	n/a	1	28.8	<0.260	n/a	<0.260	<0.260	0.164	0.162	n/a	n/a	<0.416	n/a	n/a	<0.200
	3/17/2026	<2.08	n/a	2.74	69.4	<0.260	n/a	<0.260	0.448	0.239	0.471	n/a	n/a	<0.416	n/a	n/a	<0.200

Elemental Environmental Solutions

First Quarter 2026
Historical Database

		Ni (ug/l)	Se (ug/l)	Ag (ug/l)	Na (ug/l)	Tl (ug/l)	Sn (ug/l)	Va (ug/l)	Zn (ug/l)	Fluoride (ug/l)	Chloride (ug/l)	Cyanide (ug/l)	Sulfide (ug/l)	Sulfate (ug/l)	TD _S (ug/l)	pH (SU)	Spec. Cond. (umhos/cm)	Turb (NTU)
MW-27	d																	
	5/21/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	146	n/a	<5	n/a	n/a	n/a	7.11	272	8.03
	8/26/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<100	n/a	<5	n/a	n/a	n/a	6.69	274	6.49
	11/19/2002	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	190	n/a	<5	n/a	n/a	n/a	6.7	278	7.3
	3/10/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	370	n/a	<5	n/a	n/a	n/a	6.46	272	10.75
	6/25/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	340	n/a	<5	n/a	n/a	n/a	6.49	276	6.41
	8/28/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	180	n/a	<5	n/a	n/a	n/a	6.63	280	8.36
	12/22/2003	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<250	n/a	<5	n/a	n/a	n/a	6.46	272	6.14
	2/13/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	130	n/a	<5	n/a	n/a	n/a	6.75	273	4.92
	8/10/2004	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	160	n/a	<5	n/a	n/a	n/a	6.46	259	11.07
	2/25/2005	n/a		2.6	<2	n/a	n/a	n/a	<10	202	n/a	<5	n/a	n/a	n/a	7.06	272	8.62
	8/10/2005	n/a	<2	<2	n/a	n/a	n/a	n/a	10	160	n/a	<5	n/a	n/a	n/a	6.7	283	14.57
	2/22/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	140	n/a	<5	n/a	n/a	n/a	6.9	258	7.93
	8/11/2006	n/a	<2	<2	n/a	n/a	n/a	n/a	21	180	n/a	<5	n/a	n/a	n/a	6.77	196.3	18.3
	2/21/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	156	n/a	<5	n/a	n/a	n/a	6.52	279	7.6
	8/8/2007	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	132	n/a	<5	n/a	n/a	n/a	6.65	267	3.13
	2/7/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	<100	n/a	<5	n/a	n/a	n/a	6.47	220	2.85
	8/15/2008	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	133	n/a	<5	n/a	n/a	n/a	6.64	220	4.22
	2/12/2009	n/a	<2	<2	n/a	n/a	n/a	n/a	<10	127	n/a	<5	n/a	n/a	n/a	6.56	300	2.92
	8/7/2009	n/a	<2	<0.5	n/a	n/a	n/a	n/a	<10	123	n/a	<5	n/a	n/a	n/a	5.69	271	4.98
	2/11/2010	n/a	<2	<0.5	n/a	n/a	n/a	n/a	<10	104	n/a	<5	n/a	n/a	n/a	6.54	266	5.67
	8/17/2010	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	128	n/a	<5	n/a	n/a	n/a	6.5	165	1.52
	2/22/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	240	n/a	<2	n/a	n/a	n/a	6.35	254	3.75
	8/24/2011	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	145	n/a	<2	n/a	n/a	n/a	6.68	247	4.35
	2/7/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	204	n/a	<2	n/a	n/a	n/a	6.38	262	17.6
	8/14/2012	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	140	n/a	<2	n/a	n/a	n/a	6.8	273	3.35
	2/15/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	122	n/a	<5	n/a	n/a	n/a	7.05	220	30.5
	8/6/2013	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	244	n/a	<5	n/a	n/a	n/a	6.53	292	17.5
	2/18/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	131	n/a	<5	n/a	n/a	n/a	6.63	292	30.1
	8/20/2014	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	127	n/a	<5	n/a	n/a	n/a	5.92	290	18.1
	2/11/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	124	n/a	<5	n/a	n/a	n/a	6.73	287	10.32
	8/27/2015	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	<100	n/a	<5	n/a	n/a	n/a	6.33	261	12.87
	2/9/2016	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	103	n/a	<5	n/a	n/a	n/a	6.78	281	18.9
	2/22/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	126	n/a	<5	n/a	n/a	n/a	6.5	217	5.48
	8/28/2017	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	230	n/a	<5	n/a	n/a	n/a	6.83	273	5.11
	2/6/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	225	n/a	<5	n/a	n/a	n/a	6.91	269	5.42
	8/21/2018	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	132	n/a	<5	n/a	n/a	n/a	6.75	268	5.01
	2/4/2019	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	113	n/a	<5	n/a	n/a	n/a	6.7	278	2.91
	9/16/2019	0.788	<2	<2	14900	<2	<2	0.199	<25	180	n/a	<5	<50	n/a	n/a	6.72	257	4.98
	11/13/2019	0.48	<2	<2	n/a	<2	<2	<5	<25	114	n/a	<5	<50	n/a	n/a	6.52	274	1.56
	2/25/2020	0.67	<2	<2	n/a	<2	<2	<5	11.2	119	n/a	<5	<50	n/a	n/a	6.89	270	4.97
	5/11/2020	0.77	<2	<2	n/a	<2	<2	<5	<25	127	n/a	<5	<50	n/a	n/a	6.92	248	6.44
	8/4/2020	0.54	<2	<3	n/a	<2	<2	0.16 (J)	<25	181	n/a	<5	113(J)	n/a	n/a	6.85	254	2.88
	11/3/2020	0.5	<2	<3	n/a	<2	<2	<5	<25	185	n/a	<5	<50	n/a	n/a	6.65	271	4.41
	2/23/2021	0.81	<5	<0.3	n/a	<0.25	<20	0.114 (J)	<20	162	n/a	<5	<150	n/a	n/a	6.99	277	6.23
	5/12/2021	1.17	<5.2	<0.312	n/a	<0.26	<20.8	0.188 (J)	8.42(J)	160	n/a	<5	<150	n/a	n/a	6.79	255	2.89
	8/24/2021	1.16	<5.2	<0.312	n/a	<0.26	<20.8	0.26	11.5	137	n/a	<5	<150	n/a	n/a	6.76	196.7	1.39
	11/9/2021	1.07	<5.2	<0.312	n/a	<0.26	<20.8	0.266	<20.8	286	n/a	<5	<150	n/a	n/a	6.7	276	0.59
	3/3/2022	0.72	<5.2	<0.312	n/a	<0.26	<20.8	0.08	<20.8	202	n/a	<5	<150	n/a	1.08	6.83	253	0.59
	5/23/2022	0.94	<5.20	<0.312	n/a	<0.260	<20.8	0.125 (J)	<20.8	270 (J)	n/a	<5	<150	n/a	n/a	6.99	233	1.92
	8/25/2022	1.25	<5.20	<0.312	n/a	<0.260	<20.8	0.158	<20.8	189	n/a	<5	<150	n/a	n/a	6.72	247	9.86
	3/14/2023	0.63	<5.20	<0.312	n/a	<0.260	<20.8	<0.26	<20.8	190	n/a	2	<150	n/a	n/a	6.96	289	14.3
	8/15/2023	0.9	<5.20	<0.312	n/a	<0.260	<20.8	0.055 (J)	<20.8	171	n/a	<5	<150	n/a	n/a	6.67	251	12.9
	3/6/2024	0.61	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	199	n/a	2	<150	n/a	n/a	6.81	989	17
	8/23/2024	0.63	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	200	n/a	<5	<150	n/a	n/a	6.74	262	10.31
	3/7/2025	0.5	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	265	n/a	<5	<150	n/a	n/a	6.5	260	12.9
	8/19/2025	0.51	<5.20	<0.312	n/a	<0.260	<20.8	<0.260	<20.8	179	n/a	<5	<150	n/a	n/a	6.57	1254	8.25
	3/17/2026	0.8	<5.20	<0.312	n/a	<0.260	<20.8	0.046	10.9	180	n/a	<5	<150	n/a	n/a	6.63	262.1	168

Elemental Environmental Solutions

First Quarter 2026

Historical Database

			Sb (ug/l)	Al (ug/l)	As (ug/l)	Ba (ug/l)	Be (ug/l)	Ca (ug/l)	Cd (ug/l)	Cr (ug/l)	Co (ug/l)	Cu (ug/l)	Fe (ug/l)	K (ug/l)	Pb (ug/l)	Mg (ug/l)	Mn (ug/l)	Hg (ug/l)
MW-28	d																	
	5/12/2021	<2	n/a	0.106 (J)		13.4	<0.26	n/a	<0.26	0.193 (J)	0.09 (J)	0.187 (J)	n/a	n/a	0.118 (J)	n/a	n/a	<0.2
	8/24/2021	<2	n/a	0.083		13.1	<0.26	n/a	<0.26	0.569	0.088	0.209 n/a	n/a	n/a	0.11	n/a	n/a	<0.2
	11/9/2021	<2	n/a	0.357		15.5	<0.26	n/a	<0.26	1.32	0.439	3.96 n/a	n/a	n/a	0.73	n/a	n/a	<0.2
	3/3/2022	<2	n/a	0.205		12.8	<0.26	n/a	<0.26	0.922	0.262	1.26 n/a	n/a	n/a	0.354	n/a	n/a	<0.2
	5/23/2022	<2.08	n/a	0.088 (J)		13	<0.260	n/a	<0.260	0.625	0.088(J)	0.241(J)	n/a	n/a	0.102(J)	n/a	n/a	<0.200
	8/25/2022	<2.08	n/a	0.092		13.5	<0.260	n/a	<0.260	0.426	0.086	0.216 n/a	n/a	n/a	0.141	n/a	n/a	<0.200
	11/28/2022	<2.08	n/a	0.123 (J)		13	<0.260	n/a	<0.260	0.538	0.117 (J)	0.297 (J)	n/a	n/a	0.172 (J)	n/a	n/a	<0.200
	3/14/2023	<2.08	n/a	0.072		11.6	<0.260	n/a	<0.260	0.303	0.085	0.231 n/a	n/a	n/a	0.133	n/a	n/a	<0.200
	8/15/2023	<2.08	n/a	<0.260		9.25	<0.260	n/a	<0.260	0.351	<0.260	0.68 n/a	n/a	n/a	<0.416	n/a	n/a	<0.200
	3/6/2024	<2.08	n/a	<0.260		10.7	<0.260	n/a	<0.260	0.411	<0.260	<0.520	n/a	n/a	<0.416	n/a	n/a	<0.200
	8/23/2024	<2.08	n/a	<0.260		10.6	<0.260	n/a	<0.260	0.311	<0.260	<0.520	n/a	n/a	<0.416	n/a	n/a	<0.200
	3/7/2025	<2.08	n/a	<0.260		8.5	<0.260	n/a	<0.260	0.149	<0.260	0.365 n/a	n/a	n/a	0.18	n/a	n/a	<0.200
	8/19/2025	<2.08	n/a	<0.260		21.3	<0.260	n/a	<0.260	<0.260	<0.260	<0.520	n/a	n/a	<0.416	n/a	n/a	<0.200
	3/17/2026	<2.08	n/a	<0.260		16.7	<0.260	n/a	<0.260	0.375	<0.260	0.298 n/a	n/a	n/a	<0.416	n/a	n/a	<0.200
MW-29	d																	
	5/12/2021	<2	n/a	<0.26		11.2	<0.26	n/a	<0.26	0.62	<0.26	0.189(J)	n/a	n/a	<0.26	n/a	n/a	<0.2
	8/24/2021	<2	n/a	<0.26		10.2	<0.26	n/a	<0.26	0.35	<0.26	<0.380	n/a	n/a	<0.26	n/a	n/a	<0.2
	11/9/2021	<2	n/a	0.078		10.5	<0.26	n/a	<0.26	0.977	<0.26	<0.395	n/a	n/a	0.081	n/a	n/a	<0.2
	3/3/2022	<2	n/a	<0.26		10.5	<0.26	n/a	<0.26	0.498	<0.26	0.445 n/a	n/a	n/a	<0.26	n/a	n/a	<0.2
	5/23/2022	<2.08	n/a	<2.60		10.9	<2.60	n/a	<0.260	0.354	<0.260	<0.395	n/a	n/a	<0.260	n/a	n/a	<0.200
	8/25/2022	<2.08	n/a	<2.60		11.2	<2.60	n/a	<0.260	0.202	<0.260	<0.395	n/a	n/a	<0.260	n/a	n/a	<0.200
	11/28/2022	<2.08	n/a	<2.60		10.9	<2.60	n/a	<0.260	0.376	<0.260	0.398 n/a	n/a	n/a	<0.260	n/a	n/a	<0.200
	3/14/2023	<2.08	n/a	0.052		10.6	<2.60	n/a	<0.260	0.579	<0.260	0.136 n/a	n/a	n/a	0.106	n/a	n/a	<0.200
	8/15/2023	<2.08	n/a	<2.60		9.43	<2.60	n/a	<0.260	0.393	<0.260	<0.520	n/a	n/a	<0.416	n/a	n/a	<0.200
	3/6/2024	<2.08	n/a	<2.60		9.66	<2.60	n/a	<0.260	0.322	<0.260	<0.520	n/a	n/a	<0.416	n/a	n/a	<0.200
	8/23/2024	<2.08	n/a	<2.60		9.66	<2.60	n/a	<0.260	0.334	<0.260	0.216 n/a	n/a	n/a	<0.416	n/a	n/a	<0.200
	3/7/2025	<2.08	n/a	<2.60		10.4	<2.60	n/a	<0.260	0.0801	<0.260	<0.520	n/a	n/a	<0.416	n/a	n/a	<0.200
	8/19/2025	<2.08	n/a	<2.60		10	<2.60	n/a	<0.260	<0.260	<0.260	<0.520	n/a	n/a	<0.416	n/a	n/a	<0.200
	3/17/2026	<2.08	n/a	0.055		11.1	<2.60	n/a	<0.260	0.352	<0.260	0.345 n/a	n/a	n/a	<0.416	n/a	n/a	<0.200
MW-30	d																	
	8/25/2022	<2.08	n/a	0.478		29.8	<2.60	n/a	<0.260	0.587	0.415	0.402 n/a	n/a	n/a	<0.260	n/a	n/a	<0.200
	11/28/2022	<2.08	n/a	0.313		23.5	<2.60	n/a	<0.260	0.531	0.36	0.199 n/a	n/a	n/a	<0.260	n/a	n/a	<0.200
	3/14/2023	<2.08	n/a	0.325		20.3	<2.60	n/a	<0.260	0.322	0.253	0.165 n/a	n/a	n/a	<0.260	n/a	n/a	<0.200
	6/28/2023	0.507 (J)	n/a	0.356		20.9	0.144 (J)	n/a	<0.260	1.06	0.429	0.269 (J)	n/a	n/a	0.182 (J)	n/a	n/a	<0.200
	8/15/2023	<2.08	n/a	0.275		15.1	<0.260	n/a	<0.260	0.831	0.252 (J)	0.283 (J)	n/a	n/a	0.151 (J)	n/a	n/a	<0.200
	11/17/2023	<2.08	n/a	0.421		18.9	<0.260	n/a	<0.260	2.04	0.329	0.751 n/a	n/a	n/a	0.517	n/a	n/a	<0.200
	3/6/2024	<2.08	n/a	0.684		58.9	<0.260	n/a	0.065	0.56	0.83	0.471 n/a	n/a	n/a	0.185	n/a	n/a	<0.200
	6/28/2024	<2.08	n/a	0.315		51.9	<0.260	n/a	0.05	0.665	0.609	0.376 n/a	n/a	n/a	0.178	n/a	n/a	<0.200
	8/23/2024	<2.08	n/a	0.295		15.4	<0.260	n/a	<0.260	0.687	0.294	0.208 n/a	n/a	n/a	0.387	n/a	n/a	<0.200
	3/7/2025	<2.08	n/a	0.459		16	<0.260	n/a	<0.260	0.505	0.232	0.369 n/a	n/a	n/a	0.485	n/a	n/a	<0.200
	8/19/2025	<2.08	n/a	0.215		14.2	<0.260	n/a	0.05	0.302	0.151	0.21 n/a	n/a	n/a	0.235	n/a	n/a	<0.200
	3/17/2026	<2.08	n/a	0.269		14.8	<0.260	n/a	<0.260	0.966	0.14	1.51 n/a	n/a	n/a	0.418	n/a	n/a	<0.200
MW-31	d																	
	8/25/2022	0.47	n/a	0.876		51.5	<2.60	n/a	0.157	1.72	0.691	1.29 n/a	n/a	n/a	1.26	n/a	n/a	<0.200
	11/28/2022	0.815 (J)	n/a	0.724		26	<2.60	n/a	0.069 (J)	1.14	0.35	0.661 n/a	n/a	n/a	0.509	n/a	n/a	<0.200
	3/14/2023	<2.08	n/a	1.5		56.5	<2.60	n/a	0.053	0.999	0.622	0.388 n/a	n/a	n/a	0.337	n/a	n/a	<0.200
	6/28/2023	1.19 (J)	n/a	1.14		50.4	0.078 (J)	n/a	0.086 (J)	1.49	0.597	0.53 n/a	n/a	n/a	0.261	n/a	n/a	<0.200
	8/15/2023	<2.08	n/a	1.3		38.7	<0.260	n/a	<0.260	0.875	0.344	0.214 n/a	n/a	n/a	<0.416	n/a	n/a	<0.200
	11/17/2023	<2.08	n/a	0.993		26.4	<0.260	n/a	0.057	1.95	0.376	0.504 n/a	n/a	n/a	0.331	n/a	n/a	<0.200
	3/6/2024	<2.08	n/a	0.255		13.6	<0.260	n/a	<0.260	0.703	0.161	0.397 n/a	n/a	n/a	0.198	n/a	n/a	<0.200
	6/28/2024	0.681	n/a	0.331		11.6	0.432	n/a	<0.260	0.726	0.226	1.28 n/a	n/a	n/a	0.271	n/a	n/a	<0.200
	8/23/2024	<2.08	n/a	0.503		36.9	<0.260	n/a	0.056	1.47	0.57	0.28 n/a	n/a	n/a	0.121	n/a	n/a	<0.200
	3/7/2025	<2.08	n/a	1.4		40	<0.260	n/a	0.162	0.677	0.742	1.27 n/a	n/a	n/a	2.18	n/a	n/a	<0.200
	8/19/2025	<2.08	n/a	0.212		52.1	<0.260	n/a	0.072	0.139	0.551	0.264 n/a	n/a	n/a	0.21	n/a	n/a	<0.200
	3/17/2026	<2.08	n/a	0.57		44.1	<0.260	n/a	0.174	0.432	0.641	0.494 n/a	n/a	n/a	0.352	n/a	n/a	<0.200
PZ-24-2	d																	
	8/19/2025	<2.08	n/a	0.382		52.9	<0.260	n/a	0.073	0.174	0.095	0.355 n/a	n/a	n/a	0.186	n/a	n/a	<0.200
	11/5/2025	<2.08	n/a	0.59		31.9	<0.260	n/a	0.062	<0.260	0.098	0.249 n/a	n/a	n/a	0.148	n/a	n/a	0.122
	3/17/2026	<2.08	n/a	2.28		56.1	<0.260	n/a	0.045	1.16	0.797	2.86 n/a	n/a	n/a	5.22	n/a	n/a	<0.200
PZ-25-2	d																	
	8/19/2025	<2.08	n/a	0.947		75.5	0.105	n/a	0.069	1.12	0.413	1.32 n/a	n/a	n/a	1.58	n/a	n/a	0.09
	11/5/2025	<2.08	n/a	1.74		147	<0.260	n/a	0.096	9.53	1.42	3.86 n/a	n/a	n/a	6.37	n/a	n/a	0.138
	3/17/2026	<2.08	n/a	0.464		43.6	<0.260	n/a	<0.260	0.452	0.059	0.53 n/a	n/a	n/a	0.257	n/a	n/a	<0.200
PZ-26-2	d																	
	8/19/2025	<2.08	n/a	2.8		244	0.584	n/a	0.1	1.47	4.92	7.12 n/a	n/a	n/a	8.94	n/a	n/a	0.0825
	11/5/2025	0.548	n/a	7.52		364	0.853	n/a	0.184	26	12.4	19.3 n/a	n/a	n/a	58.4	n/a	n/a	0.135
	3/17/2026	<2.08	n/a	1.18		83.2	<0.260	n/a	<0.260	0.538	<0.260	0.595 n/a	n/a	n/a	0.487	n/a	n/a	<0.200
PZ-27-2	d																	
	8/19/2025	<2.08	n/a	2.42		48.2	0.112	n/a	0.042	1.62	0.506	2.18 n/a	n/a	n/a	2.09	n/a	n/a	<0.200
	11/5/2025	<2.08	n/a	2.04		34.1	<0.260	n/a	<0.260	0.151	0.127	0.298 n/a	n/a	n/a	0.243	n/a	n/a	0.118
	3/17/2026	<2.08	n/a	1.09		32.3	<0.260	n/a	<0.260	0.43	<0.260	0.588 n/a	n/a	n/a	0.384	n/a	n/a	<0.200
PZ-31-2	d																	
	8/19/2025	0.94	n/a	0.868		19.9	<0.260	n/a	0.537	0.397	1.06	1.04 n/a	n/a	n/a	2.72	n/a	n/a	<0.200
	11/5/2025	<2.08	n/a	0.641		18.7	<0.260	n/a	0.475	0.157	0.45	0.505 n/a	n/a	n/a	0.546	n/a	n/a	0.122
	3/17/2026																	

First Quarter 2026
Historical Database

Page 24 of 24