

Haley Griffith (adpce.ad)

From: Vaughn, Kiefer <KVaughn@pmico.com>
Sent: Tuesday, June 16, 2026 8:51 AM
To: EE GW Reports; Jordan Anderson (adpce.ad)
Cc: Jacob Wesson; Wilson, Victoria
Subject: Green Bay Packaging - First Half 2026 Groundwater Monitoring Report - Permit 284-S3N
Attachments: 284-S3N - 1st Half 2026 GWMR Arkansas Kraft 3N.pdf

CAUTION: External Email

Please find attached 1st Half Groundwater Monitoring Report for the above referenced facility.

Kiefer Vaughn, P.G., MS
Senior Project Manager | Environmental

Pollution Management, Inc., A Terracon Company

3512 S Shackleford Road Little Rock, AR 72205
D (501) 687-1703 | M (501) 920-9109
kvaughn@PMICO.com | PMICO.com | Terracon.com



Terracon provides environmental, facilities, geotechnical, and materials consulting engineering services delivered with responsiveness, resourcefulness, and reliability.

Private and confidential as detailed here (www.terracon.com/disclaimer). If you cannot access the hyperlink, please e-mail sender.



A  Terracon Company

3512 S. Shackelford Road,
Little Rock, AR 72205
(501) 221-7122
PMICO.com | Terracon.com

June 15, 2026

Mr. Jordan Anderson, P.G.
Groundwater Branch
ARKANSAS ENERGY AND ENVIRONMENT
DIVISION OF ENVIRONMENTAL QUALITY
5301 Northshore Drive
North Little Rock, AR 72118-5328

VIA EMAIL: EE.gwreports@arkansas.gov
and Jordan.anderson@arkansas.gov

RE: First Half 2026 Groundwater Monitoring Report
Green Bay Packaging
Arkansas Kraft Class 3N Landfill
Solid Waste Permit 284-S3N

Dear Mr. Anderson:

Enclosed please find attached the First Half 2026 Groundwater Monitoring Report for the above-mentioned facility. Should you have any questions or require additional information, please do not hesitate to contact me.

Sincerely,
Pollution Management, Inc., A Terracon Company


Kiefer A. Vaughn, P.G.
Project Manager


Wm. Doug Ford, P.E.
APR

KAV:DWF:em

cc: Jacob Wesson, w/encl.

Attachments:

KT267038

Explore with us

FIRST HALF 2026 GROUNDWATER MONITORING REPORT

Arkansas Kraft Class 3N Landfill
Solid Waste Permit 284-S3N
AFIN: 15-00001

Green Bay Packaging – Arkansas Kraft Division
338 Highway 113 S
Morrilton, AR 72110-0711

June 15, 2026
Project Number: KT267038

Prepared By:



TABLE OF CONTENTS

LIST OF ABBREVIATIONS

1.0	CERTIFICATION STATEMENT	5
2.0	INTRODUCTION	2
2.1	Site Location	2
2.2	Site Groundwater Monitoring System.....	2
3.0	GROUNDWATER SAMPLING	2
3.1	Water Level Determination	2
3.2	Well Evacuation	3
3.3	Equipment Decontamination Procedure	3
3.4	Sample Extraction	4
3.5	Field Testing	4
3.6	Field Quality Assurance/Quality Control (QA/QC) Procedures	5
3.7	Handling/Transport/Custody	5
3.8	Sample Preservation.....	6
4.0	FIRST HALF 2025 GROUNDWATER MONITORING EVENT	6
4.1	Groundwater Elevation, Flow Direction, and Rate	6
4.2	Groundwater Quality	7
4.2.1	Comparison to Established Water Quality Standards.....	7
4.2.2	QA/QC Comparison	7
4.3	Statistical Program Design	8
4.4	Statistical Evaluation Results	8
4.4.1	Outlier Screening	8
4.4.2	Prediction Limits	9
4.4.3	Sen's Slope/Mann-Kendall Test.....	10
5.0	CONCLUSIONS	10

LIST OF TABLES:

Table I:	Constituents for Detection Monitoring
Table II:	Field Data
Table III:	Groundwater Quality Results
Table IV:	Prediction Limit Exceedances
Table V:	Statistically Significant Trends

LIST OF FIGURES:

Figure 1:	Site Location Map
-----------	-------------------

TABLE OF CONTENTS (continued)

LIST OF DRAWINGS:

Drawing Number 1: Potentiometric Map

LIST OF APPENDICES:

Appendix A:	Groundwater Monitoring Sampling Record and Field Data Sheets
Appendix B:	Laboratory Analytical Reports and Chain-of-Custody Forms
Appendix C:	Darcian Flow Calculations
Appendix D:	Historical Groundwater Analytical Results
Appendix E:	Statistical Results

LIST OF ABBREVIATIONS

The following is a list of common abbreviations used in this report and their meanings.

APC&EC:	Arkansas Pollution Control and Ecology Commission
DEQ:	Division of Environmental Quality
EPA:	Environmental Protection Agency
FB:	field blank
MCLs:	maximum containment levels
PMI:	Pollution Management, Inc.
QA/QC:	Quality Assurance/Quality Control
RCRA:	Resource Conservation Recovery Act
TDS:	total dissolved solids
TOC:	total organic carbons
TOX:	total organic halides
UG:	unified guidance

1.0 CERTIFICATION STATEMENT

First Half 2026 Groundwater Monitoring Report
Arkansas Kraft Class 3N Landfill
Morrilton, Arkansas

Prepared for:

Green Bay Packaging—Arkansas Kraft Division
Morrilton, AR

For Submittal to:


Arkansas Energy and Environment
Division of Environmental Quality
Office of Land Resources


Certification

I certify that I am a qualified groundwater scientist who has received a baccalaureate or postgraduate degree in geology. I have sufficient training and experience in groundwater hydrology and related fields, as demonstrated by state registration and completion of accredited university courses, which enable me to make sound professional judgments regarding groundwater monitoring and contaminant fate and transport.

The statistics herein are based upon the statistical program SANITA™ that is guided by the relevant Environment Protection Agency (EPA) Guidance, American Standard Test Method (ASTM) Standards, and in accordance with of Arkansas Pollution Control and Ecology Commission (APC&EC) Regulation 22. I further certify that this report was prepared by me or by a subordinate working under my direct supervision.


Kiefer A. Vaughn, P.G.




Date

2.0 INTRODUCTION

Green Bay Packaging Inc.—Arkansas Kraft Division operates a Class 3N Solid Waste Landfill (Landfill) under Solid Waste Permit Number 284-S3N issued on November 8, 1996, under the direction of the Arkansas Energy and Environment, Division of Environmental Quality (DEQ). The groundwater monitoring wells at the Landfill have been monitored in accordance with Condition Number 17 of the Arkansas Kraft Solid Waste Permit. Pollution Management Inc., A Terracon Company (PMI) conducted groundwater sampling activities on April 14, 2026, and Pace Analytical, Mount Juliet, Tennessee, performed the laboratory analysis.

2.1 Site Location

The Arkansas Kraft Landfill is located along Highway 113 approximately one mile southeast of Oppelo, Arkansas, see **Figure 1**. More specifically, the Landfill site consists of 185 acres with approximately 100 acres utilized for waste disposal and is located on the south side of the Arkansas Kraft Plant. The Landfill is located in portions of Sections 7, 8, 17, and 18, Township 5 North, Range 16 West, in Conway County, Arkansas.

2.2 Site Groundwater Monitoring System

There are currently eleven monitoring wells, P-1, P-2, P-4, P-5, P-6, P-7, P-8, P-11, P-12, P-13, and P-14, surrounding the Landfill. Four wells, P-1, P-2, P-6, and P-13 are utilized for water level measurements only and are not sampled for chemical analysis. Monitoring wells P-9 and P-10 are decommissioned. Locations of the monitoring wells, in relation to the Landfill, are presented in **Drawing Number 1**.

3.0 GROUNDWATER SAMPLING

The First Half 2026 Groundwater Sampling Event at the Arkansas Kraft Class 3N Landfill was conducted on April 14, 2026, PMI personnel collected groundwater samples from seven monitoring wells and measured water levels in four additional monitoring wells. The procedures for obtaining groundwater samples, parameters analyzed, and sample preservation and handling are discussed in the following sections.

3.1 Water Level Determination

Prior to evacuating each well for sampling, the depth to water was measured using an electronic water level probe. The measurements were taken to the nearest 0.01 foot from the

top of the well casing, and this information was used to calculate the volume of water in the well. Water level data for each well can be found on the field data sheets in **Appendix A**. Because non-dedicated equipment was used to obtain water levels, PMI decontaminated the equipment prior to initial use and after each water level measurement to ensure samples were not contaminated and there was no cross contamination of wells. The electronic water level probe is constructed of inert materials and was cleaned with distilled water before each use at each monitoring well.

3.2 Well Evacuation

Prior to sampling the groundwater wells, the PMI field technician purged wells using a peristaltic pump and low-flow techniques. New poly tubing was used to purge and sample each well. Measures were taken to prevent surface soils from encountering the purging equipment and lines, which could introduce contaminants to the well.

To document that formation waters were entering the well, representative samples of the purge water were periodically collected and tested for field water quality parameters. The parameters measured were pH, specific conductance, temperature, dissolved oxygen, and turbidity. Water quality parameters (apart from turbidity) were considered stable if three successive readings did not vary more than 10 percent, see **Appendix A** for field data sheets. Measures were taken to obtain turbidity readings as low as possible prior to sampling.

3.3 Equipment Decontamination Procedure

Equipment that was used in gauging, purging, and sampling the monitoring wells was thoroughly cleaned prior to the work. Equipment utilized included a water level probe, low flow peristaltic pump, turbidity meter, and Aqua TROLL 600 Multiparameter Sonde and flow-through cell.

The water level probe was washed with potable water and phosphate-free laboratory detergent. Next the probe was rinsed with distilled water. The water level probe was then placed in a plastic bag to reduce contact with air and transported into the field. After a water level was measured, a paper towel soaked with distilled water was used to clean the tape and probe as it was retrieved from each well.

After use in each well, the pump, Aqua TROLL 600 Multiparameter Sonde, and flow-through cell were flushed with distilled water. New poly/silicone tubing was used for each well. After the well was purged and sampled the poly/silicone tubing was discarded.

3.4 Sample Extraction

The technique used to withdraw each groundwater sample from the wells was selected based on consideration of the parameter analyzed in the samples. To ensure the groundwater sample is representative of the formation, it is important to minimize physically altering or chemically contaminating the sample during the withdrawal process. To minimize the possibility of sample contamination, the PMI field technician:

- made sure clean sampling equipment was not placed directly on the ground or other potentially contaminated surfaces prior to insertion into the well,
- used new poly tubing for each sample collection,
- transferred samples to the appropriate containers in a manner that minimized agitation and aeration,
- samples were placed on ice in coolers for preservation at the site and transported to the laboratory.

Samples were collected and placed into laboratory-provided containers in order of volatilization sensitivity of the parameters. The list of parameters analyzed is presented in **Table I**.

The collection order for the common groundwater parameters was as follows:

- depth to groundwater, temperature, turbidity, conductivity, pH
- total organic halides (TOX)
- total metals
- total organic carbon
- sulfate, chloride, and total dissolved solids (TDS)
- sulfide

3.5 Field Testing

Some of the parameters evaluated are physically or chemically unstable and were measured immediately after collection by the PMI field technician, using the Aqua TROLL 600 Multiparameter Sonde. Examples of unstable properties include pH and temperature. Although turbidity, dissolved oxygen, and specific conductance (inverse of electrical resistance) of a substance are relatively stable, these parameters were also measured in the field. This information was recorded on a standard Groundwater Monitoring Sampling Record, presented

in **Appendix A**. A summary of the field measurements for the First Half 2026 monitoring event is presented in **Table II**.

3.6 Field Quality Assurance/Quality Control (QA/QC) Procedures

For QA/QC purposes, a field blank (FB) was collected and labeled FB. Procedures utilized for collecting the field blank consisted of pouring distilled water directly from the distilled water container into the sample containers. The PMI field technician prepared the field blank for all the required monitoring parameters. The field blank was used to verify that the sample collection/handling process and ambient field conditions did not affect the quality of the samples.

A duplicate sample of P-4, labeled Duplicate, was collected to verify the consistency and precision of the sampling and testing procedures. Procedures utilized for collecting the duplicate sample were identical to regular sampling protocol detailed in Section 3.4 and collected at the same time as the P-4 sample.

3.7 Handling/Transport/Custody

Samples were accompanied by a Chain-of-Custody record that includes the name of the facility, collector's signatures, unique sample location, date, time, type of sample, number of containers, and analysis required. Samples collected from the Landfill were placed in sample containers provided by the laboratory. Containers are certified clean by the supplier.

The sample label is attached to the sample container at the time of collection. The following information is recorded on the sample label:

- project or facility name
- sample type
- sample location number (well number)
- preservative type
- sampling date and time, and
- sample collector's name or initials

Documentation for the sample collection process and other important information was recorded on PMI Chain-of-Custody forms. The standard format includes the date, time, type of sample collected, code for sampling analysis, unique sample number, and sampling location.

3.8 Sample Preservation

Samples were collected in laboratory-supplied containers and laboratory-supplied preservatives were placed into the containers, if applicable. The samples were placed in an ice chest for preservation and cooled to approximately 6° Celsius. Custody was retained by the PMI representative from the time of collection until delivery to Fed Ex who then delivered the samples to Pace Analytical Lab via overnight delivery. Laboratory analytical results and copies of the Chain-of-Custody forms are included in **Appendix B**.

4.0 FIRST HALF 2026 GROUNDWATER MONITORING EVENT

The sampling results described in this report are for the Groundwater Monitoring Event First Half 2026 at the Landfill. Results of this monitoring event, conducted on April 14, 2026, are provided in the following sections, tables, and appendices. In addition, the historical groundwater data was evaluated statistically to determine if significant differences exist between background and compliance data for each well.

4.1 Groundwater Elevation, Flow Direction, and Rate

There are currently eleven (11) monitoring wells located around the Landfill area. **Table II** lists the results of the water level and field measurements for the First Half 2026 monitoring event. The highest groundwater elevation was measured in monitoring well P-5 which is located south of the Landfill. The lowest groundwater elevation measured during this event occurred in monitoring well P-14, located on the western flank of the Landfill. The water level data for the First Half 2026 monitoring event indicates a groundwater flow direction to the east-northeast and west-northwest which is consistent with historical water level data, see **Drawing Number 1**. The average linear velocity (groundwater flow rate) during the First Half 2026 event was calculated utilizing the following equation based on the principles of Darcian flow:

$$V_x = (K \cdot I) / n_e$$

Where,

V_x is the average linear velocity (length/time),

K is the hydraulic conductivity (length/time),

I is the hydraulic gradient (length/length),

And n_e is the effective porosity (decimal).

Since the groundwater flow directions are not uniform across the site, see **Drawing Number 1**, the hydraulic gradient was calculated for the First Half 2026 sampling event by

averaging the slightly different gradients on-site. The average hydraulic gradient on-site was calculated to be **0.00458 ft/ft** (calculations are included in **Appendix C**). A hydraulic conductivity of 5.0×10^{-6} cm/sec was reported by Grubbs, Garner & Hoskyn Inc. in the Geotechnical and Hydrogeological Study for the Arkansas Kraft Division, Green Bay Packaging Class 3N Landfill (July 1995). This hydraulic conductivity for the uppermost aquifer was used in the groundwater flow rate calculations. For this report, PMI utilized an estimated porosity between 5 percent and 30 percent for fractured shale. An effective porosity was then determined by multiplying the porosity by 0.90 (90 percent). Effective porosity is always equal to or less than the porosity, and utilizing 90 percent is a conservative approach, since part of the total porosity is occupied by static fluid held to the mineral surface by surface tension. An effective porosity was estimated to range between 4.5 percent and 27 percent.

The minimum average linear velocity (least conservative), based on the largest effective porosity, is estimated at 8.28×10^{-8} cm/sec. The maximum average linear velocity (most conservative), based on the lowest effective porosity, is estimated at 4.97×10^{-7} cm/sec.

Minimum: $V_x = [(5.0 \times 10^{-6} \text{ cm/sec}) (0.004385)] / (0.27) = 8.49 \times 10^{-8} \text{ cm/sec}$
Maximum: $V_x = [(5.0 \times 10^{-6} \text{ cm/sec}) (0.004385)] / (0.045) = 5.09 \times 10^{-7} \text{ cm/sec}$

4.2 Groundwater Quality

Groundwater quality laboratory results for the First Half 2026 monitoring event are included in **Appendix B**. **Appendix D** contains the historical groundwater analytical results compiled since the first round of background samples were collected on December 21, 1995. These data were analyzed statistically to determine if significant differences exist between background and compliance concentrations for detected monitoring parameters at each of the wells. The statistical results are presented in **Appendix E** and were generated utilizing the SANITAS™ statistical program.

4.2.1 Comparison to Established Water Quality Standards

Table III compares detected concentrations from the First Half 2026 analytical results to the applicable maximum contaminant levels (MCLs). There were no MCLs exceedances during the First Half 2026 monitoring event.

4.2.2 QA/QC Comparison

A comparison of the First Half 2026 analytical results for P-4 and the duplicate sample is presented in **Table III**. The analytical results of the duplicate sample are

consistent with the results of the associated control sample (P-4). Analytical results for the field blank reported no detections.

4.3 Statistical Program Design

This section outlines the statistical program design, which adheres to recommendations in EPA's Statistical Analysis of Groundwater Monitoring Data at Resource Conservation and Recovery Act (RCRA) Facilities, Unified Guidance, released in March 2009. The Landfill's permit has listed monitoring parameters which were evaluated using the statistical program SANITAS™. Distributional analyses, including time-series plots and outlier tests, were performed on period-of-record data to identify apparent trends or excursions from normal ranges. Detected parameters are analyzed using either intrawell prediction limits or formal trend tests to detect statistically significant changes in groundwater quality. Intra-well prediction limits are applied to well-parameter combinations that have background populations containing a minimum of eight (8) to ten (10) independent values that have a stationary statistical distribution (i.e., non-trending background). Well-parameter pairs that exhibit non-stationarity background populations are tested for compliance using the Sen's Slope/Mann-Kendall. All other well-parameter pairs are tested using prediction limits. Background datasets used for prediction limit analysis are presented in **Appendix D**.

4.4 Statistical Evaluation Results

4.4.1 Outlier Screening

The data is evaluated for the presence of anomalies or outliers utilizing either Dixon's or Rosner's outlier tests. Values identified as outliers using this procedure may be either legitimate outliers or observational errors. An outlier, as generally defined, is a valid sample value that has little chance of being observed. Thus, while the value is a legitimate member of the population sampled, its presence in a sample set distorts estimates of population characteristics that can be inferred, and the sample discounted. In accordance with the Unified Guidance (UG), outliers identified by outlier testing will not be automatically removed but the data set will be examined to determine if the outlier will cause an invalid statistical comparison in other statistical testing. If the outlier does not appear to cause adverse statistical conditions, it will not be removed. If the outlier does adversely impact the dataset, it will be removed and no longer be used for statistical analysis.

During the review of the First Half 2026 sampling data, chloride at P-14 was identified as an outlier. An outlier analysis for the First Half 2026 monitoring event is included in **Appendix E**.

Identified outlier concentrations, chloride at P-7 (November 2013), sulfate at P-12 (December 2001), sulfate at P-5 (November 2013 and May 2015), sulfate at P-4 (May 2008 and November 2011), TDS at P-5 (December 1999), TDS at P-12 (October 1996), TDS at P-14 (May 2008), and total organic carbons (TOC) at P-7 (May 2015) were inconsistent with historical data and have not been verified in the subsequent monitoring events. These data points biased prediction intervals that invalidated their respective statistical analysis. These points will be denoted as an outlier and not be used for future statistical analysis.

4.4.2 Prediction Limits

The prediction interval is a statistical interval where background data are used to construct a prediction limit, which is then compared to observations from a compliance population. In groundwater monitoring, a prediction interval approach may be used to make comparisons between background and compliance data. The interval is constructed to contain all future observations with stated confidence. If any future observation exceeds this interval, this is statistically significant evidence that the observation is not representative of the background group. Parametric prediction intervals are the first choice when performing prediction interval statistics. The parametric alternative is constructed assuming the background data have a normal or transformed-normal distribution. During parametric prediction interval analysis, the mean and the standard deviation are calculated for the raw or transformed background data. However, when the background data are not transformed-normal or contain between 50 and 90 percent observations below the detection limit, SANITAS™ automatically constructs a non-parametric prediction interval. During non-parametric analysis, the second highest value from the background data is used to set the upper limit of the prediction limit.

The results of the intra-well prediction interval analysis identified three (3) constituents as SSIs for the First Half 2026 monitoring event, these are presented in **Table IV**.

4.4.3 Sen's Slope/Mann-Kendall Test

When used in conjunction with one another, the Mann-Kendall test for temporal trend and the Sen's Slope estimate are two types of Evaluation Monitoring Statistics useful in determining the significance of an apparent trend and to estimate the magnitude of that trend. The Mann-Kendall trend analysis test for temporal trends and Sen's slope estimate were applied to detected well-parameter pairs where significant trends in the background populations were identified.

The results of the trend analysis identified sulfate and TDS at P-4 as being significantly increasing at the 98 percent confidence level. These are considered SSIs; these are presented in **Table V**.

5.0 CONCLUSIONS

Considering the results of the First Half 2026 groundwater sampling and analysis, PMI reached the following conclusions:

Groundwater Flow

The water level elevations summarized in **Table II** indicate an east-northeast groundwater flow direction. As described in Section 4.1, the minimum average linear velocity is estimated at 8.49×10^{-8} cm/sec, while the maximum average linear velocity is estimated at 5.09×10^{-7} cm/sec.

Analytical Results

There were no Maximum Contaminant Levels (MCLs) exceedances during the First Half 2026 monitoring event. The analytical results of the duplicate sample are consistent with the results of the associated control sample (P-4). Analytical results for the field blank report no detections.

Statistical Evaluation

The results of the statistical analysis identified five (5) constituents, chloride at P-4 and P-14, sulfate at P-4, and P-8, TDS at P-4 as SSIs during the First Half 2026 monitoring event.

Continued Groundwater Sampling

The next semi-annual monitoring event is tentatively scheduled for October 2026.

TABLES

TABLE I

CONSTITUENTS FOR DETECTION MONITORING
1ST HALF 2026 GROUNDWATER MONITORING
ARKANSAS KRAFT CLASS 3N LANDFILL
MORRILTON, ARKANSAS

CADMIUM

CHLORIDE

IRON

MANGANESSE

SULFATE

SULFIDE

TOTAL DISSOLVED SOLIDS (TDS)

TOTAL ORGANIC CARBON (TOC)

TOTAL ORGANIC HALIDES (TOX)

FIELD MEASUREMENTS

TURBIDITY

pH

TEMPERATURE

CONDUCTIVITY

TABLE II
FIELD DATA
1ST HALF 2026 GROUNDWATER MONITORING
ARKANSAS KRAFT CLASS 3N LANDFILL
MORRILTON, ARKANSAS

Well ID	Date	Time	Datum Elev. (amsl)	Depth to Water (ft)	Water Surf. Elev. (amsl)	Temp. (C°)	pH (su)	Specific Conductance (µS/cm)	Turbidity (NTU)
P-4	4/14/2026	8:25	312.17	11.33	300.84	18.9	6.03	3909	5.8
P-5	4/14/2026	9:30	320.81	15.11	305.70	19.7	6.67	747.1	13.9
P-7	4/14/2026	11:12	313.66	24.98	288.68	20.0	6.84	3142	9.47
P-8	4/14/2026	10:25	308.84	13.46	295.38	19.4	6.89	5149	12.76
P-11	4/14/2026	14:08	307.40	7.48	299.92	20.5	6.99	1817	9.01
P-12	4/14/2026	13:07	316.44	15.22	301.22	20.6	6.83	1221	3.76
P-14	4/14/2026	12:15	307.29	21.74	285.55	20.3	6.57	6576	7.15

Field Quality Assurance/Quality Control

DUPLICATE	4/14/2026	-	N/A						
Field Blank	4/14/2026	-							

Water Level Only Wells

P-1	4/14/2026	13:04	312.17	11.03	301.14	N/A			
P-2	4/14/2026	13:01	306.43	8.04	298.39				
P-6	4/14/2026	12:57	305.08	17.19	287.89				
P-13	4/14/2026	14:04	310.64	10.80	299.84				

Notes:

DUPLICATE is a duplicate sample of P-4.

amsl - above mean sea level

su - standard unit

µS/cm - micro siemens per centimeter

NTU - Nephelometric Turbidity Units

N/A = not analyzed/not applicable

TABLE III
GROUNDWATER QUALITY RESULTS
1ST HALF 2026 GROUNDWATER MONITORING
ARKANSAS KRAFT CLASS 3N LANDFILL
MORRILTON, ARKANSAS

WELL ID	DATE COLLECTED	TDS mg/L	Sulfide mg/L	Cadmium mg/L	Iron mg/L	Lead mg/L	Manganese mg/L	TOX mg/L	Chloride mg/L	Sulfate mg/L	TOC mg/L
P-4	04/14/2026	3000	<0.0500	<0.00200	0.0754 J	<0.00600	0.0913	0.0716 J	121	1740	0.934 J
DUP	04/14/2026	2980	<0.0500	<0.00200	0.0733 J	<0.00600	0.0901	0.0834 J P1	121	1980	1.5
P-5	04/14/2026	372	<0.0500	<0.00200	0.294	<0.00600	0.0885	<0.100 P1	39	23.6	<1.00
P-7	04/14/2026	2090	<0.0500	<0.00200	0.780	<0.00600	0.112	0.0669 J P1	123	913	<1.00
P-8	04/14/2026	2770	<0.0500	<0.00200	<0.100	<0.00600	0.00697 J	0.120 J P1	904	619	<1.00
P-11	04/14/2026	1130	<0.0500	<0.00200	<0.100	<0.00600	0.0829	0.0482 J	38.3	480	0.807 J
P-12	04/14/2026	624	<0.0500	<0.00200	0.0792 J	<0.00600	0.0437	0.0675 J	76.5	25.6	0.738 J
P-14	04/14/2026	5830	<0.0500	<0.00200	<0.100	<0.00600	0.0481	0.0411 J J6 P1	116	3500	0.774 J
FB	04/14/2026	<10.0	<0.0500	<0.00200	<0.100	<0.00600	<0.0100	<0.100	<1.00	<5.00	<1.00
LEACHATE	04/14/2026	2820	0.0370 J	<0.00200	2.74	<0.00600	1.03	0.0676 J	121	22.4 J	88

EPA MCL

0.005

0.015

Notes:

DUPLICATE is a duplicate sample of P-4.

BOLD - Exceeding applicable EPA MCL (November 2024)

N/A = not analyzed/not applicable

Qualifiers:

J: The identification of the analyte is acceptable; the reported value is an estimate.

J6: The sample matrix interfered with the ability to make any accurate determination; spike value is low.

P1: RPD value not applicable for sample concentrations less than 5 times the reporting limit.

TABLE IV
Prediction Limit Exceedances
1ST HALF 2026 GROUNDWATER MONITORING
ARKANSAS KRAFT CLASS 3N LANDFILL
MORRILTON, ARKANSAS

WELL	PARAMETER	PREDICTION LIMIT	OBSERVED CONCENTRATION
P-4	Chloride	73.31	121
P-14	Chloride	62.67	116
P-8	Sulfate	533.3	619
Notes: Exceedances based on intrawell parametric prediction limits.			

TABLE V
STATISTICALLY SIGNIFICANT TRENDS
1ST HALF 2026 GROUNDWATER MONITORING
ARKANSAS KRAFT CLASS 3N LANDFILL
MORRILTON, ARKANSAS

WELL	PARAMETER
P-4	TDS
P-4	Sulfate

Notes:
Trends significant at 98% confidence level

FIGURE




FIGURE NO. 1
 SITE LOCATION MAP
 (TAKEN FROM GOOGLE)

SEMI-ANNUAL GROUNDWATER MONITORING REPORT
 GREENBAY PACKAGING COMPANY
 ARKANSAS KRAFT CLASS 3N LANDFILL
 MORRILTON, ARKANSAS



**CIVIL ENGINEERING AND
 ENVIRONMENTAL SERVICES**
 3512 South Shackleford Road
 Little Rock, Arkansas 72205
 (501) 221-7122 fax (501) 221-7775

SUBMITTED:	K. VAUGHN
DRAWN:	C. GLOVER
CHECKED:	K. VAUGHN
DATE:	JUNE 10, 2026

SCALE:

0 1500'

JOB NUMBER:
 KT257070

FILE: GREN-12983 1ST HALF 2026.DWG





FIGURE NO. 2
 SITE TOPOGRAPHIC MAP
 (MORRILTON WEST USGS QUADRANGLE MAP)

SEMI-ANNUAL GROUNDWATER MONITORING REPORT
 GREENBAY PACKAGING COMPANY
 ARKANSAS KRAFT CLASS 3N LANDFILL
 MORRILTON, ARKANSAS

 CIVIL ENGINEERING AND ENVIRONMENTAL SERVICES 3512 South Shackelford Road Little Rock, Arkansas 72205 (501) 221-7122 fax (501) 221-7775	SUBMITTED:	K. VAUGHN	SCALE: 01500'	JOB NUMBER: KT257070
	DRAWN:	C. GLOVER		
	CHECKED:	K. VAUGHN		
	DATE:	JUNE 10, 2026	FILE: GREN-12983 1ST HALF 2026.DWG	

DRAWING



APPENDIX A

Groundwater Monitoring Sampling Record and Field Data Sheets



A Terracon Company

GROUNDWATER - FIELD DATA SHEET

1st HALF 2026 GROUNDWATER SAMPLING EVENT

PROJECT NAME: GREEN BAY PACKAGING

PROJECT LOCATION: MORRILTON, ARKANSAS

JOB NUMBER: KT267038

DATE: 4/14/26

Well Number	Depth to Water (feet)	Total Depth (feet)	Purge Amount (liters)	Gauging Time (24 hour)	Observations	Sample Time (24 hour)
P-1	11.03	42.8	N/A	1304		N/A
P-2	8.04	42.7	N/A	1301		N/A
P-4	11.33	37.7	3	825	*Duplicate*	847
P-5	15.11	37.8	4	930	*Field Blank*	954
P-6	17.19	25.0	N/A	1257		N/A
P-7	24.98	47.9	3	1112		1130
P-8	13.46	42.9	3	1025		1043
P-11	7.48	30.5	3	1408		1427
P-12	15.22	38.0	6	1307		1341
P-13	10.80	27.5	N/A	1404		N/A
P-14	21.74	38.0	3	1215		1234

Notes: LEAK RATE 4/14/26 1504 pH = 7.038 @ 26.27°C

Signature: _____



ARKANSAS KRAFT CLASS 3N LANDFILL
Green Bay Packaging, Inc.
338 Highway 113 South
Morrliton, Arkansas
KT267038

Well # R4

PMI Personnel: MMW/jm

Date: 4/14/26

Multi-Parameter Probe: Aqua Troll 600

Weather: 70° / cloudy

Well Condition: <u>Good</u> (see notes)	Well Diameter: <u>2</u> (inch)
Total Depth: <u>37.7</u> (feet)	Depth to Water: <u>11.33</u> (feet)
Purge Start Time: <u>832</u> (24 hour)	Purge End Time: <u>0920</u> (24 hour)
Purging Rate: <u>200</u> (mL / min.)	Sample Time: <u>0847</u> (24 hour)
0.25" / Silicone Tubing: <u>15.1</u> (feet)	DTW @ Purge End: <u>12.70</u> (feet)
Pump Intake Depth: <u>35.0</u> (feet)	Pump Type: <u>Peristaltic</u>

TIME (24 hour)	Volume (Liters)	Temp. (Celcius)+-3%	Sp. Cond. (µS/cm)+-3%	pH (SU)+-0.1	Turbidity (NTU)+-10	DTW (feet)
837	1	19.50	3908	6.008	1.547	12.03
842	2	19.02	3905	6.017	3.471	12.20
847	3	18.94	3909	6.030	5.765	12.38
852	4					

Notes: DUPLICATE

Signature: [Signature]



KT267038

P-5

AM / PAM

41-141-26

Aqua Troll 600

70° cloudy

Good

2

37.8

15.11

0934

10 11

200

0954

10 / 1

1698

35.0

Pump Type: Peristaltic

[illegible]

Field Blank

Trim tree



1 of 1



A Terracon Company

ARKANSAS KRAFT CLASS 3N LANDFILL
Green Bay Packaging, Inc.
338 Highway 113 South
Morrliton, Arkansas
KT267038

Well # P-7

PMI Personnel: MWM / AM

Date: 4-14-26

Multi-Parameter Probe: Aqua Troll 600

Weather: 73° cloudy

Well Condition: <u>Good</u> (see notes)	Well Diameter: <u>2</u> (inch)
Total Depth: <u>47.9</u> (feet)	Depth to Water: <u>24.98</u> (feet)
Purge Start Time: <u>1115</u> (24 hour)	Purge End Time: <u>1150</u> (24 hour)
Purging Rate: <u>200</u> (mL / min.)	Sample Time: <u>1130</u> (24 hour)
0.25" / Silicone Tubing: <u>1011</u> (feet)	DTW @ Purge End: <u>25.18</u> (feet)
Pump Intake Depth: <u>46.0</u> (feet)	Pump Type: <u>Peristaltic</u>

TIME (24 hour)	Volume (Liters)	Temp. (Celcius)+-3%	Sp. Cond. (uS/cm)+-3%	pH (SU)+-0.1	Turbidity (NTU)+-10	DTW (feet)
1120	1	20.01	3141	6.842	7.738	25.14
1125	2	19.98	3145	6.840	11.77	25.16
1130	3	19.98	3.142	6.841	9.471	25.16
435 4						

Notes: _____

Signature: 



A Terracon Company

ARKANSAS KRAFT CLASS 3N LANDFILL
Green Bay Packaging, Inc.
338 Highway 113 South
Morrliton, Arkansas
KT267038

Well # P-8

PMI Personnel: MWM / AM

Date: 4-14-26

Multi-Parameter Probe: Aqua Troll 600

Weather: 72° cloudy

Well Condition: <u>Good</u> (see notes)	Well Diameter: <u>2</u> (inch)
Total Depth: <u>412.9</u> (feet)	Depth to Water: <u>13.46</u> (feet)
Purge Start Time: <u>1028</u> (24 hour)	Purge End Time: <u>1101</u> (24 hour)
Purging Rate: <u>200</u> (mL / min.)	Sample Time: <u>1043</u> (24 hour)
0.25" / Silicone Tubing: <u>10 / 1</u> (feet)	DTW @ Purge End: <u>20.95</u> (feet)
Pump Intake Depth: <u>410.0</u> (feet)	Pump Type: <u>Peristaltic</u>

TIME (24 hour)	Volume (Liters)	Temp. (Celcius)+-3%	Sp. Cond. (µS/cm)+-3%	pH (SU)+-0.1	Turbidity (NTU)+-10	DTW (feet)
1033	1	19.34	5.163	6.872	12.57	15.20
1038	2	19.39	5.146	6.892	19.16	16.43
1043	3	19.42	5.149	6.896	12.76	17.58
1048 4						

Notes: _____

Signature: [Signature]



ARKANSAS KRAFT CLASS 3N LANDFILL
Green Bay Packaging, Inc.
338 Highway 113 South
Morriton, Arkansas
KT267038

Well # P-11

PMI Personnel: MWM/AM

Date: 4-14-26

Multi-Parameter Probe: Aqua Troll 600

Weather: 75° cloudy

Well Condition: <u>Good</u> (see notes)	Well Diameter: <u>2</u> (inch)
Total Depth: <u>30.5</u> (feet)	Depth to Water: <u>7.48</u> (feet)
Purge Start Time: <u>1412</u> (24 hour)	Purge End Time: <u>1445</u> (24 hour)
Purging Rate: <u>200</u> (mL / min.)	Sample Time: <u>1427</u> (24 hour)
0.25" / Silicone Tubing: <u>10 / 1</u> (feet)	DTW @ Purge End: <u>8.44</u> (feet)
Pump Intake Depth: <u>28.0</u> (feet)	Pump Type: <u>Peristaltic</u>

TIME (24 hour)	Volume (Liters)	Temp. (Celcius)+-3%	Sp. Cond. (µS/cm)+-3%	pH (SU)+-0.1	Turbidity (NTU)+-10	DTW (feet)
1417	1.0	20.50	1805	6.972	8.654	8.30
1422	2.0	20.37	1813	6.984	6.776	8.40
1427	3.0	20.53	1817	6.992	9.010	8.45
1432	4.0					

Notes: _____

Signature: 



A Terracon Company

ARKANSAS KRAFT CLASS 3N LANDFILL

Green Bay Packaging, Inc.

338 Highway 113 South

Morrliton, Arkansas

KT267038

Well #

P-12

PMI Personnel:

MWM / AM

Date:

4-14-26

Multi-Parameter Probe:

Aqua Troll 600

Weather:

75° cloudy

Well Condition: Good (see notes)Well Diameter: 2 (inch)Total Depth: 38.0 (feet)Depth to Water: 15.22 (feet)Purge Start Time: 1311 (24 hour)Purge End Time: 1357 (24 hour)Purging Rate: 200 (mL / min.)Sample Time: 1341 (24 hour)0.25" / Silicone Tubing: 10 / 1 (feet)DTW @ Purge End: 16.90 (feet)Pump Intake Depth: 36.0 (feet)Pump Type: Peristaltic

TIME (24 hour)	Volume (Liters)	Temp. (Celcius)+-3%	Sp. Cond. (µS/cm)+-3%	pH (SU)+-0.1	Turbidity (NTU)+-10	DTW (feet)
1316	1.0	20.62	1,223	6.831	7,348	16.36
1321	2.0	20.52	1,227	6.841	1,738	16.62
1326	3.0	20.61	1,221	6.844	2,423	16.74
1331	4.0	20.74	1,225	6.847	5,225	16.80
1336	5.0	20.75	1,228	6.845	7,583	16.86
1341	6.0	20.56	1,221	6.838	3,759	16.86

Notes:

Signature:

Page:

1 of 1

APPENDIX B

Laboratory Analytical Reports and Chain-of-Custody Forms

April 30, 2026

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al


⁹ Sc

Pollution Management, Inc.

Sample Delivery Group: L1964228
Samples Received: 04/16/2026
Project Number: KT267038
Description: Arkansas Kraft LF

Report To: Mr. Keifer Vaughn
3512 South Shackleford
Little Rock, AR 72205

Entire Report Reviewed By:



Craig Cothron
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 mydata.pacelabs.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	5
Sr: Sample Results	6
P-4 L1964228-01	6
P-5 L1964228-02	7
P-7 L1964228-03	8
P-8 L1964228-04	9
P-11 L1964228-05	10
P-12 L1964228-06	11
P-14 L1964228-07	12
LEACHATE L1964228-08	13
DUP L1964228-09	14
FB L1964228-10	15
Qc: Quality Control Summary	16
Gravimetric Analysis by Method 2540 C-2011	16
Wet Chemistry by Method 4500S2 D-2011	17
Wet Chemistry by Method 9020B	18
Wet Chemistry by Method 9056A	27
Wet Chemistry by Method 9060A	29
Metals (ICP) by Method 6010D	31
Gl: Glossary of Terms	32
Al: Accreditations & Locations	33
Sc: Sample Chain of Custody	34

¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gl
⁸ Al
⁹ Sc

SAMPLE SUMMARY


P-4 L1964228-01

Collected by
Matt Marbury

Collected date/time
04/14/26 08:47

Received date/time
04/16/26 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2735214	1	04/16/26 19:04	04/17/26 15:20	AMG	Mt. Juliet, TN
Wet Chemistry by Method 4500S2 D-2011	WG2735255	1	04/17/26 11:21	04/17/26 11:21	MRL	Mt. Juliet, TN
Wet Chemistry by Method 9020B	WG2740638	1	04/28/26 14:29	04/28/26 14:29	AF	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2734948	5	04/19/26 04:04	04/19/26 04:04	AJC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2734948	50	04/19/26 04:15	04/19/26 04:15	AJC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2737663	1	04/21/26 23:32	04/21/26 23:32	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010D	WG2735654	1	04/20/26 14:20	04/20/26 19:26	MAP	Mt. Juliet, TN



P-5 L1964228-02

Collected by
Matt Marbury

Collected date/time
04/14/26 09:54

Received date/time
04/16/26 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2735214	1	04/16/26 19:04	04/17/26 15:20	AMG	Mt. Juliet, TN
Wet Chemistry by Method 4500S2 D-2011	WG2735255	1	04/17/26 11:21	04/17/26 11:21	MRL	Mt. Juliet, TN
Wet Chemistry by Method 9020B	WG2740638	1	04/28/26 14:39	04/28/26 14:39	AF	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2734948	1	04/19/26 04:26	04/19/26 04:26	AJC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2737663	1	04/21/26 23:51	04/21/26 23:51	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010D	WG2735654	1	04/20/26 14:20	04/20/26 19:29	MAP	Mt. Juliet, TN

P-7 L1964228-03

Collected by
Matt Marbury

Collected date/time
04/14/26 11:30

Received date/time
04/16/26 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2735214	1	04/16/26 19:04	04/17/26 15:20	AMG	Mt. Juliet, TN
Wet Chemistry by Method 4500S2 D-2011	WG2735255	1	04/17/26 11:22	04/17/26 11:22	MRL	Mt. Juliet, TN
Wet Chemistry by Method 9020B	WG2740638	1	04/28/26 15:31	04/28/26 15:31	AF	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2734948	5	04/19/26 05:21	04/19/26 05:21	AJC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2734948	50	04/19/26 05:32	04/19/26 05:32	AJC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2737663	1	04/22/26 00:10	04/22/26 00:10	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010D	WG2735654	1	04/20/26 14:20	04/20/26 19:31	MAP	Mt. Juliet, TN

P-8 L1964228-04

Collected by
Matt Marbury

Collected date/time
04/14/26 10:43

Received date/time
04/16/26 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2735214	1	04/16/26 19:04	04/17/26 15:20	AMG	Mt. Juliet, TN
Wet Chemistry by Method 4500S2 D-2011	WG2735255	1	04/17/26 11:22	04/17/26 11:22	MRL	Mt. Juliet, TN
Wet Chemistry by Method 9020B	WG2743236	2	04/30/26 02:09	04/30/26 02:09	AF	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2734948	10	04/19/26 05:43	04/19/26 05:43	AJC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2737663	1	04/22/26 00:29	04/22/26 00:29	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010D	WG2735654	1	04/20/26 14:20	04/20/26 19:34	MAP	Mt. Juliet, TN

P-11 L1964228-05

Collected by
Matt Marbury

Collected date/time
04/14/26 14:27

Received date/time
04/16/26 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2735214	1	04/16/26 19:04	04/17/26 15:20	AMG	Mt. Juliet, TN
Wet Chemistry by Method 4500S2 D-2011	WG2735255	1	04/17/26 11:22	04/17/26 11:22	MRL	Mt. Juliet, TN
Wet Chemistry by Method 9020B	WG2740638	1	04/28/26 15:50	04/28/26 15:50	AF	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2734948	5	04/19/26 06:05	04/19/26 06:05	AJC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2737664	1	04/21/26 15:19	04/21/26 15:19	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010D	WG2735654	1	04/20/26 14:20	04/20/26 19:36	MAP	Mt. Juliet, TN

SAMPLE SUMMARY

P-12 L1964228-06

Collected by
Matt Marbury

Collected date/time
04/14/26 13:41

Received date/time
04/16/26 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2735214	1	04/16/26 19:04	04/17/26 15:20	AMG	Mt. Juliet, TN
Wet Chemistry by Method 4500S2 D-2011	WG2735255	1	04/17/26 11:22	04/17/26 11:22	MRL	Mt. Juliet, TN
Wet Chemistry by Method 9020B	WG2740638	1	04/28/26 16:00	04/28/26 16:00	AF	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2734948	1	04/19/26 06:27	04/19/26 06:27	AJC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2737664	1	04/21/26 16:27	04/21/26 16:27	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010D	WG2735654	1	04/20/26 14:20	04/20/26 19:39	MAP	Mt. Juliet, TN

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

P-14 L1964228-07

Collected by
Matt Marbury

Collected date/time
04/14/26 12:34

Received date/time
04/16/26 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2735214	1	04/16/26 19:04	04/17/26 15:20	AMG	Mt. Juliet, TN
Wet Chemistry by Method 4500S2 D-2011	WG2735255	1	04/17/26 11:22	04/17/26 11:22	MRL	Mt. Juliet, TN
Wet Chemistry by Method 9020B	WG2740638	1	04/28/26 13:33	04/28/26 13:33	AF	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2734948	5	04/19/26 06:49	04/19/26 06:49	AJC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2734948	50	04/19/26 07:00	04/19/26 07:00	AJC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2737664	1	04/21/26 17:06	04/21/26 17:06	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010D	WG2735654	1	04/20/26 14:20	04/20/26 19:46	MAP	Mt. Juliet, TN

LEACHATE L1964228-08

Collected by
Matt Marbury

Collected date/time
04/14/26 15:04

Received date/time
04/16/26 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2735214	1	04/16/26 19:04	04/17/26 15:20	AMG	Mt. Juliet, TN
Wet Chemistry by Method 4500S2 D-2011	WG2735255	1	04/17/26 11:22	04/17/26 11:22	MRL	Mt. Juliet, TN
Wet Chemistry by Method 9020B	WG2740775	1	04/28/26 13:47	04/28/26 13:47	AF	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2734948	5	04/19/26 07:33	04/19/26 07:33	AJC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2737664	5	04/21/26 17:30	04/21/26 17:30	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010D	WG2735654	1	04/20/26 14:20	04/20/26 19:49	MAP	Mt. Juliet, TN

DUP L1964228-09

Collected by
Matt Marbury

Collected date/time
04/14/26 00:00

Received date/time
04/16/26 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2735214	1	04/16/26 19:04	04/17/26 15:20	AMG	Mt. Juliet, TN
Wet Chemistry by Method 4500S2 D-2011	WG2735255	1	04/17/26 11:23	04/17/26 11:23	MRL	Mt. Juliet, TN
Wet Chemistry by Method 9020B	WG2740775	1	04/28/26 13:58	04/28/26 13:58	AF	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2734948	5	04/19/26 07:45	04/19/26 07:45	AJC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2734948	50	04/19/26 07:56	04/19/26 07:56	AJC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2737664	1	04/21/26 17:50	04/21/26 17:50	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010D	WG2735654	1	04/20/26 14:20	04/20/26 19:51	MAP	Mt. Juliet, TN

FB L1964228-10

Collected by
Matt Marbury


Collected date/time
04/14/26 09:54

Received date/time
04/16/26 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2735214	1	04/16/26 19:04	04/17/26 15:20	AMG	Mt. Juliet, TN
Wet Chemistry by Method 4500S2 D-2011	WG2735255	1	04/17/26 11:23	04/17/26 11:23	MRL	Mt. Juliet, TN
Wet Chemistry by Method 9020B	WG2740775	1	04/28/26 14:08	04/28/26 14:08	AF	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2734948	1	04/19/26 08:07	04/19/26 08:07	AJC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2737664	1	04/21/26 18:10	04/21/26 18:10	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010D	WG2735654	1	04/20/26 14:20	04/20/26 19:54	MAP	Mt. Juliet, TN

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.




Craig Cothron
Project Manager

Sample Delivery Group (SDG) Narrative

The following analysis were performed from an unpreserved, insufficiently or inadequately preserved sample.

<u>Lab Sample ID</u>	<u>Project Sample ID</u>	<u>Method</u>
L1964228-08	LEACHATE	9060A



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Dissolved Solids	3000000		50000	1	04/17/2026 15:20	WG2735214

Wet Chemistry by Method 4500S2 D-2011

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Sulfide	U		25.5	50.0	1	04/17/2026 11:21	WG2735255

Wet Chemistry by Method 9020B

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOX	71.6	J	33.0	100	1	04/28/2026 14:29	WG2740638

Wet Chemistry by Method 9056A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Chloride	121000		2740	5000	5	04/19/2026 04:04	WG2734948
Sulfate	1740000		31800	250000	50	04/19/2026 04:15	WG2734948

Wet Chemistry by Method 9060A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOC (Total Organic Carbon)	934	J	495	1000	1	04/21/2026 23:32	WG2737663

Metals (ICP) by Method 6010D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Cadmium	U		1.17	2.00	1	04/20/2026 19:26	WG2735654
Iron	75.4	J	53.9	100	1	04/20/2026 19:26	WG2735654
Lead	U		4.20	6.00	1	04/20/2026 19:26	WG2735654
Manganese	91.3		1.72	10.0	1	04/20/2026 19:26	WG2735654

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Dissolved Solids	372000		10000	1	04/17/2026 15:20	WG2735214

Wet Chemistry by Method 4500S2 D-2011

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Sulfide	U		25.5	50.0	1	04/17/2026 11:21	WG2735255

Wet Chemistry by Method 9020B

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOX	U	P1	33.0	100	1	04/28/2026 14:39	WG2740638

Wet Chemistry by Method 9056A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Chloride	39000		547	1000	1	04/19/2026 04:26	WG2734948
Sulfate	23600		637	5000	1	04/19/2026 04:26	WG2734948

Wet Chemistry by Method 9060A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOC (Total Organic Carbon)	U		495	1000	1	04/21/2026 23:51	WG2737663

Metals (ICP) by Method 6010D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Cadmium	U		1.17	2.00	1	04/20/2026 19:29	WG2735654
Iron	294		53.9	100	1	04/20/2026 19:29	WG2735654
Lead	U		4.20	6.00	1	04/20/2026 19:29	WG2735654
Manganese	88.5		1.72	10.0	1	04/20/2026 19:29	WG2735654

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Dissolved Solids	2090000		50000	1	04/17/2026 15:20	WG2735214

Wet Chemistry by Method 4500S2 D-2011

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Sulfide	U		25.5	50.0	1	04/17/2026 11:22	WG2735255

Wet Chemistry by Method 9020B

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOX	66.9	J P1	33.0	100	1	04/28/2026 15:31	WG2740638

Wet Chemistry by Method 9056A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Chloride	123000		2740	5000	5	04/19/2026 05:21	WG2734948
Sulfate	913000		31800	250000	50	04/19/2026 05:32	WG2734948

Wet Chemistry by Method 9060A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOC (Total Organic Carbon)	U		495	1000	1	04/22/2026 00:10	WG2737663

Metals (ICP) by Method 6010D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Cadmium	U		1.17	2.00	1	04/20/2026 19:31	WG2735654
Iron	780		53.9	100	1	04/20/2026 19:31	WG2735654
Lead	U		4.20	6.00	1	04/20/2026 19:31	WG2735654
Manganese	112		1.72	10.0	1	04/20/2026 19:31	WG2735654

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Dissolved Solids	2770000		50000	1	04/17/2026 15:20	WG2735214

Wet Chemistry by Method 4500S2 D-2011

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Sulfide	U		25.5	50.0	1	04/17/2026 11:22	WG2735255

Wet Chemistry by Method 9020B

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOX	120	J P1	66.0	200	2	04/30/2026 02:09	WG2743236

Sample Narrative:

L1964228-04 WG2743236: Dilution due to matrix.

Wet Chemistry by Method 9056A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Chloride	904000		5470	10000	10	04/19/2026 05:43	WG2734948
Sulfate	619000		6370	50000	10	04/19/2026 05:43	WG2734948

Wet Chemistry by Method 9060A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOC (Total Organic Carbon)	U		495	1000	1	04/22/2026 00:29	WG2737663

Metals (ICP) by Method 6010D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Cadmium	U		1.17	2.00	1	04/20/2026 19:34	WG2735654
Iron	U		53.9	100	1	04/20/2026 19:34	WG2735654
Lead	U		4.20	6.00	1	04/20/2026 19:34	WG2735654
Manganese	6.97	J	1.72	10.0	1	04/20/2026 19:34	WG2735654

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Dissolved Solids	1130000		20000	1	04/17/2026 15:20	WG2735214

Wet Chemistry by Method 4500S2 D-2011

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Sulfide	U		25.5	50.0	1	04/17/2026 11:22	WG2735255

Wet Chemistry by Method 9020B

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOX	48.2	<u>J</u>	33.0	100	1	04/28/2026 15:50	WG2740638

Wet Chemistry by Method 9056A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Chloride	38300		2740	5000	5	04/19/2026 06:05	WG2734948
Sulfate	480000		3180	25000	5	04/19/2026 06:05	WG2734948

Wet Chemistry by Method 9060A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOC (Total Organic Carbon)	807	<u>J</u>	495	1000	1	04/21/2026 15:19	WG2737664

Metals (ICP) by Method 6010D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Cadmium	U		1.17	2.00	1	04/20/2026 19:36	WG2735654
Iron	U		53.9	100	1	04/20/2026 19:36	WG2735654
Lead	U		4.20	6.00	1	04/20/2026 19:36	WG2735654
Manganese	82.9		1.72	10.0	1	04/20/2026 19:36	WG2735654

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Dissolved Solids	624000		13300	1	04/17/2026 15:20	WG2735214

Wet Chemistry by Method 4500S2 D-2011

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Sulfide	U		25.5	50.0	1	04/17/2026 11:22	WG2735255

Wet Chemistry by Method 9020B

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOX	67.5	J	33.0	100	1	04/28/2026 16:00	WG2740638

Wet Chemistry by Method 9056A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Chloride	76500		547	1000	1	04/19/2026 06:27	WG2734948
Sulfate	25600		637	5000	1	04/19/2026 06:27	WG2734948

Wet Chemistry by Method 9060A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOC (Total Organic Carbon)	738	J	495	1000	1	04/21/2026 16:27	WG2737664

Metals (ICP) by Method 6010D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Cadmium	U		1.17	2.00	1	04/20/2026 19:39	WG2735654
Iron	79.2	J	53.9	100	1	04/20/2026 19:39	WG2735654
Lead	U		4.20	6.00	1	04/20/2026 19:39	WG2735654
Manganese	43.7		1.72	10.0	1	04/20/2026 19:39	WG2735654

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Dissolved Solids	5830000		50000	1	04/17/2026 15:20	WG2735214

Wet Chemistry by Method 4500S2 D-2011

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Sulfide	U		25.5	50.0	1	04/17/2026 11:22	WG2735255

Wet Chemistry by Method 9020B

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOX	41.1	J J6 P1	33.0	100	1	04/28/2026 13:33	WG2740638

Wet Chemistry by Method 9056A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Chloride	116000		2740	5000	5	04/19/2026 06:49	WG2734948
Sulfate	3500000		31800	250000	50	04/19/2026 07:00	WG2734948

Wet Chemistry by Method 9060A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOC (Total Organic Carbon)	774	J	495	1000	1	04/21/2026 17:06	WG2737664

Metals (ICP) by Method 6010D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Cadmium	U		1.17	2.00	1	04/20/2026 19:46	WG2735654
Iron	U		53.9	100	1	04/20/2026 19:46	WG2735654
Lead	U		4.20	6.00	1	04/20/2026 19:46	WG2735654
Manganese	48.1		1.72	10.0	1	04/20/2026 19:46	WG2735654

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Dissolved Solids	2820000		50000	1	04/17/2026 15:20	WG2735214

Wet Chemistry by Method 4500S2 D-2011

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Sulfide	37.0	J	25.5	50.0	1	04/17/2026 11:22	WG2735255

Wet Chemistry by Method 9020B

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOX	67.6	J	33.0	100	1	04/28/2026 13:47	WG2740775

Wet Chemistry by Method 9056A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Chloride	121000		2740	5000	5	04/19/2026 07:33	WG2734948
Sulfate	22400	J	3180	25000	5	04/19/2026 07:33	WG2734948

Sample Narrative:

L1964228-08 WG2734948: Dilution due to matrix impact on instrumentation at lower dilution

Wet Chemistry by Method 9060A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOC (Total Organic Carbon)	88000		2480	5000	5	04/21/2026 17:30	WG2737664

Metals (ICP) by Method 6010D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Cadmium	U		1.17	2.00	1	04/20/2026 19:49	WG2735654
Iron	2740		53.9	100	1	04/20/2026 19:49	WG2735654
Lead	U		4.20	6.00	1	04/20/2026 19:49	WG2735654
Manganese	1030		1.72	10.0	1	04/20/2026 19:49	WG2735654

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Dissolved Solids	2980000		50000	1	04/17/2026 15:20	WG2735214

Wet Chemistry by Method 4500S2 D-2011

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Sulfide	U		25.5	50.0	1	04/17/2026 11:23	WG2735255

Wet Chemistry by Method 9020B

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOX	83.4	J P1	33.0	100	1	04/28/2026 13:58	WG2740775

Wet Chemistry by Method 9056A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Chloride	121000		2740	5000	5	04/19/2026 07:45	WG2734948
Sulfate	1980000		31800	250000	50	04/19/2026 07:56	WG2734948

Wet Chemistry by Method 9060A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOC (Total Organic Carbon)	1500		495	1000	1	04/21/2026 17:50	WG2737664

Metals (ICP) by Method 6010D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Cadmium	U		1.17	2.00	1	04/20/2026 19:51	WG2735654
Iron	73.3	J	53.9	100	1	04/20/2026 19:51	WG2735654
Lead	U		4.20	6.00	1	04/20/2026 19:51	WG2735654
Manganese	90.1		1.72	10.0	1	04/20/2026 19:51	WG2735654

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Dissolved Solids	ND		10000	1	04/17/2026 15:20	WG2735214

Wet Chemistry by Method 4500S2 D-2011

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Sulfide	U		25.5	50.0	1	04/17/2026 11:23	WG2735255

Wet Chemistry by Method 9020B

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOX	U		33.0	100	1	04/28/2026 14:08	WG2740775

Wet Chemistry by Method 9056A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Chloride	U		547	1000	1	04/19/2026 08:07	WG2734948
Sulfate	U		637	5000	1	04/19/2026 08:07	WG2734948

Wet Chemistry by Method 9060A

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
TOC (Total Organic Carbon)	U		495	1000	1	04/21/2026 18:10	WG2737664

Metals (ICP) by Method 6010D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Cadmium	U		1.17	2.00	1	04/20/2026 19:54	WG2735654
Iron	U		53.9	100	1	04/20/2026 19:54	WG2735654
Lead	U		4.20	6.00	1	04/20/2026 19:54	WG2735654
Manganese	U		1.72	10.0	1	04/20/2026 19:54	WG2735654

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Method Blank (MB)

(MB) R4362944-1 04/17/26 15:20

	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte	ug/l		ug/l	ug/l
Dissolved Solids	U		10000	10000

L1964228-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1964228-01 04/17/26 15:20 • (DUP) R4362944-3 04/17/26 15:20

	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
Dissolved Solids	3000000	3020000	1	0.831		10

L1964260-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1964260-08 04/17/26 15:20 • (DUP) R4362944-4 04/17/26 15:20

	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
Dissolved Solids	1240000	1230000	1	0.810		10

Laboratory Control Sample (LCS)

(LCS) R4362944-2 04/17/26 15:20

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	ug/l	ug/l	%	%	
Dissolved Solids	8800000	8470000	96.3	90.0-110	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4362272-1 04/17/26 11:18

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	ug/l		ug/l	ug/l
Sulfide	U		25.5	50.0

L1964118-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1964118-02 04/17/26 11:19 • (DUP) R4362272-3 04/17/26 11:20

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
Sulfide	208	208	1	0.000		20

L1964228-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1964228-01 04/17/26 11:21 • (DUP) R4362272-4 04/17/26 11:21

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
Sulfide	U	U	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R4362272-2 04/17/26 11:18

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	ug/l	ug/l	%	%	
Sulfide	500	540	108	85.0-115	

L1964228-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1964228-02 04/17/26 11:21 • (MS) R4362272-5 04/17/26 11:21 • (MSD) R4362272-6 04/17/26 11:22

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
Sulfide	500	U	520	509	104	102	1	80.0-120			2.14	20

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4367165-2 04/28/26 13:17

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	ug/l		ug/l	ug/l
TOX	U		33.0	100

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

L1964228-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1964228-07 04/28/26 13:33 • (DUP) R4367165-3 04/28/26 13:43

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	41.1	73.2	1	56.2	J P1	20

L1964208-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1964208-01 04/28/26 14:11 • (DUP) R4367165-6 04/28/26 16:28

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	U	U	1	0.000		20

L1964210-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1964210-01 04/28/26 14:20 • (DUP) R4367165-7 04/28/26 16:38

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	U	U	1	0.000		20

L1964228-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1964228-01 04/28/26 14:29 • (DUP) R4367165-8 04/28/26 16:48

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	71.6	71.6	1	0.0169	J	20

L1964228-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1964228-02 04/28/26 14:39 • (DUP) R4367165-9 04/28/26 16:57

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	U	39.7	1	200	J P1	20

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1964228-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1964228-03 04/28/26 15:31 • (DUP) R4367165-10 04/28/26 18:14

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	66.9	50.1	1	28.8	J P1	20

L1964228-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1964228-05 04/28/26 15:50 • (DUP) R4367165-12 04/28/26 18:32

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	48.2	42.8	1	11.8	J	20

L1964228-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1964228-06 04/28/26 16:00 • (DUP) R4367165-13 04/28/26 18:42

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	67.5	68.2	1	1.03	J	20

Laboratory Control Sample (LCS)

(LCS) R4367165-1 04/28/26 13:07

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	ug/l	ug/l	%	%	
TOX	250	272	109	80.0-114	

L1964228-07 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1964228-07 04/28/26 13:33 • (MS) R4367165-4 04/28/26 13:52 • (MSD) R4367165-5 04/28/26 14:01

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
TOX	200	41.1	198	196	78.4	77.4	1	80.0-114	<u>J6</u>	<u>J6</u>	0.985	20

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4367155-2 04/28/26 12:23

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	ug/l		ug/l	ug/l
TOX	U		33.0	100

L1962435-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1962435-01 04/28/26 19:49 • (DUP) R4367155-14 04/28/26 20:09

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	1020	1120	10	9.04		20

L1962435-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1962435-02 04/28/26 20:28 • (DUP) R4367155-16 04/28/26 20:47

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	709	677	10	4.70	⌵	20

Sample Narrative:

OS: Dilution due to matrix.

L1964626-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1964626-03 04/28/26 13:04 • (DUP) R4367155-3 04/28/26 13:14

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	34.1	37.8	1	10.4	⌵	20

L1964228-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1964228-08 04/28/26 13:47 • (DUP) R4367155-4 04/28/26 15:34

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	67.6	74.3	1	9.47	⌵	20

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1964228-09 Original Sample (OS) • Duplicate (DUP)

(OS) L1964228-09 04/28/26 13:58 • (DUP) R4367155-5 04/28/26 15:44

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	83.4	64.5	1	25.5	J P1	20

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

L1964228-10 Original Sample (OS) • Duplicate (DUP)

(OS) L1964228-10 04/28/26 14:08 • (DUP) R4367155-6 04/28/26 15:54

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	U	U	1	0.000		20

L1964527-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1964527-01 04/28/26 14:18 • (DUP) R4367155-7 04/28/26 16:03

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	65.0	U	1	200	P1	20

L1964527-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1964527-02 04/28/26 15:01 • (DUP) R4367155-8 04/28/26 16:13

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	U	U	1	0.000		20

L1964626-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1964626-02 04/28/26 15:24 • (DUP) R4367155-13 04/28/26 19:09

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	U	U	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R4367155-1 04/28/26 12:12

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
TOX	250	245	97.9	80.0-114	

L1964626-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1964626-03 04/28/26 13:04 • (MS) R4367155-9 04/28/26 18:19 • (MSD) R4367155-10 04/28/26 18:30

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
TOX	200	34.1	295	292	131	129	1	80.0-114	<u>J5</u>	<u>J5</u>	1.20	20

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4367679-2 04/29/26 15:33

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	ug/l		ug/l	ug/l
TOX	U		33.0	100

L1966677-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1966677-01 04/29/26 16:42 • (DUP) R4367679-6 04/29/26 18:12

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	125	155	2	21.9	J P1	20

Sample Narrative:

OS: Dilution due to matrix.

L1964626-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1964626-01 04/29/26 18:33 • (DUP) R4367679-8 04/29/26 18:52

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	113	155	2	31.1	J P1	20

Sample Narrative:

OS: Dilution due to matrix.

L1964228-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1964228-04 04/30/26 02:09 • (DUP) R4367679-17 04/30/26 02:29

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	120	177	2	38.9	J P1	20

Sample Narrative:

OS: Dilution due to matrix.



L1964203-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1964203-02 04/30/26 01:30 • (DUP) R4367679-15 04/30/26 01:49

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	1190	3650	25	102	P1	20

Sample Narrative:
OS: Dilution due to matrix.

L1964626-10 Original Sample (OS) • Duplicate (DUP)

(OS) L1964626-10 04/29/26 15:57 • (DUP) R4367679-3 04/29/26 16:09

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	40.1	36.1	1	10.4	J	20

L1964626-09 Original Sample (OS) • Duplicate (DUP)

(OS) L1964626-09 04/29/26 19:12 • (DUP) R4367679-10 04/29/26 19:22

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	U	U	1	0.000		20

L1963261-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1963261-03 04/29/26 22:28 • (DUP) R4367679-11 04/29/26 23:08

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	U	U	1	0.000		20

L1963261-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1963261-04 04/29/26 22:38 • (DUP) R4367679-12 04/29/26 23:18

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	88.1	78.9	1	11.1	J	20

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

L1963261-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1963261-05 04/29/26 22:48 • (DUP) R4367679-13 04/29/26 23:28

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	68.9	82.2	1	17.7	J	20

L1963261-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1963261-06 04/29/26 22:58 • (DUP) R4367679-14 04/29/26 23:38

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOX	45.4	60.7	1	28.7	J P1	20

Laboratory Control Sample (LCS)

(LCS) R4367679-1 04/29/26 15:22

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	ug/l	ug/l	%	%	
TOX	250	263	105	80.0-114	

L1964626-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1964626-10 04/29/26 15:57 • (MS) R4367679-4 04/29/26 16:19 • (MSD) R4367679-5 04/29/26 16:31

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
TOX	200	40.1	270	299	115	129	1	80.0-114	J5	J5	10.0	20

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R4363294-1 04/19/26 00:23

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	ug/l		ug/l	ug/l
Chloride	U		547	1000
Sulfate	U		637	5000

L1964098-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1964098-02 04/19/26 01:07 • (DUP) R4363294-3 04/19/26 01:18

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
Chloride	U	U	1	0.000		15
Sulfate	U	U	1	0.000		15

L1964098-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1964098-04 04/19/26 02:14 • (DUP) R4363294-6 04/19/26 02:25

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
Chloride	U	U	1	0.000		15
Sulfate	U	U	1	0.000		15

Laboratory Control Sample (LCS)

(LCS) R4363294-2 04/19/26 00:34

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	ug/l	ug/l	%	%	
Chloride	40000	38300	95.7	80.0-120	
Sulfate	40000	38900	97.3	80.0-120	

L1964098-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1964098-02 04/19/26 01:07 • (MS) R4363294-4 04/19/26 01:29 • (MSD) R4363294-5 04/19/26 01:40

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
Chloride	40000	U	38600	38800	96.5	97.1	1	80.0-120			0.673	15
Sulfate	40000	U	39000	39600	97.4	99.0	1	80.0-120			1.61	15

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

L1964098-04 Original Sample (OS) • Matrix Spike (MS)

(OS) L1964098-04 04/19/26 02:14 • (MS) R4363294-7 04/19/26 02:36

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	40000	U	38700	96.8	1	80.0-120	
Sulfate	40000	U	39100	97.9	1	80.0-120	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4364153-1 04/21/26 13:56

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	ug/l		ug/l	ug/l
TOC (Total Organic Carbon)	U		495	1000

L1964038-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1964038-02 04/21/26 16:17 • (DUP) R4364153-5 04/21/26 16:36

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOC (Total Organic Carbon)	U	U	1	0.000		20

L1964128-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1964128-02 04/21/26 21:25 • (DUP) R4364153-9 04/21/26 21:47

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOC (Total Organic Carbon)	1220	1160	1	5.30		20

Laboratory Control Sample (LCS)

(LCS) R4364153-2 04/21/26 14:41

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	ug/l	ug/l	%	%	
TOC (Total Organic Carbon)	25000	23300	93.2	80.0-120	

L1964038-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1964038-01 04/21/26 15:13 • (MS) R4364153-3 04/21/26 15:35 • (MSD) R4364153-4 04/21/26 15:58

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
TOC (Total Organic Carbon)	25000	1170	25100	25100	95.6	95.8	1	75.0-125			0.199	20

L1964128-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1964128-01 04/21/26 20:17 • (MS) R4364153-7 04/21/26 20:40 • (MSD) R4364153-8 04/21/26 21:02

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
TOC (Total Organic Carbon)	25000	966	24500	24700	94.3	95.0	1	75.0-125			0.772	20

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R4364158-2 04/21/26 13:40

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	ug/l		ug/l	ug/l
TOC (Total Organic Carbon)	U		495	1000

L1964228-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1964228-06 04/21/26 16:27 • (DUP) R4364158-5 04/21/26 16:46

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOC (Total Organic Carbon)	738	699	1	5.44	⬇	20

L1964396-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1964396-07 04/21/26 22:23 • (DUP) R4364158-8 04/21/26 22:48

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	ug/l	ug/l		%		%
TOC (Total Organic Carbon)	4730	4660	1	1.64		20

Laboratory Control Sample (LCS)

(LCS) R4364158-1 04/21/26 13:22

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	ug/l	ug/l	%	%	
TOC (Total Organic Carbon)	25000	24200	96.8	80.0-120	

L1964228-05 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1964228-05 04/21/26 15:19 • (MS) R4364158-3 04/21/26 15:43 • (MSD) R4364158-4 04/21/26 16:07

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
TOC (Total Organic Carbon)	25000	807	25400	24800	98.3	96.1	1	75.0-125			2.11	20

L1964396-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1964396-03 04/21/26 21:13 • (MS) R4364158-6 04/21/26 21:37 • (MSD) R4364158-7 04/21/26 22:01

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
TOC (Total Organic Carbon)	25000	2250	26700	26700	98.0	97.8	1	75.0-125			0.112	20

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4363579-1 04/20/26 18:47

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Cadmium	U		1.17	2.00
Iron	U		53.9	100
Lead	U		4.20	6.00
Manganese	U		1.72	10.0

Laboratory Control Sample (LCS)

(LCS) R4363579-2 04/20/26 18:49

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Cadmium	1000	966	96.6	80.0-120	
Iron	10000	10300	103	80.0-120	
Lead	1000	948	94.8	80.0-120	
Manganese	1000	997	99.7	80.0-120	

L1964172-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1964172-01 04/20/26 18:52 • (MS) R4363579-4 04/20/26 18:57 • (MSD) R4363579-5 04/20/26 18:59

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Cadmium	1000	U	1060	1060	106	106	1	75.0-125			0.0285	20
Iron	10000	U	9850	9790	98.5	97.9	1	75.0-125			0.574	20
Lead	1000	U	969	963	96.9	96.3	1	75.0-125			0.629	20
Manganese	1000	240	1200	1190	96.0	95.5	1	75.0-125			0.410	20

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
U (Radiochemistry)	Result + Error < MDA.
J (Radiochemistry)	Result < MDA; Result + Error > MDA.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
J	The identification of the analyte is acceptable; the reported value is an estimate.
J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.



ACCREDITATIONS & LOCATIONS


Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



Company Name/Address: Pollution Management, Inc. 3512 South Shackleford Little Rock, AR 72205				Billing Information: Attn: Accounts Payable 3512 South Shackleford Little Rock, AR 72205				Pres Chk		Analysis / Container / Preservative												Chain of Custody Page <u>1</u> of <u>1</u>							
Report to: Mr. Keifer Vaughn 501-221-7122				Email To: kvaughn@pmico.com																		 PEOPLE ADVANCING SCIENCE MT JULIET, TN 12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubs/pas-standard-terms.pdf							
Project Description: Arkansas Kraft LF				City/State Collected: MOBILETOWN, AR				Please Circle: PT MT ET																					
Regulatory Program(DOD,RCRA,DW,etc):				Client Project # KT267038				Lab Project # POLMALAR-KRAFT																					
Collected by (print): MATT MARBURY				Site/Facility ID #				P.O. # KT267038																					
Collected by (signature): 				Rush? (Lab MUST Be Notified) ☐ Same Day ☐ Five Day ☐ Next Day ☐ 5 Day (Rad Only) ☐ Two Day ☐ 10 Day (Rad Only) ☐ Three Day ☐ STD TAT				Quote #																					
Immediately Packed on Ice N ☐ Y ☒				Date Results Needed				No. of Cntrs																					
Sample ID				Comp/Grab		Matrix *		Depth		Date		Time																	
P-4				GRAB		GW		35'		4/14/26		847		6		X		X		X		X		X		X		-01	
P-5				GRAB		GW		35'		4/14/26		954		6		X		X		X		X		X		X		02	
P-7				GRAB		GW		40'		4/14/26		1130		6		X		X		X		X		X		X		03	
P-8				GRAB		GW		40'		4/14/26		1043		6		X		X		X		X		X		X		04	
P-11				GRAB		GW		28'		4/14/26		1427		6		X		X		X		X		X		X		05	
P-12				GRAB		GW		36'		4/14/26		1341		6		X		X		X		X		X		X		06	
P-14				GRAB		GW		36'		4/14/26		1234		6		X		X		X		X		X		X		07	
LEACHATE				GRAB		GW		-		4/14/26		1504		6		X		X		X		X		X		X		08	
DUP				GRAB		GW		-		4/14/26		-		6		X		X		X		X		X		X		09	
FB				GRAB		GW		-		4/14/26		954		6		X		X		X		X		X		X		10	

* Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - WasteWater
 DW - Drinking Water
 OT - Other _____

Remarks:

pH _____ Temp _____
 Flow _____ Other _____

Samples returned via: ☐ UPS ☐ FedEx ☐ Courier _____

Tracking # _____

Relinquished by : (Signature) 		Date: 4/15/26		Time: 1230		Received by: (Signature)		Trip Blank Received: ☒ Yes / No HCL / MeOH TBR	
Relinquished by : (Signature)		Date:		Time:		Received by: (Signature)		Temp: _____ °C Bottles Received:	
Relinquished by : (Signature)		Date:		Time:		Received for lab by: (Signature)		Date: _____ Time: 60 930	
								Hold: Condition: NCF / OK	

Sample Receipt Checklist

COC Seal Present/Intact: ☒ NP ☐ Y ☐ N

COC Signed/Accurate: ☒ Y ☐ N

Bottles arrive intact: ☒ Y ☐ N

Correct bottles used: ☒ Y ☐ N

Sufficient volume sent: ☒ Y ☐ N

If Applicable

VOA Zero Headspace: ☐ Y ☒ N

Preservation Correct/Checked: ☒ Y ☐ N

RAD Screen <0.5 mR/hr: ☒ Y ☐ N

If preservation required by Login: Date/Time

Multiple Parcel Form

L#

L1964228

[illegible]

Name _____

Date _____

APPENDIX C

Darcian Flow Calculations



CALCULATION SUMMARY SHEET

PROJECT:			PROJECT NO.		
ARKANSAS KRAFT CLASS 3N LANDFILL			KT267038		
1ST HALF 2026 GROUNDWATER MONITORING					
Calculation Title:	Groundwater Flow				
Originated By:	Date:				
Kiefer Vaughn	4/14/2026				
Wells	Depth to Water (ft)	Water Surf. Elev. (amsl)			
P-1	11.03	301.14			
P-2	8.04	298.39			
P-4	11.33	300.84			
P-5	15.11	305.70			
P-6	17.19	287.89			
P-7	24.98	288.68			
P-8	13.46	295.38			
P-11	7.48	299.92			
P-12	15.22	301.22			
P-13	17.19	287.89			
P-14	21.74	285.55			
ΔHEAD Calculations			Distance from Upgradient Well (ft)		
P-5 → P-14		20.15	1856		
P-4 → P-2		2.45	1331		
P-12 → P-11		1.30	1237		
AVG Gradient (I)					
MWP-5 → MWP-14		0.01086			
MWP-4 → MWP-2		0.00184			
MWP-12 → MWP-11		0.00105			
AVG			0.00458		
Average Linear Velocity					
groundwater flow rate					
$V_x = (K*I) / n_e$					
Where,					
V_x is the average linear velocity (length/time),					
K is the hydraulic conductivity (length/time),					
I is the hydraulic gradient (length/length),					
And n_e is the effective porosity (decimal).					
K	5.00E-06	cm/sec	Grubbs, Garner & Hoskyn, 1995		
I	0.004583				
n_e (min)	0.27				
n_e (max)	0.045				
V_x (min)	8.49E-08 cm/sec				
V_x (max)	5.09E-07 cm/sec				

APPENDIX D

Historical Groundwater Analytical Results

Green Bay Packaging
Arkansas Kraft Class 3N Landfill
Historical Groundwater Analytical Results

		Cadmium (mg/L)	Iron (mg/L)	Lead (mg/L)	Manganese (mg/L)	TDS (mg/L)	Chloride (mg/L)	SO4 (mg/L)	TOC (mg/L)	Sulfide (mg/L)	TOX (mg/L)	pH S.U.
LEACHATE	d											
	10/6/2020	0.000567(J)	4.32	<0.006	1.07	3290	134	14.9	102	<0.05	0.0583(J)	n/a
	4/15/2021	0.00075	4.37	<0.006	1.08	2590	124	21.1	59	<0.05	0.181	n/a
	10/12/2021	0.00053(J)	4.28	0.00448(J)	0.684	3410	157	48.4	12.9	<0.05	0.0741	n/a
	4/14/2022	0.000523(J)	2.41	<0.006*	0.878	2330	82.2	68.8	53.1	<0.05*	0.0848(J)	n/a
	11/10/2022	<0.002*	3.08	<0.006*	0.606	2990	148	107	85	<0.05*	0.0598(J)	n/a
	4/5/2023	<0.000479*	4.34	0.0033(J)	0.706	2580	86.1	89.9	59.8	<0.025*	0.0533(J)	n/a
	10/12/2023	<0.002*	4.34	<0.006*	0.634	2730	149	41.1	80	<0.05*	0.0875(J)	n/a
	04/11/2024	<0.00200	1.68	<0.00600	0.515	1430	47.2	73.9	60.3	0.169	0.0524 J P I	n/a
	10/15/2024	<0.002*	3.08	0.00338(J)	0.684	4080	163	28	81.9	0.038(J)	0.0443(J)	n/a
	5/22/2025	<0.002*	5.23	<0.006*	1.37	2100	70.6	17.6	84	<0.05*	0.0551(J)	n/a
	10/30/2025	<0.002*	3.33	0.0027(J)	0.844	2920	116	23.7(J)	101	0.036(J)	0.0827(J)	7.50
	4/14/2026	<0.002*	2.74	<0.006*	1.03	2820	121	22.4(J)	88	0.037(J)	0.0676(J)	7.04

Green Bay Packaging
Arkansas Kraft Class 3N Landfill
Historical Groundwater Analytical Results

		Cadmium (mg/L)	Iron (mg/L)	Lead (mg/L)	Manganese (mg/L)	TDS (mg/L)	Chloride (mg/L)	SO4 (mg/L)	TOC (mg/L)	Sulfide (mg/L)	TOX (mg/L)	pH S.U.
P-4	u											
	12/21/1995	n/a	1.262	n/a	0.352	956	25	510	<3	<0.1	0.01	6.74
	6/24/1996	0.0001	2.05	0.114	0.448	1010	31.5	460	<3	<0.1	0.78	6.37
	10/8/1996	0.005	2.73	0.003	0.536	1122	43	554	<3	<0.1	<0.005	6.65
	6/30/1997	0.001	1.85	<0.002	0.426	1134	38	480	<3	<0.1	0.012	6.47
	12/23/1997	0.0009	1.82	<0.002	0.402	1234	40	556	<3	<1	<0.005	6.58
	6/4/1998	<0.0002	2.36	<0.002	0.54	1312	3.5	800	<3	<1	0.011	6.14
	12/3/1998	<0.001	2.34	<0.002	0.506	1460	48.5	660	<3	<1	0.011	6.05
	6/9/1999	<0.0002	1.82	<0.002	0.471	1610	56.3	800	<1	<1	<0.005	6.04
	12/21/1999	<0.0002	1.4	<0.002	0.426	430	38.9	725	3.13	1.4	0.016	4.97
	6/19/2000	<0.0002	0.978	<0.002	0.771	1520	51.7	706	<1	<1	0.014	6.30
	12/19/2000	<0.0001	0.797	<0.001	0.492	1340	46.4	812	<1	<1	<0.005	6.61
	6/12/2001	<0.001	1.44	<0.003	0.587	1490	41.8	630	<1	<2	0.01	4.65
	12/18/2001	0.005	1.91	<0.003	0.212	1380	33.4	758	<1	<2	<0.005	6.33
	6/18/2002	0.001	0.623	<0.003	0.16	1650	39.8	640	1.31	<0.11	<0.005	5.98
	12/2/2002	<0.001	1.27	<0.003	0.429	1520	32.2	718	<1	<1	<0.005	6.47
	6/23/2003	<0.001	2.4	<0.0038	0.38	1910	40.8	976	1.1	<2	<0.005	6.23
	12/8/2003	<0.001	3.1	<0.003	0.57	1880	45.5	1020	1.4	<2	<0.005	6.43
	6/25/2004	<0.001	3.3	<0.003	0.64	2070	46	1110	1.1	<2	<0.005	6.21
	12/14/2004	<0.001	2.2	<0.003	0.4	1790	45.8	1270	<1	<2	<0.01	6.12
	6/13/2005	<0.004	3.1	<0.001	0.77	2200	50	1100	1.2	<1	<0.005	6.30
	12/21/2005	<0.004	2.9	<0.001	0.54	2000	120	1100	1	<1	0.015	5.55
	6/9/2006	<0.004	2.4	<0.001	0.41	2200	59	1100	1.1	<1	0.017	6.86
	12/14/2006	<0.004	2.9	<0.001	0.68	2000	58	970	<1	<1	<0.1	6.35
	6/13/2007	<0.005	2.6	<0.005	0.51	2200	60	1100	3.7	<0.05	<0.1	6.35
	12/13/2007	<0.005	3	<0.005	0.52	2200	70	1000	1.8	<0.05	<0.1	6.05
	5/27/2008	<0.005	4.4	<0.005	0.72	2500	69	1300	3.4	<0.05	<0.1	6.42
	11/10/2008	<0.005	3.6	<0.005	0.66	2400	81	1200	2.7	<0.05	<0.1	6.39
	5/13/2009	<0.005	2.9	<0.005	0.56	2300	75	1200	1.9	<0.05	<0.1	6.85
	11/6/2009	<0.005	3.1	<0.005	0.51	2500	82	1300	1.8	<0.05	<0.1	5.93
	5/25/2010	<0.005	3.6	<0.005	0.88	3100	78	1800	<1	<0.05	<0.1	7.01
	11/1/2010	<0.005	3.9	<0.025	0.5	2800	94	1500	<1	<0.05	<0.1	6.39
	5/18/2011	<0.0005	1.53	<0.015	0.188	2800	80.7	1370	<1	<0.1	<0.005	6.03
	11/10/2011	<0.0005	1.64	<0.015	0.235	2600	82.9	1250	<1	<0.1	<0.005	6.09
	4/11/2012	<0.0005	1.49	<0.015	0.294	2500	63.6	1100	1.19	<0.1	<0.005	5.94
	10/30/2012	<0.0005	2.04	<0.015	0.307	2500	86.2	1110	<1	<0.1	0.077	6.27
	5/28/2013	0.00072	4.1	<0.005	0.54	2700	91	1500	0.95	<0.05	<0.1	6.36
	11/5/2013	0.0029	3.2	0.0024	0.52	2400	80	13(O)	1	<0.05	<0.1	6.28
	5/19/2014	0.0016	2.2	<0.005	0.38	2100	90	1500	0.73	<0.05	<0.1	6.22
	11/10/2014	<0.005	2.9	0.0033	0.48	2200	94	1300	0.86	<0.05	<0.1	5.16
	5/22/2015	<0.005	1.92	0.00245	0.298	2380	83.2	1290	4.28	<0.05	<0.1	6.47
	11/23/2015	<0.005	3.03	0.00834	0.478	2600	91.7	1570	1.39	<0.05	<0.1	6.35
	6/1/2016	<0.005	2.75	<0.005	0.417	2730	87.8	1520	1.24	<0.05	<0.1	6.42
	11/30/2016	<0.005	1.31	<0.005	0.214	2690	96.5	1470	2.31	<0.05	0.0362	5.93
	5/23/2017	<0.0005	1.14	<0.0156	0.161	3010	86.6	1110	<1	<0.1	0.12	6.11
	11/14/2017	<0.0005	1.21	<0.0156	0.194	2950	97.1	1630	1.43	<0.1	0.14	6.06
	5/8/2018	<0.002	1.98	<0.005	0.368	2840	94.6	1810	1.16(B)	<0.05	0.0167(J)	n/a
	11/15/2018	<0.002	2.92	<0.005	0.448	2920	90.7	1640	1.04	<0.05	<0.1	6.15
	5/21/2019	<0.002	3.18	0.00383	0.418	2740	87.4	1560	1.38	<0.05	<0.1	6.30
	11/18/2019	<0.002	5.7	0.00576	0.41	3120	90.7	1500	0.831	<0.05	<0.1	6.19
	5/7/2020	<0.00125	0.737	<0.0156	0.167	3220	89.4	1630	1.06	<0.15	<300(O)	6.12
	10/6/2020	<0.002	0.21	<0.006	0.0932	3570	115	2080	1.29	<0.05	<0.1	n/a
	4/15/2021	0.000878(J)	0.651	<0.006	0.129	2950	114	1910	1.07	<0.05	0.048(J)	6.09
	10/12/2021	0.0017(J)	0.508	0.00348(J)	0.0925	3540	110	1820	1.13	<0.05	<0.1	6.05
	4/14/2022	0.000973(J)	0.513	<0.006*	0.108	3490	121	2110	1.06	<0.05*	0.0343(J)	6.38
	11/10/2022	0.000568(J)	0.138	0.011	0.0893	2660	112	1990	0.994(J)	<0.05*	<0.1	6.17
	4/5/2023	<0.000479*	0.152	0.00693	0.107	3610	114	1830	1.34	<0.025*	<0.0277*	6.17
	10/12/2023	0.00106(J)	<0.1*	<0.006*	0.0389	5610	82	3210	0.911(J)	<0.05*	<0.1*	6.52
	04/11/2024	<0.00200	0.159	<0.00600	0.196	2320	63.3	1330	1.92	<0.0500	0.0367 J	6.30
	10/15/2024	<0.002*	0.0647(J)	<0.006*	0.0856	3000	108	1820	0.868(J)	<0.05*	<0.15*	6.30
	5/22/2025	<0.002*	0.332	<0.006*	0.121	3420	118	1810	1.29	<0.05*	<0.1*	6.32
	10/30/2025	0.00128(J)	0.117	0.00301(J)	0.0941	3090	120	1820	1.14	<0.05*	0.0464(J)	6.19
	4/14/2026	<0.002*	0.0754(J)	<0.006*	0.0913	3000	121	1740	0.934(J)	<0.05*	0.0716(J)	6.03

Green Bay Packaging
Arkansas Kraft Class 3N Landfill
Historical Groundwater Analytical Results

		Cadmium (mg/L)	Iron (mg/L)	Lead (mg/L)	Manganese (mg/L)	TDS (mg/L)	Chloride (mg/L)	SO4 (mg/L)	TOC (mg/L)	Sulfide (mg/L)	TOX (mg/L)	pH S.U.
P-5	u											
	12/21/1995	n/a	2.13	n/a	0.218	243	15	<5	<3	<0.1	<0.005	6.75
	6/24/1996	0.0001	1.13	0.102	0.057	327	16	<5	<3	<0.1	0.025	6.50
	10/8/1996	<0.005	1.87	<0.001	0.145	280	28.5	6	<3	<0.1	<0.005	6.74
	6/30/1997	<0.0002	0.26	<0.002	0.18	436	33	<5	<3	<0.1	<0.005	6.57
	12/23/1997	0.0005	0.485	<0.002	0.172	311	18.5	11.4	<3	<1	0.0097	6.51
	6/4/1998	<0.0002	4.43	<0.002	0.245	371	4.5	<5	<3	<1	0.016	6.35
	12/3/1998	<0.001	0.623	<0.002	0.161	328	30.2	16.4	<3	<1	0.016	6.04
	6/9/1999	<0.0002	2.83	<0.002	0.396	444	48.5	<5	<1	<1	<0.005	6.49
	12/21/1999	<0.0002	0.0438	<0.002	0.0304	1450(O)	37.8	6.46	7.19	<1	0.02	6.07
	6/19/2000	<0.0002	0.0776	<0.002	0.0685	374	43.4	6.63	<1	<1	0.0081	6.90
	12/19/2000	<0.0001	0.0858	<0.001	0.0343	349	38.8	4.22	<1	<1	<0.005	7.11
	6/12/2001	<0.001	2.24	<0.003	0.076	390	44.8	5.3	<1	<2	0.016	4.68
	12/18/2001	0.007	0.985	<0.003	0.043	346	35.8	3.9	<1	<2	<0.005	6.70
	6/18/2002	<0.001	0.373	<0.003	0.091	429	50.3	5.1	<1	<0.11	<0.005	7.03
	12/2/2002	<0.001	0.358	<0.003	0.028	342	39.6	6.8	<1	<1	<0.005	7.25
	6/23/2003	<0.001	0.6	<0.0038	0.17	374	49.3	5.5	<1	<2	<0.005	6.70
	12/8/2003	<0.001	0.23	<0.003	0.21	480	58.6	8	1	<2	<0.005	6.88
	6/25/2004	<0.001	0.3	<0.003	0.11	424	70	5.2	<1	<2	<0.005	6.71
	12/14/2004	<0.001	0.41	<0.003	0.24	409	61	7.7	<1	<2	<0.01	6.30
	6/13/2005	<0.004	0.2	<0.001	0.12	360	75	6.6	<1	<1	0.016	6.65
	12/21/2005	<0.004	0.06	<0.001	0.17	340	49	16	<1	<1	0.0051	6.43
	6/9/2006	<0.004	0.043	<0.001	0.12	420	73	9.1	<1	<1	<0.005	7.32
	12/14/2006	<0.004	0.06	<0.001	0.11	410	77	9.2	<1	<1	0.012	6.59
	6/13/2007	<0.005	0.47	<0.005	0.24	400	66	6.5	2.6	<0.05	<0.1	6.78
	12/13/2007	<0.005	0.11	<0.005	0.17	420	89	7.2	1.7	<0.05	<0.1	6.21
	5/27/2008	<0.005	0.14	<0.005	0.23	380	66	6.6	1.9	<0.05	<0.1	6.95
	11/10/2008	<0.005	1.5	<0.005	0.15	450	120	10	2.2	<0.05	<0.1	6.71
	5/13/2009	<0.005	<0.1	<0.005	0.26	520	130	35	1.1	<0.05	<0.1	6.89
	11/6/2009	<0.005	0.25	<0.005	0.25	530	120	10	1.6	<0.05	<0.1	6.39
	5/25/2010	<0.005	0.13	<0.005	0.18	680	160	56	<1	<0.05	<0.1	7.59
	11/1/2010	<0.005	<0.1	<0.005	0.18	490	120	16	<1	<0.05	<0.01	7.04
	5/18/2011	<0.0005	0.38	<0.015	0.324	450	73.5	18	<1	<0.1	<0.005	6.62
	11/10/2011	<0.0005	1.26	<0.015	0.499	470	83.7	23.9	<1	<0.1	<0.005	6.62
	4/11/2012	<0.0005	0.43	<0.015	0.174	520	101	10.3	<1	<0.1	<0.005	6.39
	10/30/2012	<0.0005	0.0782	<0.015	0.0897	380	67.8	9.26	<1	<0.1	0.093	6.58
	5/28/2013	<0.005	4.7	<0.005	0.38	440	79	18	0.47	<0.05	<0.1	6.87
	11/5/2013	0.001	0.14	0.002	0.13	400	140	760(O)	0.81	<0.05	<0.1	6.86
	5/19/2014	<0.005	0.5	<0.005	0.049	440	95	14	0.36	<0.05	<0.1	6.50
	11/10/2014	<0.005	0.41	0.0029	0.19	390	73	13	0.42	<0.05	<0.1	5.87
	5/22/2015	<0.005	0.551	<0.005	0.173	588	101	733(O)	3.45	<0.05	<0.1	6.86
	11/23/2015	<0.005	0.0361	0.0042	0.123	482	90.6	14.9	1.17	0.016	<0.1	6.72
	6/1/2016	<0.005	0.455	<0.005	0.111	436	69.4	15.2	1.55	<0.05	0.0447	6.81
	11/30/2016	<0.005	0.114	<0.005	0.112	378	55.9	17.1	0.901	<0.05	0.0342	6.08
	5/23/2017	<0.0005	0.233	<0.0156	0.0607	451	65.2	13.6	<1	<0.1	0.38	6.52
	11/14/2017	<0.0005	0.231	<0.0156	0.1	366	51.4	18.2	1.07	<0.1	0.14	n/a
	5/8/2018	<0.002	0.465	0.00494(J)	0.17	421	57.7	31.4	0.943(BJ)	<0.05	0.0219(J)	n/a
	11/15/2018	<0.002	0.195	<0.005	0.0495	364	47.2	14.5	0.587	<0.05	0.013	7.06
	5/21/2019	<0.002	2.54	<0.005	0.257	538	77	66	2.6	<0.05	<0.1	7.06
	11/18/2019	<0.002	1.07	<0.005	0.173	443	60.1	22.4	0.56	<0.05	<0.1	6.91
	5/7/2020	<0.00125	0.197	<0.0156	0.112	346	52.6	21.6	<1	<0.15	<300(O)	6.76
	10/6/2020	<0.002	0.698	0.00646	0.0753	426	60.2	19.6	0.737(J)	<0.05	<0.1	n/a
	4/15/2021	0.000697(J)	0.429	<0.006	0.0326	621	92.4	102	0.907(J)	<0.05	0.0465(J)	6.77
	10/12/2021	<0.002	0.89	<0.006	0.155	396	51.7	21.7	0.567(J)	<0.05	<0.1	6.79
	4/14/2022	0.000513(J)	0.982	<0.006*	0.0484	400	45.7	51.2	0.603(J)	<0.05*	<0.1*	6.90
	11/10/2022	<0.002*	1.81	<0.006*	0.204	360	41.7	34.2	0.769(J)	<0.05*	<0.1	6.70
	4/5/2023	<0.000479*	1.5	<0.00299*	0.222	405	40.2	27.4	0.666(J)	<0.025*	<0.0277*	6.70
	10/12/2023	<0.002*	1.28	<0.006*	0.0987	340	37.2	21.2	0.785(J)	<0.05*	<0.1*	6.68
	04/11/2024	<0.00200	0.366	<0.00600	0.0528	328	34.6	22.3	0.303 J	<0.0500	<0.100	6.74
	10/15/2024	<0.002*	1.69	<0.006*	0.0414	298	33.4	19.2	0.447(J)	<0.05*	<0.15*	6.76
	5/22/2025	<0.002*	0.762	<0.006*	0.147	395	41.1	20.5	0.745(J)	<0.05*	<0.1*	5.96
	10/30/2025	<0.002*	0.874	<0.006*	0.089	387	39.5	19.7	0.622(J)	<0.05*	0.0392(J)	6.68
	4/14/2026	<0.002*	0.294	<0.006*	0.0885	372	39	23.6	<1*	<0.05*	<0.1*	6.67

Green Bay Packaging
Arkansas Kraft Class 3N Landfill
Historical Groundwater Analytical Results

		Cadmium (mg/L)	Iron (mg/L)	Lead (mg/L)	Manganese (mg/L)	TDS (mg/L)	Chloride (mg/L)	SO4 (mg/L)	TOC (mg/L)	Sulfide (mg/L)	TOX (mg/L)	pH S.U.
P-7	d											
	12/21/1995	n/a	12.15	n/a	0.462	1764	30	817	<3	<0.1	0.0095	7.09
	6/24/1996	0.0001	1.44	0.134	0.257	1825	29.5	705	<3	<0.1	0.02	6.80
	10/8/1996	0.006	2.65	<0.001	0.227	1808	70.5	658	<3	<0.1	<0.005	7.02
	6/30/1997	<0.0002	0.486	<0.002	0.126	1814	56	685	<3	<0.1	0.0056	7.04
	12/23/1997	0.0038	27.7	0.012	0.76	1867	35	708	<3	<1	<0.005	7.10
	6/4/1998	<0.0002	2.29	<0.002	0.143	1811	7.75	825	<3	<1	0.02	6.87
	12/3/1998	<0.001	0.829	<0.002	0.117	1790	35.2	670	<3	<1	0.036	6.42
	6/9/1999	<0.0002	0.604	<0.002	0.141	1780	139	648	<1	<1	<0.005	6.85
	12/21/1999	<0.0002	0.473	<0.002	0.147	2460	128	658	2.84	1	2.7	6.38
	6/19/2000	<0.0002	0.27	<0.002	0.167	1840	138	689	<1	<1	0.027	7.10
	12/19/2000	<0.0001	0.976	<0.001	0.173	1770	139	745	<1	<1	0.0091	6.64
	6/12/2001	<0.001	1.37	<0.003	0.128	1810	138	600	<1	<2	0.014	4.15
	12/18/2001	0.009	9.41	<0.003	0.29	1800	131	632	<1	<2	<0.005	7.05
	6/18/2002	<0.001	0.593	<0.003	0.137	1890	124	500	<1	<0.11	<0.005	6.94
	12/2/2002	<0.001	7.13	<0.003	0.214	1860	142	582	<1	<1	<0.005	7.10
	6/23/2003	<0.001	1.3	<0.0038	0.1	1850	139	603	1.1	<2	0.0343	6.82
	12/8/2003	<0.001	0.89	<0.003	0.098	1940	144	702	1.5	<2	<0.005	6.83
	6/25/2004	<0.001	0.75	<0.003	0.09	1830	200	944	1.1	<2	<0.005	6.89
	12/14/2004	<0.001	0.52	<0.003	0.075	1890	154	707	<1	<2	0.0189	6.02
	6/13/2005	<0.004	1.1	<0.001	0.077	2000	140	700	1.1	<1	0.0059	6.84
	12/21/2005	<0.004	0.79	<0.001	0.092	1900	210	730	<1	<1	0.013	6.62
	6/9/2006	<0.004	0.62	<0.001	0.076	1900	150	700	<1	<1	<0.005	7.27
	12/14/2006	<0.004	0.68	<0.001	0.082	2000	150	710	<1	<1	0.024	6.78
	6/13/2007	<0.005	0.73	<0.005	0.085	2000	150	730	2.3	<0.05	<0.1	7.05
	12/13/2007	<0.005	0.72	<0.005	0.083	1900	150	700	3	<0.05	<0.1	6.31
	5/27/2008	<0.005	0.77	<0.005	0.097	2000	150	690	2.9	<0.05	<0.1	7.14
	11/10/2008	<0.005	1.1	0.0078	0.093	1800	150	700	2.7	<0.05	<0.1	7.05
	5/13/2009	<0.005	0.99	<0.005	0.1	1900	140	710	1.5	<0.05	<0.1	7.24
	11/6/2009	<0.005	0.78	<0.005	0.084	2000	150	720	2.7	<0.05	<0.1	6.50
	5/25/2010	<0.005	0.79	<0.005	0.091	2000	140	780	95(O)	<0.05	<0.1	7.79
	11/1/2010	<0.005	1.1	<0.025	0.1	1900	72	780	<1	<0.05	<0.1	7.19
	5/18/2011	<0.0005	0.92	<0.015	0.0843	2000	140	745	<1	<0.1	0.013	6.87
	11/10/2011	<0.0005	0.806	<0.015	0.109	2000	134	722	<1	<0.1	<0.005	7.89
	4/11/2012	<0.0005	0.638	<0.015	0.0937	2000	123	687	<1	<0.1	<0.005	6.67
	10/30/2012	<0.0005	0.708	<0.015	0.0931	2000	130	666	<1	<0.1	0.085	6.96
	5/28/2013	0.001	2.2	<0.005	0.11	1900	130	780	<1	<0.05	<0.1	7.02
	11/5/2013	0.0029	0.91	0.0046	0.092	1900	930(O)	500	0.58	<0.05	<0.1	7.03
	5/19/2014	<0.005	0.84	<0.005	0.09	1600	190	760	0.31	<0.05	<0.1	6.84
	11/10/2014	<0.005	0.73	<0.005	0.088	1900	140	770	0.22	<0.05	<0.1	5.98
	5/22/2015	<0.005	1.02	<0.005	0.0981	1980	139	847	3.93	<0.05	<0.1	6.94
	11/23/2015	<0.005	0.517	0.00763	0.0954	1880	138	785	1.19	<0.05	<0.1	6.98
	6/1/2016	<0.005	0.945	<0.005	0.0937	1900	134	809	0.192	<0.05	0.0179	7.02
	11/30/2016	<0.005	0.833	<0.005	0.0905	1840	137	814	1.01	<0.05	0.0312	6.34
	5/23/2017	<0.0005	0.732	<0.0156	0.096	2070	121	674	<1	<0.1	0.087	6.88
	11/14/2017	<0.0005	0.853	<0.0156	0.117	2010	123	797	<1	<0.1	0.14	6.84
	5/8/2018	<0.002	1.4	<0.005	0.101	1910	130	842	0.373(BJ)	<0.05	0.0378(J)	n/a
	11/15/2018	<0.002	0.968	<0.005	0.093	1820	123	876	0.572	<0.05	0.0185	6.83
	5/21/2019	<0.002	2.8	0.00461	0.146	1970	128	867	0.688	<0.05	<0.1	6.95
	11/18/2019	0.00118	1.48	<0.005	0.0941	2120	116	802	0.411	<0.05	<0.1	6.92
	5/7/2020	<0.00125	1.15	<0.0156	0.106	2080	97.7	835	<1	<0.15	<300(O)	6.98
	10/6/2020	<0.002	0.947	<0.006	0.0889	2080	122	830	0.625(J)	<0.05	<0.1	n/a
	4/15/2021	<0.002	0.792	<0.006	0.0924	1970	121	922	0.435(J)	<0.05	0.0576(J)	6.90
	10/12/2021	0.000612(J)	1.61	<0.006	0.0942	2110	115	893	0.487(J)	<0.05	<0.1	6.98
	4/14/2022	0.00107(J)	0.919	<0.006*	0.0946	2140	130	976	0.454(J)	<0.05*	<0.1*	7.13
	11/10/2022	<0.002*	1.34	<0.0103	0.104	2110	118	924	0.361(J)	<0.05*	<0.1	6.94
	4/5/2023	<0.000479*	1.32	0.00586(J)	0.107	2840	119	949	0.603(J)	<0.025*	<0.0277*	6.94
	10/12/2023	<0.002*	1.28	<0.006*	0.0987	340	37.2	21.2	0.785(J)	<0.05*	<0.1*	6.68
	04/11/2024	<0.00200	0.839	<0.00600	0.114	2100	121	872	<1.00	<0.0500	0.0308 J PI	6.96
	10/15/2024	0.000559(J)	1.65	<0.006*	0.114	2150	107	931	0.144(J)	<0.05*	<0.15*	7.07
	5/22/2025	<0.002*	0.83	<0.006*	0.125	2360	123	1030	<1*	<0.05*	0.0387(J)	7.02
	10/30/2025	0.000913(J)	1.24	0.00576(J)	0.115	2110	122	1010	<1*	<0.05*	0.0482(J)	6.95
	4/14/2026	<0.002*	0.78	<0.006*	0.112	2090	123	913	<1*	<0.05*	0.0669(J)	6.84

Green Bay Packaging
Arkansas Kraft Class 3N Landfill
Historical Groundwater Analytical Results

		Cadmium (mg/L)	Iron (mg/L)	Lead (mg/L)	Manganese (mg/L)	TDS (mg/L)	Chloride (mg/L)	SO4 (mg/L)	TOC (mg/L)	Sulfide (mg/L)	TOX (mg/L)	pH S.U.
P-8	d											
	12/21/1995	n/a	11.53	n/a	0.464	2679	82.5	451	<3	<0.1	0.05	7.28
	6/24/1996	0.0001	31.9	0.161	0.65	2300	220	380	<3	<0.1	0.045	6.93
	10/8/1996	0.008	99.1	0.033	1.67	2482	930	404	<3	<0.1	0.0075	7.15
	6/30/1997	<0.0002	0.532	<0.002	0.063	2979	705	370	<3	<0.1	0.0075	6.97
	12/23/1997	0.001	2.49	<0.002	0.093	2364	580	412	<3	<1	0.0098	7.20
	6/4/1998	<0.0002	2.32	<0.002	0.06	2414	24.5	365	<3	<1	0.2	6.84
	12/3/1998	<0.001	0.561	<0.002	0.069	2450	750	396	<3	<1	0.0087	6.43
	6/9/1999	<0.0002	0.254	<0.002	0.091	2460	35.9	385	<1	<1	0.0091	7.06
	12/21/1999	0.00023	0.45	<0.002	0.161	3140	741	402	2.23	<1	0.018	6.40
	6/19/2000	<0.0002	0.0526	<0.002	0.0606	2370	707	429	<1	<1	0.012	7.10
	12/19/2000	<0.0001	0.198	<0.001	0.0343	2400	724	440	<1	<1	<0.005	6.61
	6/12/2001	<0.001	1.35	<0.003	0.034	2480	730	355	<1	<2	0.03	4.09
	12/18/2001	0.012	1.54	<0.003	0.074	2420	640	412	<1	<2	<0.005	6.84
	6/18/2002	<0.001	0.441	<0.003	0.019	2580	730	410	2.45	<0.11	<0.005	6.61
	12/2/2002	<0.001	1.67	<0.003	0.069	2520	760	335	<1	<1	<0.005	6.73
	6/23/2003	<0.001	2	<0.0038	0.048	2640	672	366	1.4	<2	0.0207	7.06
	12/8/2003	<0.001	1.1	<0.003	0.087	2680	836	435	1.6	<2	<0.005	7.13
	6/25/2004	<0.001	1.5	<0.003	0.038	2910	1110	633	1.3	<2	<0.005	7.03
	12/14/2004	<0.001	1.2	<0.003	0.074	2690	819	463	1.2	<2	0.0308	6.35
	6/13/2005	<0.004	0.58	<0.001	0.048	2700	710	460	1.5	<1	0.12	7.13
	12/21/2005	<0.004	8.8	0.0042	0.24	2700	860	460	2.6	<1	0.075	6.25
	6/9/2006	<0.004	0.027	<0.001	0.0037	2700	790	480	1.4	<1	<0.005	7.39
	12/14/2006	<0.004	0.15	<0.001	0.02	2600	770	440	1.4	<1	0.04	7.09
	6/13/2007	<0.005	1.1	<0.005	0.025	2700	440	370	4.6	<0.05	<0.1	7.19
	12/13/2007	<0.005	0.55	<0.005	<0.01	2700	740	390	3.6	<0.05	<0.1	6.38
	5/27/2008	<0.005	1.2	<0.005	0.062	2700	880	470	4.4	<0.05	<0.1	7.24
	11/10/2008	<0.005	1.4	0.01	0.046	2600	900	420	3.5	<0.05	<0.1	n/a
	5/13/2009	<0.005	0.69	<0.005	0.026	2800	890	420	1.9	<0.05	<0.1	6.80
	11/6/2009	<0.005	1	<0.005	0.048	2800	920	430	3.6	<0.05	<0.1	6.87
	5/25/2010	<0.005	0.46	<0.005	0.032	3000	960	510	<1	<0.05	<0.1	8.25
	11/1/2010	<0.005	1.1	<0.025	<0.01	2800	920	540	1.1	<0.05	<0.1	7.51
	5/18/2011	<0.0005	0.282	<0.015	<0.01	2700	744	472	2.06	<0.1	<0.005	6.92
	11/10/2011	<0.0005	0.106	<0.015	0.0149	2900	821	469	<1	<0.1	<0.005	7.13
	4/11/2012	<0.0005	0.124	<0.015	<0.01	3000	876	413	<1	<0.1	<0.005	6.76
	10/30/2012	<0.0005	0.468	<0.015	0.0308	3000	895	412	<1	<0.1	0.069	7.00
	5/28/2013	<0.005	0.53	<0.005	0.026	3000	870	490	0.56	<0.05	0.56	7.37
	11/5/2013	0.00074	3.5	0.0052	0.12	2900	180	86	1.2	<0.05	<0.1	7.17
	5/19/2014	<0.005	0.98	<0.005	0.03	2300	890	520	0.48	<0.05	<0.1	6.75
	11/10/2014	<0.005	0.34	<0.005	0.014	2700	990	490	0.57	<0.05	<0.1	5.75
	5/22/2015	<0.005	0.594	<0.005	0.0109	2970	960	514	4	<0.05	<0.1	7.20
	11/23/2015	0.00072	<1	<0.005	<0.01	2950	963	512	2.09	<0.05	<0.1	7.02
	6/1/2016	<0.005	0.93	<0.005	0.0422	2810	974	526	0.479	<0.05	0.0331	7.14
	11/30/2016	<0.005	0.0748	<0.005	0.0046	2850	902	542	0.834	<0.05	0.0395	6.49
	5/23/2017	<0.0005	0.176	<0.0156	<0.0104	3010	909	410	<1	<0.1	0.14	6.99
	11/14/2017	<0.0005	0.241	<0.0156	<0.0104	3060	940	519	1.09	<0.1	0.15	6.97
	5/8/2018	<0.002	0.782	0.00415(J)	0.0487	2660	984	521	0.958(BJ)	<0.05	0.568	n/a
	11/15/2018	<0.002	0.46	<0.005	0.0376	2740	958	530	0.729	<0.05	0.0213	7.11
	5/21/2019	<0.002	1.14	0.00375	0.0293	3150	1030	522	1.26	<0.05	0.0298	7.12
	11/18/2019	0.00115	1.45	<0.005	0.0555	3110	986	494	0.616	<0.05	<0.1	7.18
	5/7/2020	<0.00125	0.242	<0.0156	<0.0104	3010	862	482	<1	<0.15	<300(O)	7.02
	10/6/2020	<0.002	0.0639(J)	<0.006	0.00237(J)	3000	935	519	0.707(J)	<0.05	<0.1	n/a
	4/15/2021	0.000758(J)	0.0357(J)	<0.006	0.00162(J)	2480	815	548	0.577(J)	<0.05	0.0307(J)	6.98
	10/12/2021	0.00066(J)	0.043(J)	<0.006	0.0239	3110	997	556	0.585(J)	<0.05	0.0334(J)	6.99
	4/14/2022	0.00139(J)	0.0358(J)	<0.006*	0.00751(J)	2790	997	570	0.51(J)	<0.05*	<0.1*	7.22
	11/10/2022	<0.002*	<0.1*	<0.006*	0.0405	2640	1210	565	0.549(J)	<0.05*	<0.1	6.97
	4/5/2023	<0.000479*	0.0406(J)	0.00406(J)	0.00602(J)	2860	1070	535	0.825(J)	<0.025*	<0.138*	6.97
	10/12/2023	<0.002*	0.117	<0.006*	0.0182	3330	1190	527	0.612(J)	<0.05*	0.0282(J)	6.97
	04/11/2024	<0.00200	0.0300 J	<0.00600	0.00703 J	3160	987	587	0.523 J	<0.0500	0.0577 J	6.98
	10/15/2024	<0.002*	0.0379(J)	0.00303(J)	0.132	3360	1070	514	0.439(J)	<0.05*	0.0656(J)	7.11
	5/22/2025	<0.002*	<0.1*	0.00247(J)	0.0117	3010	922	562	0.871(J)	<0.05*	0.053(J)	7.07
	10/30/2025	0.000777(J)	<0.1*	<0.006*	0.038	2680	1110	557	0.643(J)	<0.05*	0.0624(J)	7.00
	4/14/2026	<0.002*	<0.1*	<0.006*	0.00697(J)	2770	904	619	<1*	<0.05*	0.12(J)	6.89

Green Bay Packaging
Arkansas Kraft Class 3N Landfill
Historical Groundwater Analytical Results

		Cadmium (mg/L)	Iron (mg/L)	Lead (mg/L)	Manganese (mg/L)	TDS (mg/L)	Chloride (mg/L)	SO4 (mg/L)	TOC (mg/L)	Sulfide (mg/L)	TOX (mg/L)	pH S.U.
P-11	d											
	12/21/1995	n/a	12.8	n/a	0.262	3501	25	2580	<3	<0.1	0.012	7.06
	6/24/1996	<0.0001	1.47	0.193	0.06	3890	25.5	2000	8.6	<0.1	25	6.64
	10/8/1996	0.007	1.14	0.002	0.067	3378	38.5	1690	<3	<0.1	7.8	6.95
	6/30/1997	<0.0002	0.355	<0.002	0.016	3500	12	1760	<3	<0.1	0.012	6.86
	12/23/1997	0.0004	0.214	<0.002	0.105	3139	9	1510	<3	<1	0.0079	6.56
	6/4/1998	<0.0002	2.92	<0.002	0.061	3267	5.5	1700	<3	<1	0.025	6.67
	12/3/1998	<0.001	0.899	<0.002	0.032	2970	24.5	1420	<3	<1	0.0053	6.19
	6/9/1999	<0.0002	0.221	<0.002	0.0904	3500	74.1	1760	<1	<1	<0.005	6.67
	12/21/1999	<0.0002	0.134	<0.002	0.0924	4220	75.6	1750	3.71	<1	11	6.63
	6/19/2000	<0.0002	0.0663	<0.002	0.0824	1930	44.6	840	1.31	<1	0.0052	6.90
	12/19/2000	<0.0001	0.0982	<0.001	0.13	1990	46.5	1030	1.1	<1	<0.005	6.70
	6/12/2001	<0.001	3.36	<0.003	0.184	1920	40	760	<1	<2	0.011	6.59
	12/18/2001	0.013	1.58	<0.003	0.153	1600	29.6	690	<1	<2	<0.005	6.92
	6/18/2002	<0.001	0.454	<0.003	0.133	1580	28.4	480	<1	<0.11	<0.005	6.84
	12/2/2002	<0.001	0.1	0.004	0.137	1460	31.7	485	<1	<1	<0.005	7.12
	6/23/2003	<0.001	0.21	<0.0038	0.13	1330	24.9	445	1.6	<2	0.0288	6.95
	12/8/2003	<0.001	0.21	<0.003	0.15	1280	22.5	322	1.9	<2	<0.005	7.02
	6/25/2004	<0.001	0.15	<0.003	0.015	1260	29	636	1.4	<2	<0.005	6.95
	12/14/2004	<0.001	0.12	<0.003	0.15	1130	22.5	570	1.3	<2	<0.01	6.29
	6/13/2005	<0.004	0.11	<0.001	0.15	1200	23	460	1.5	<1	<0.005	6.96
	12/21/2005	<0.004	0.021	<0.001	0.16	1200	30	470	1.4	<1	0.015	6.23
	6/9/2006	<0.004	0.014	<0.001	0.15	1200	26	450	1.4	<1	<0.005	7.45
	12/14/2006	<0.004	0.27	<0.001	0.14	1300	26	410	1.4	<1	0.0012	6.97
	6/13/2007	<0.005	<0.1	<0.005	0.18	1200	23	440	2.9	<0.05	<0.1	7.20
	12/13/2007	<0.005	0.18	<0.005	0.19	1100	24	380	3.2	<0.05	<0.1	6.48
	5/27/2008	<0.005	0.42	<0.005	0.19	1100	24	400	3.4	<0.05	<0.1	7.17
	11/10/2008	<0.005	0.62	0.0096	0.2	1000	23	370	3.4	<0.05	<0.1	7.07
	5/13/2009	<0.005	<0.1	<0.005	0.14	1000	22	380	1.9	<0.05	<0.1	6.81
	11/6/2009	<0.005	<0.1	<0.005	0.17	1000	21	340	1.6	<0.05	<0.1	6.67
	5/25/2010	<0.005	0.31	<0.005	0.15	1100	20	370	<1	<0.05	<0.1	7.93
	11/1/2010	<0.005	0.16	<0.025	0.14	990	22	340	<1	0.091	<0.1	7.21
	5/18/2011	<0.0005	0.094	<0.015	0.223	1100	33.1	368	<1	<0.1	0.0064	6.97
	11/10/2011	<0.0005	0.264	<0.015	0.38	1000	27.8	317	<1	<0.1	<0.005	7.03
	4/11/2012	<0.0005	0.0844	<0.015	0.253	1100	18.8	262	1	<0.1	<0.005	6.72
	10/30/2012	<0.0005	0.0939	<0.015	0.169	1100	33.2	305	<1	<0.1	0.084	6.98
	5/28/2013	<0.005	0.51	<0.005	0.18	1100	34	380	0.72	<0.05	<0.1	7.14
	11/5/2013	0.0022	0.21	0.0022	0.2	1000	42	360	1.2	<0.05	<0.1	7.07
	5/19/2014	<0.005	0.073	<0.005	0.18	1000	44	380	0.86	<0.05	<0.1	6.95
	11/10/2014	<0.005	0.033	0.0025	0.22	1000	46	370	0.62	<0.05	<0.1	6.07
	5/22/2015	<0.005	0.145	<0.005	0.206	1100	51.9	415	3.6	<0.05	<0.1	7.15
	11/23/2015	<0.005	0.0232	0.00526	0.223	1150	48.9	376	1.97	<0.05	<0.1	7.00
	6/1/2016	<0.005	0.0651	<0.005	0.161	1070	46	400	1.22	<0.05	<0.1	7.07
	11/30/2016	<0.005	0.373	<0.005	0.481	1170	47.6	411	1.62	<0.05	0.028	6.34
	5/23/2017	<0.0005	0.135	<0.0156	0.0614	1220	41	347	<1	<0.1	0.17	6.96
	11/14/2017	<0.0005	0.196	<0.0156	0.23	1190	42	388	1.33	<0.1	0.15	n/a
	5/8/2018	<0.002	0.215	<0.005	0.259	1180	46.7	428	1.03(B)	<0.05(J6)	0.0307(J)	n/a
	11/15/2018	<0.002	0.0564	<0.005	0.145	1160	42.5	445	1.1	<0.05	<0.1	6.92
	5/21/2019	<0.002	0.478	0.00434	0.259	1180	43.8	429	1.12	<0.05	<0.1	7.14
	11/18/2019	0.000775	0.542	0.00246	0.246	1130	41.9	398	0.772	<0.05	<0.1	6.94
	5/7/2020	<0.00125	0.197	<0.0156	0.452	1130	34.2	391	<1	<0.15	<300(O)	7.15
	10/6/2020	<0.002	0.0631(J)	<0.006	0.254	1180	45.3	467	0.975(J)	<0.05	<0.1	n/a
	4/15/2021	<0.002	0.05(J)	<0.006	0.209	1120	48.5	461	0.773(J)	<0.05	<0.1	7.01
	10/12/2021	<0.002	0.0557(J)	<0.006	0.337	1210	47.5	447	0.863(J)	<0.05	<0.1	7.04
	4/14/2022	0.000805(J)	0.0689(J)	<0.006*	0.282	1280	52.8	491	0.718(J)	<0.05*	<0.1*	7.21
	11/10/2022	<0.002*	0.746	0.00575(J)	0.511	1190	55	491	0.743(J)	<0.05*	<0.1	7.03
	4/5/2023	<0.000479*	0.121	<0.00299*	0.352	1360	51.1	480	0.832(J)	<0.025*	<0.0277*	7.03
	10/12/2023	<0.002*	0.0391(J)	<0.006*	0.331	1230	51.4	450	0.775(J)	<0.05*	0.0408(J)	7.01
	04/11/2024	<0.00200	0.0557 J	<0.00600	0.253	1330	51.7	487	0.512 J	<0.0500	<0.100 P1	7.06
	10/15/2024	<0.002*	0.0746(J)	<0.006*	0.522	1250	51.1	445	0.412(J)	<0.05*	<0.15*	7.15
	5/22/2025	<0.002*	0.0304(J)	<0.006*	0.231	1360	51.8	536	0.752(J)	<0.05*	<0.1*	7.10
	10/30/2025	<0.002*	0.041(J)	0.00244(J)	0.256	1280	51(J)	518	0.742(J)	<0.05*	0.0353(J)	7.04
	4/14/2026	<0.002*	<0.1*	<0.006*	0.0829	1130	38.3	480	0.807(J)	<0.05*	0.0482(J)	6.99

Green Bay Packaging
Arkansas Kraft Class 3N Landfill
Historical Groundwater Analytical Results

		Cadmium (mg/L)	Iron (mg/L)	Lead (mg/L)	Manganese (mg/L)	TDS (mg/L)	Chloride (mg/L)	SO4 (mg/L)	TOC (mg/L)	Sulfide (mg/L)	TOX (mg/L)	pH S.U.
P-12	u											
	12/21/1995	n/a	33.08	n/a	0.441	481	25	64.7	<3	<0.1	0.015	7.19
	6/24/1996	0.0004	13.9	0.124	0.256	539	33.5	62.6	<3	<0.1	0.016	6.89
	10/8/1996	<0.005	7.57	0.002	0.189	1989(O)	45	56.2	<3	<0.1	<0.005	7.17
	6/30/1997	<0.0002	0.109	<0.002	0.012	597	58	66	<3	<0.1	<0.005	6.95
	12/23/1997	0.003	20.6	0.01	0.483	524	5.5	87	<3	<1	0.0074	6.68
	6/4/1998	<0.0002	17.6	0.009	0.501	517	8	75.5	<3	<1	0.026	6.85
	12/3/1998	<0.001	2.39	<0.002	0.383	552	92.5	118	<3	<1	0.0064	6.55
	6/9/1999	<0.0002	0.0774	<0.002	0.0219	572	75.2	63.8	<1	<1	<0.005	7.04
	12/21/1999	<0.0002	0.061	<0.002	0.00816	559	62.1	68.4	1.53	1	0.017	6.28
	6/19/2000	<0.0002	0.0394	<0.002	0.194	580	66.9	64.8	1.25	<1	<0.005	6.90
	12/19/2000	0.00021	0.0962	<0.001	0.351	565	67.6	66.4	<1	<1	<0.005	6.74
	6/12/2001	<0.001	1.99	<0.003	0.563	563	62	60	<1	<2	0.016	6.93
	12/18/2001	0.011	2.94	<0.003	0.728	567	60	3710(O)	<1	<2	0.02	6.55
	6/18/2002	0.001	0.752	<0.003	0.769	573	53	51.8	1.28	<0.11	<0.005	6.74
	12/2/2002	<0.001	0.487	<0.003	1.34	618	66	52.5	<1	<1	<0.005	6.20
	6/23/2003	<0.001	3.9	<0.0038	2.3	717	64.5	66.6	1.5	<2	<0.005	6.58
	12/8/2003	<0.001	2.8	0.031	1.2	598	61.4	62.8	1.4	<2	<0.005	6.80
	6/25/2004	<0.001	1.6	<0.003	2.2	788	97.4	125	1.3	<2	<0.005	6.77
	12/14/2004	<0.001	2	<0.003	1.9	548	45.1	57.9	<1	<2	<0.01	6.17
	6/13/2005	<0.004	22	0.015	0.76	580	69	75	<1	<1	<0.005	7.01
	12/21/2005	<0.004	0.8	<0.001	1.2	670	100	97	2.4	<1	0.011	5.66
	6/9/2006	<0.004	0.032	<0.001	1.5	730	92	74	2.5	<1	<0.005	7.17
	12/14/2006	<0.004	0.71	<0.001	2.4	820	94	77	2.9	<1	0.014	6.57
	6/13/2007	<0.005	2.4	<0.005	2.8	840	110	93	3.7	<0.05	<0.1	6.98
	12/13/2007	<0.005	0.55	<0.005	2.1	740	110	75	3.1	<0.05	<0.1	6.49
	5/27/2008	<0.005	1.8	<0.005	3	920	140	100	3.3	<0.05	<0.1	6.92
	11/10/2008	<0.005	2.2	0.0072	2.6	740	120	83	4	<0.05	<0.1	n/a
	5/13/2009	<0.005	0.88	<0.005	1	690	120	75	2.1	<0.05	<0.1	6.50
	11/6/2009	<0.005	0.76	<0.005	1.2	660	110	61	2.1	<0.05	<0.1	7.25
	5/25/2010	<0.005	0.52	<0.005	0.55	660	100	51	<1	<0.05	<0.1	8.18
	11/1/2010	<0.005	1.8	<0.025	1.1	640	120	53	<1	<0.05	<0.1	7.63
	5/18/2011	<0.0005	0.109	<0.015	1.13	520	58.5	38.2	<1	<0.1	<0.005	6.67
	11/10/2011	<0.0005	0.954	<0.015	2.22	680	79	42.6	<1	<0.1	<0.005	6.94
	4/11/2012	<0.0005	0.237	<0.015	0.336	470	40.3	22.6	<1	<0.1	<0.005	6.60
	10/30/2012	<0.0005	0.649	<0.015	1.47	680	100	36.8	<1	<0.1	0.089	6.75
	5/28/2013	<0.005	0.44	<0.005	0.88	660	110	41	0.77	<0.05	<0.1	7.05
	11/5/2013	<0.005	1.8	0.016	1.1	660	110	38	1.1	<0.05	<0.1	7.08
	5/19/2014	<0.005	2.1	<0.005	0.42	520	75	31	0.49	<0.05	<0.1	6.73
	11/10/2014	<0.005	0.25	<0.005	0.48	530	80	32	0.26	<0.05	0.29	5.72
	5/22/2015	<0.005	0.291	<0.005	0.15	549	82.2	32.3	2.58	<0.05	<0.1	7.17
	11/23/2015	<0.005	0.325	0.00372	0.687	694	137	44.9	1.37	<0.05	<0.1	6.95
	6/1/2016	<0.005	2.06	<0.005	0.174	637	120	37.9	3.63	<0.05	0.0383	7.24
	11/30/2016	<0.005	0.166	<0.005	0.0446	562	98.3	30.2	1.02	<0.05	0.0154	6.40
	5/23/2017	<0.0005	0.0779	<0.0156	<0.0104	436	47.3	17.9	<1	<0.1	0.17	6.82
	11/14/2017	<0.0005	0.103	<0.0156	0.0849	471	60.7	26.9	<1	<0.1	0.14	6.76
	5/8/2018	<0.002	0.758	0.00231(J)	0.107	605	99.5	28.6	0.695(BJ)	<0.05	0.343	n/a
	11/15/2018	<0.002	0.89	<0.005	0.134	644	124	31.9	0.718	<0.05	0.0371	7.29
	5/21/2019	<0.002	0.631	<0.005	0.0725	391	40.1	22.5	4.6	<0.05	<0.1	7.19
	11/18/2019	0.000773	0.9	0.002	0.156	740	146	35	0.823	<0.05	<0.1	7.25
	5/7/2020	<0.00125	0.164	<0.0156	0.0375	363	39.9	20.7	<1	<0.15	<300(O)	7.07
	10/6/2020	<0.002	0.0541(J)	<0.006	0.0279	388	39.2	23	0.569(J)	<0.05	<0.1	n/a
	4/15/2021	<0.002	0.0276(J)	<0.006	0.0352	389	36.6	22.5	0.343(J)	<0.05	<0.1	6.99
	10/12/2021	<0.002	0.206	<0.006	0.191	408	35.9	20.3	0.534(J)	<0.05	<0.1	7.01
	4/14/2022	0.000598(J)	0.0626(J)	<0.006*	0.0427	405	45.4	27.8	0.378(J)	<0.05*	<0.1*	7.17
	11/10/2022	<0.002*	0.062(J)	<0.006*	0.243	475	55.7	24.8	0.597(J)	<0.05*	<0.1	6.92
	4/5/2023	<0.000479*	0.142	<0.00299*	0.283	630	64.5	20.5	0.8(J)	<0.025*	<0.0277*	6.92
	10/12/2023	<0.002*	0.0574(J)	<0.006*	0.661	572	67.6	21.4	0.577(J)	<0.05*	<0.1*	6.89
	04/11/2024	<0.00200	0.0333 J	<0.00600	0.222	601	75.5 J6	22.8	0.308 J	<0.0500	0.0427 J	6.98
	10/15/2024	<0.002*	0.279	<0.006*	1	587	65.2	105	0.508(J)	<0.05*	<0.15*	7.04
	5/22/2025	<0.002*	0.0463(J)	<0.006*	0.052	633	74.5	21.1	0.77(J)	<0.05*	0.0348(J)	7.03
	10/30/2025	0.000903(J)	<0.1*	<0.006*	0.457	565	65.8	22.3	<1*	<0.05*	<0.1*	6.88
	4/14/2026	<0.002*	0.0792(J)	<0.006*	0.0437	624	76.5	25.6	0.738(J)	<0.05*	0.0675(J)	6.83

Green Bay Packaging
Arkansas Kraft Class 3N Landfill
Historical Groundwater Analytical Results

		Cadmium (mg/L)	Iron (mg/L)	Lead (mg/L)	Manganese (mg/L)	TDS (mg/L)	Chloride (mg/L)	SO4 (mg/L)	TOC (mg/L)	Sulfide (mg/L)	TOX (mg/L)	pH S.U.
P-13	d											
	6/30/1997	<0.0002	0.002	<0.002	<0.0001	28	1.5	<5	<3	<0.1	0.016	n/a
	12/23/1997	0.0003	0.047	<0.002	0.002	6	1	<5	<3	<1	0.011	n/a


Green Bay Packaging
Arkansas Kraft Class 3N Landfill
Historical Groundwater Analytical Results

		Cadmium (mg/L)	Iron (mg/L)	Lead (mg/L)	Manganese (mg/L)	TDS (mg/L)	Chloride (mg/L)	SO4 (mg/L)	TOC (mg/L)	Sulfide (mg/L)	TOX (mg/L)	pH S.U.
P-14	d											
	12/21/1995	n/a	4.13	n/a	0.097	5420	15	4140	<3	<0.1	0.0074	6.74
	6/24/1996	<0.0001	9.52	0.23	0.145	5680	20.2	3530	<3	<0.1	0.024	6.48
	10/8/1996	0.012	0.532	<0.001	0.056	5989	27	3390	<3	<0.1	<0.005	6.65
	6/30/1997	<0.0002	0.069	<0.002	0.018	5677	5.5	2910	<3	<0.1	0.0055	6.56
	12/23/1997	0.0006	0.529	<0.002	0.032	5727	4.5	3300	<3	<1	<0.005	6.58
	6/4/1998	<0.0002	1.83	<0.002	0.024	5570	1.5	3500	<3	<1	0.018	6.55
	12/3/1998	<0.001	<0.01	<0.002	0.0026	5550	11.5	2840	<3	<1	<0.005	6.15
	6/9/1999	<0.0002	0.114	<0.002	0.021	5610	34.5	3110	<1	<1	<0.005	6.40
	12/21/1999	<0.0002	0.0916	<0.002	0.0496	7800	36.7	3120	1.72	<1	0.016	6.21
	6/19/2000	<0.0002	0.0273	<0.002	0.054	5410	37.4	3360	<1	<1	0.0088	6.60
	12/19/2000	0.00017	0.107	<0.001	0.0627	5190	36.4	3640	<1	<1	<0.005	6.55
	6/12/2001	<0.001	0.918	<0.003	0.029	5720	42	3420	1.16	<2	0.0097	3.70
	12/18/2001	0.016	1.4	<0.003	0.065	5790	35.6	3780	<1	<2	<0.005	6.67
	6/18/2002	0.001	0.242	<0.003	0.036	5500	37	3170	1.29	<0.11	<0.005	6.68
	12/2/2002	<0.001	<0.05	<0.003	0.02	5620	38.8	3320	<1	<1	<0.005	6.88
	6/23/2003	<0.001	0.22	<0.0038	0.018	5720	37.5	3620	1.4	<2	<0.005	6.47
	12/8/2003	<0.001	0.11	<0.003	0.017	5330	43.7	3180	1.8	<2	0.0075	6.59
	6/25/2004	<0.001	0.067	<0.003	0.013	5080	45.2	3550	1.4	<2	<0.005	6.53
	12/14/2004	<0.001	0.14	<0.003	0.022	5400	41.7	4670	1	<2	<0.01	6.30
	6/13/2005	<0.004	0.7	<0.001	0.013	5500	43	3400	1.3	<1	<0.005	6.48
	12/21/2005	<0.004	0.024	<0.001	0.017	5800	110	3600	1.2	<1	0.014	7.36
	6/9/2006	<0.004	0.015	<0.001	0.0062	6100	46	3500	1.1	<1	<0.005	7.05
	12/14/2006	<0.004	0.064	<0.001	0.01	4800	44	3400	<1	<1	0.0074	6.59
	6/13/2007	<0.005	<0.1	<0.005	<0.01	5900	40	3000	3.2	<0.05	<0.1	6.74
	12/13/2007	<0.005	<0.1	0.015	0.012	5800	43	3400	2.6	<0.05	<0.1	6.17
	5/27/2008	<0.005	4.7	<0.005	0.26	360(O)	8	7.5(O)	23	<0.05	<0.1	6.75
	11/10/2008	<0.005	1.2	0.014	0.052	5700	44	3500	4	<0.05	<0.1	6.56
	5/13/2009	<0.005	<0.1	<0.005	<0.01	5700	46	3400	1.5	<0.05	<0.1	7.18
	11/6/2009	<0.005	<0.1	<0.005	<0.01	5900	45	3600	2.8	<0.05	<0.1	6.15
	5/25/2010	<0.005	0.14	<0.005	<0.01	5900	46	3900	<1	<0.05	<0.1	7.36
	11/1/2010	<0.005	0.11	<0.025	<0.01	5800	46	3800	<1	<0.05	3.8	6.82
	5/18/2011	<0.0005	0.2	<0.015	0.042	6100	49.6	3580	<1	<0.1	<0.005	6.55
	11/10/2011	<0.0005	4.54	<0.015	1.12	6100	46.6	3310	<1	<0.1	<0.005	6.59
	4/11/2012	<0.0005	0.0844	<0.015	0.0177	6100	42.7	2970	<1	<0.1	<0.005	6.35
	10/30/2012	<0.0005	0.129	<0.015	0.0159	5900	46.8	3040	<1	<0.1	0.077	6.62
	5/28/2013	<0.005	0.14	<0.005	0.0066	6000	61	3800	0.42	<0.05	<0.1	6.65
	11/5/2013	<0.005	<0.1	<0.005	<0.01	5900	50	3700	0.22	<0.05	<0.1	6.79
	6/10/2014	<0.0005	0.033	0.00028	0.015	6200	50	3800	0.37	<0.05	<0.1	6.44
	11/10/2014	<0.005	<0.1	<0.005	0.0085	5800	970(O)	490(O)	0.16	0.007	<0.1	5.47
	5/22/2015	<0.005	<0.1	<0.005	<0.01	6070	51.8	3880	2.64	<0.05	<0.1	6.77
	11/23/2015	<0.005	<0.1	0.00391	0.028	5260	52	4340	2.26	0.007	<0.1	6.58
	6/1/2016	<0.005	<0.1	<0.005	0.028	6240	51.4	3920	10.3	<0.05	0.0183	6.71
	11/30/2016	<0.005	<0.1	<0.005	0.0245	6080	52	3730	1.28	<0.05	0.0279	6.08
	5/23/2017	<0.0005	0.183	<0.0156	0.0488	6140	50.9	2580	<1	<0.1	0.16	6.64
	11/14/2017	<0.0005	0.258	<0.0156	0.0304	6160	48.1	3540	<1	<0.1	0.15	6.47
	5/8/2018	0.000751(J)	<0.1	<0.005	0.0185	5830	55.8	3700	0.888(BJ)	<0.05	0.0314(J)	n/a
	11/15/2018	<0.002	<0.1	<0.005	0.0473	4020	51	3880	0.834	<0.05	<0.1	6.48
	5/21/2019	<0.002	<0.1	<0.005	0.032	5810	58.5	3610	0.919	<0.05	<0.1	6.73
	11/18/2019	0.000934	0.0206	<0.005	0.0449	5940	55.5	3500	1	<0.05	<0.1	6.58
	5/7/2020	<0.00125	0.24	<0.0156	0.0474	5860	53	3120	<1	<0.15	<300(O)	6.58
	10/6/2020	<0.002	<0.1	<0.006	0.0296	6220	58.6	4000	0.622(J)	<0.05	<0.1	n/a
	4/15/2021	0.000674(J)	<0.1	<0.006	0.0356	4910	58.1	3820	0.424(J)	<0.05	<0.1	6.55
	10/12/2021	0.000527(J)	<0.1	<0.006	0.0129	6200	66.2	3700	0.585(J)	<0.05	<0.1	6.58
	4/14/2022	0.00132(J)	<0.1*	<0.006*	0.0243	6080	70.5	3990	0.572(J)	<0.05*	<0.1*	6.74
	11/10/2022	0.000881(J)	0.0853(J)	0.00726	0.0515	4220	76.6	3690	0.881(J)	<0.05*	<0.1	6.55
	4/5/2023	<0.000479*	0.0182(J)	0.00568(J)	0.0613	4540	88.8	3120	1.12	<0.025*	<0.0277*	6.55
	10/12/2023	0.00106(J)	<0.1*	<0.006*	0.0389	5610	82	3210	0.911(J)	<0.05*	<0.1*	6.52
	04/11/2024	0.000506 J	0.0187 J	<0.00600	0.0514	6180	84.3	3520	0.518 J	<0.0500	<0.100 P1	6.57
	10/15/2024	<0.002*	<0.1*	<0.006*	0.0751	6180	98.2	3470	0.741(J)	<0.05*	<0.15*	6.68
	5/22/2025	<0.002*	<0.1*	<0.006*	0.0522	6440	99.8	3760	0.652(J)	<0.05*	<0.1*	6.67
	10/30/2025	<0.002*	<0.1*	0.00296(J)	0.0395	5560	105	3710	0.624(J)	<0.05*	0.0405(J)	6.58
	4/14/2026	<0.002*	<0.1*	<0.006*	0.0481	5830	116	3500	0.774(J)	<0.05*	0.0411(J)	6.57


APPENDIX E

Statistical Results


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Chloride Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: Chloride Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: Chloride Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: Iron Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: Iron Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: Iron Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: Iron Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: Manganese Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Manganese Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: Manganese Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: pH Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: pH Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: pH Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: pH Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: pH Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: pH Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: Sulfate as SO4 Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: Sulfate as SO4 Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: Sulfate as SO4 Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: Sulfate as SO4 Analysis Run 6/3/2026 2:34 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: TDS Analysis Run 6/3/2026 2:35 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: TDS Analysis Run 6/3/2026 2:35 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: TDS Analysis Run 6/3/2026 2:35 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: TDS Analysis Run 6/3/2026 2:35 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


Time Series




Time Series




Time Series



Time Series




Time Series




Constituent: TOC Analysis Run 6/3/2026 2:35 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: TOC Analysis Run 6/3/2026 2:35 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: TOC Analysis Run 6/3/2026 2:35 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Time Series




Constituent: TOX Analysis Run 6/3/2026 2:35 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


Time Series




Time Series




Time Series



Time Series




Time Series



Constituent: TOX Analysis Run 6/3/2026 2:35 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


Tukey's Outlier Screening



n = 62
No outliers found.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.
Ladder of Powers transformations did not improve normality; analysis run on raw data.
High cutoff = 238.6, low cutoff = -98.1, based on IQR multiplier of 3.

Constituent: Chloride Analysis Run 6/3/2026 2:38 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


Tukey's Outlier Screening



n = 62
No outliers found.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.
Data were square root transformed to achieve best W statistic (graph shown in original units).
High cutoff = 263.5, low cutoff = -1.367, based on IQR multiplier of 3.

Constituent: Chloride Analysis Run 6/3/2026 2:38 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


Tukey's Outlier Screening



n = 61
Outliers are drawn as solid.
Tukey's method used in lieu of parametric test because the Shapiro Wilk normality test failed at the 0.1 alpha level.
Data were square transformed to achieve best W statistic (graph shown in original units).
High cutoff = 186.7, low cutoff = -26.8, based on IQR multiplier of 3.

Constituent: Chloride Analysis Run 6/3/2026 2:39 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


Rosner's Outlier Test



n = 62
Statistical outliers are drawn as solid.
k = 5
r = 3.829
Tabulated value = 3.822
Alpha = 0.01
Normality test used:
Shapiro Francia@alpha = 0.1
Calculated = 0.974
Critical = 0.966
The distribution, after removal of suspect values, was found to be normally distributed.


Constituent: Chloride Analysis Run 6/3/2026 2:39 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening




Constituent: Chloride Analysis Run 6/3/2026 2:39 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Rosner's Outlier Test




Constituent: Chloride Analysis Run 6/3/2026 2:39 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening




Constituent: Chloride Analysis Run 6/3/2026 2:39 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening




Constituent: Iron Analysis Run 6/3/2026 2:39 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

EPA Screening (suspected outliers for Rosner's Test)




Constituent: Iron Analysis Run 6/3/2026 2:39 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening




Constituent: Iron Analysis Run 6/3/2026 2:39 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

EPA Screening (suspected outliers for Rosner's Test)




Constituent: Iron Analysis Run 6/3/2026 2:39 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening



Constituent: Manganese Analysis Run 6/3/2026 2:39 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

EPA Screening (suspected outliers for Rosner's Test)




n = 62

Rosner's will not be run.
No suspect values identified or unable to establish suspect values.
Mean 0.1514, std. dev. 0.09403, critical Tn 3.037

Normality test used:
Shapiro Francia@alpha = 0.1
Calculated = 0.9715
Critical = 0.968 (after natural log transformation)
The distribution was found to be log-normal.

Constituent: Manganese Analysis Run 6/3/2026 2:39 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening



n = 62


Outliers are drawn as solid.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.

Data were natural log transformed to achieve best W statistic (graph shown in original units).

High cutoff = 0.3186, low cutoff = 0.03624, based on IQR multiplier of 3.

Constituent: Manganese Analysis Run 6/3/2026 2:40 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening



n = 62


No outliers found.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.

Data were natural log transformed to achieve best W statistic (graph shown in original units).

High cutoff = 39.77, low cutoff = 0.00001142, based on IQR multiplier of 3.

Constituent: Manganese Analysis Run 6/3/2026 2:40 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening







n = 62

No outliers found.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.


Data were square root transformed to achieve best W statistic (graph shown in original units).

High cutoff = 0.8276, low cutoff = -0.001546, based on IQR multiplier of 3.

Constituent: Manganese Analysis Run 6/3/2026 2:40 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft




Tukey's Outlier Screening




Constituent: pH Analysis Run 6/3/2026 2:40 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening




Constituent: pH Analysis Run 6/3/2026 2:40 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening




Constituent: pH Analysis Run 6/3/2026 2:40 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening




Constituent: pH Analysis Run 6/3/2026 2:40 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening




Constituent: pH Analysis Run 6/3/2026 2:40 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

EPA Screening (suspected outliers for Rosner's Test)




Constituent: Sulfate as SO4 Analysis Run 6/3/2026 2:40 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

EPA Screening (suspected outliers for Rosner's Test)




Constituent: Sulfate as SO4 Analysis Run 6/3/2026 2:40 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

EPA Screening (suspected outliers for Rosner's Test)



Constituent: Sulfate as SO4 Analysis Run 6/3/2026 2:40 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


Rosner's Outlier Test



n = 62
Statistical outlier is drawn as solid.
k = 1
r = 4.437
Tabulated value = 3.176
Alpha = 0.01
Normality test used:
Shapiro Francia@alpha = 0.1
Calculated = 0.9822
Critical = 0.967
The distribution, after removal of suspect value, was found to be normally distributed.

Constituent: Sulfate as SO4 Analysis Run 6/3/2026 2:40 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


Tukey's Outlier Screening



n = 62
Outliers are drawn as solid.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.
Data were natural log transformed to achieve best W statistic (graph shown in original units).
High cutoff = 1701, low cutoff = 123.5, based on IQR multiplier of 3.

Constituent: Sulfate as SO4 Analysis Run 6/3/2026 2:40 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


Tukey's Outlier Screening



n = 61
No outliers found.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.
Data were cube root transformed to achieve best W statistic (graph shown in original units).
High cutoff = 380.7, low cutoff = -0.00436, based on IQR multiplier of 3.

Constituent: Sulfate as SO4 Analysis Run 6/3/2026 2:40 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


EPA Screening (suspected outliers for Rosner's Test)



n = 60
Rosner's will not be run.
No suspect values identified or unable to establish suspect values.
Mean 3526, std. dev. 364.8, critical Tn 3.025
Normality test used:
Shapiro Francia@alpha = 0.1
Calculated = 0.9707
Critical = 0.967
The distribution was found to be normally distributed.


Constituent: Sulfate as SO4 Analysis Run 6/3/2026 2:41 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Rosner's Outlier Test




Constituent: TDS Analysis Run 6/3/2026 2:41 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening




Constituent: TDS Analysis Run 6/3/2026 2:41 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

EPA Screening (suspected outliers for Rosner's Test)




Constituent: TDS Analysis Run 6/3/2026 2:41 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

EPA Screening (suspected outliers for Rosner's Test)




Constituent: TDS Analysis Run 6/3/2026 2:41 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening




Constituent: TDS Analysis Run 6/3/2026 2:41 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

EPA Screening (suspected outliers for Rosner's Test)




Constituent: TDS Analysis Run 6/3/2026 2:41 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening




Constituent: TDS Analysis Run 6/3/2026 2:41 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening



Constituent: TOC Analysis Run 6/3/2026 2:41 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening



n = 62


No outliers found.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.

Data were natural log transformed to achieve best W statistic (graph shown in original units).

High cutoff = 16.88, low cutoff = 0.1032, based on IQR multiplier of 3.

Constituent: TOC Analysis Run 6/3/2026 2:41 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening



n = 62


No outliers found.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.

Data were natural log transformed to achieve best W statistic (graph shown in original units).

High cutoff = 86.05, low cutoff = 0.02316, based on IQR multiplier of 3.

Constituent: TOC Analysis Run 6/3/2026 2:41 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening



n = 62


No outliers found.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.

Data were natural log transformed to achieve best W statistic (graph shown in original units).

High cutoff = 23.92, low cutoff = 0.07459, based on IQR multiplier of 3.

Constituent: TOC Analysis Run 6/3/2026 2:41 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening



n = 61


No outliers found.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.

Data were natural log transformed to achieve best W statistic (graph shown in original units).

The results were invalidated, because both the lower and upper quartiles represent reporting limits.

Constituent: TOX Analysis Run 6/3/2026 2:41 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


Tukey's Outlier Screening



n = 61
No outliers found.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.
Data were natural log transformed to achieve best W statistic (graph shown in original units).
High cutoff = 72.86, low cutoff = 0.00001525, based on IQR multiplier of 3.

Constituent: TOX Analysis Run 6/3/2026 2:42 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


Tukey's Outlier Screening



n = 61
No outliers found.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.
Data were natural log transformed to achieve best W statistic (graph shown in original units).
High cutoff = 78.41, low cutoff = 0.00001383, based on IQR multiplier of 3.

Constituent: TOX Analysis Run 6/3/2026 2:42 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


Tukey's Outlier Screening



n = 61
No outliers found.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.
Data were natural log transformed to achieve best W statistic (graph shown in original units).
High cutoff = 278.2, low cutoff = 0.000002556, based on IQR multiplier of 3.

Constituent: TOX Analysis Run 6/3/2026 2:42 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening




n = 61
No outliers found.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.
Data were cube root transformed to achieve best W statistic (graph shown in original units).
High cutoff = 2.309, low cutoff = -0.3133, based on IQR multiplier of 3.

Constituent: TOX Analysis Run 6/3/2026 2:42 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Tukey's Outlier Screening

P-14




n = 61
No outliers found.
Tukey's method used in lieu of parametric test because the Shapiro Francia normality test failed at the 0.1 alpha level.
Data were natural log transformed to achieve best W statistic (graph shown in original units).
High cutoff = 693.4, low cutoff = 7.6e-7, based on IQR multiplier of 3.

Constituent: TOX Analysis Run 6/3/2026 2:42 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Exceeds Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=44.95, Std. Dev.=13.22, n=20. Seasonality was detected with 95% confidence and data were deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9183, critical = 0.868. Kappa = 2.146 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Chloride Analysis Run 6/3/2026 8:43 AM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=25.78, Std. Dev.=13.5, n=9. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9789, critical = 0.764. Kappa = 2.753 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Chloride Analysis Run 6/3/2026 8:45 AM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=66.34, Std. Dev.=49.94, n=10. Seasonality was detected with 95% confidence and data were deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8545, critical = 0.781. Kappa = 2.606 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Chloride Analysis Run 6/3/2026 8:46 AM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 17 background values. Well-constituent pair annual alpha = 0.01179. Individual comparison alpha = 0.005914 (1 of 2). Data were deseasonalized.

Constituent: Chloride Analysis Run 6/3/2026 8:45 AM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary (based on square root transformation): Mean=5.347, Std. Dev.=1.226, n=39. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9277, critical = 0.917. Kappa = 1.976 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Chloride Analysis Run 6/3/2026 8:46 AM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=55.89, Std. Dev.=23.73, n=20. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9253, critical = 0.868. Kappa = 2.146 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Chloride Analysis Run 6/3/2026 8:46 AM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Exceeds Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=24.74, Std. Dev.=15.05, n=11. Seasonality was detected with 95% confidence and data were deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8421, critical = 0.792. Kappa = 2.52 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Chloride Analysis Run 6/3/2026 8:47 AM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=2.087, Std. Dev.=0.8798, n=24. Seasonality was detected with 95% confidence and data were deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9785, critical = 0.884. Kappa = 2.085 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Iron Analysis Run 6/3/2026 8:57 AM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary (based on square root transformation): Mean=0.852, Std. Dev.=0.5202, n=20. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9055, critical = 0.868. Kappa = 2.146 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Within Limit

Prediction Limit

Intrawell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 40 background values. Well-constituent pair annual alpha = 0.002316. Individual comparison alpha = 0.001159 (1 of 2). Seasonality was not detected with 95% confidence.


Constituent: Iron Analysis Run 6/3/2026 1:48 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Constituent: Iron Analysis Run 6/3/2026 1:49 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 30 background values. Well-constituent pair annual alpha = 0.004011. Individual comparison alpha = 0.002008 (1 of 2). Data were deseasonalized.

Constituent: Iron Analysis Run 6/3/2026 1:51 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary (based on cube root transformation): Mean=0.9183, Std. Dev.=0.5138, n=16. Seasonality was detected with 95% confidence and data were deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8937, critical = 0.844. Kappa = 2.25 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Iron Analysis Run 6/3/2026 1:52 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary (based on natural log transformation): Mean=0.07184, Std. Dev.=1.767, n=38. Seasonality was detected with 95% confidence and data were deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9573, critical = 0.916. Kappa = 1.98 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Iron Analysis Run 6/3/2026 1:52 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary (based on natural log transformation) (after Kaplan-Meier Adjustment): Mean=-1.881, Std. Dev.=1.807, n=38, 18.42% NDs. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9252, critical = 0.916. Kappa = 1.98 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Iron Analysis Run 6/3/2026 1:53 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=0.4445, Std. Dev.=0.1622, n=40. Seasonality was detected with 95% confidence and data were deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9766, critical = 0.919. Kappa = 1.972 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Manganese Analysis Run 6/3/2026 1:57 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=0.1716, Std. Dev.=0.103, n=40. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9216, critical = 0.919. Kappa = 1.972 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Manganese Analysis Run 6/3/2026 1:58 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary (based on natural log transformation): Mean=-1.701, Std. Dev.=0.5464, n=17. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8779, critical = 0.851. Kappa = 2.224 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Manganese Analysis Run 6/3/2026 1:58 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 10 background values. Well-constituent pair annual alpha = 0.0293. Individual comparison alpha = 0.01476 (1 of 2). Data were deseasonalized.

Constituent: Manganese Analysis Run 6/3/2026 1:58 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=0.1425, Std. Dev.=0.06408, n=19. Seasonality was detected with 95% confidence and data were deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9781, critical = 0.863. Kappa = 2.172 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Manganese Analysis Run 6/3/2026 1:59 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=0.416, Std. Dev.=0.3511, n=15. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9022, critical = 0.835. Kappa = 2.296 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Manganese Analysis Run 6/3/2026 2:00 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=0.04562, Std. Dev.=0.03563, n=16. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8538, critical = 0.844. Kappa = 2.25 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Manganese Analysis Run 6/3/2026 2:00 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limits

Prediction Limit

Intrawell Parametric




Background Data Summary (based on cube transformation): Mean=243.9, Std. Dev.=49.38, n=40. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9285, critical = 0.919. Kappa = 1.972 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: pH Analysis Run 6/3/2026 2:01 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limits

Prediction Limit

Intrawell Parametric




Background Data Summary (based on square transformation): Mean=44.1, Std. Dev.=5.859, n=40. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.929, critical = 0.919. Kappa = 1.972 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: pH Analysis Run 6/3/2026 2:01 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limits

Prediction Limit

Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limits are highest and lowest of 40 background values. Well-constituent pair annual alpha = 0.004632. Individual comparison alpha = 0.002317 (1 of 2). Seasonality was not detected with 95% confidence.

Constituent: pH Analysis Run 6/3/2026 2:01 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limits

Prediction Limit

Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limits are highest and lowest of 40 background values. Well-constituent pair annual alpha = 0.004632. Individual comparison alpha = 0.002317 (1 of 2). Seasonality was not detected with 95% confidence.

Constituent: pH Analysis Run 6/3/2026 2:06 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limits

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=6.848, Std. Dev.=0.3546, n=30. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9495, critical = 0.9. Kappa = 2.022 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: pH Analysis Run 6/3/2026 2:07 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limits

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=6.8, Std. Dev.=0.4456, n=40. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9432, critical = 0.919. Kappa = 1.972 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: pH Analysis Run 6/3/2026 2:06 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limits

Prediction Limit

Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limits are highest and lowest of 40 background values. Well-constituent pair annual alpha = 0.004632. Individual comparison alpha = 0.002317 (1 of 2). Seasonality was not detected with 95% confidence.

Constituent: pH Analysis Run 6/3/2026 2:06 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 20 background values. 25% NDs. Well-constituent pair annual alpha = 0.008564. Individual comparison alpha = 0.004291 (1 of 2). Data were deseasonalized.

Constituent: Sulfate as SO4 Analysis Run 6/3/2026 8:48 AM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit Intrawell Parametric




Background Data Summary: Mean=722.1, Std. Dev.=92.04, n=40. Seasonality was detected with 95% confidence and data were deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9687, critical = 0.919. Kappa = 1.972 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Sulfate as SO4 Analysis Run 6/3/2026 8:48 AM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Exceeds Limit

Prediction Limit Intrawell Parametric




Background Data Summary (based on cube root transformation): Mean=7.477, Std. Dev.=0.3113, n=29. Seasonality was detected with 95% confidence and data were deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9049, critical = 0.898. Kappa = 2.032 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Sulfate as SO4 Analysis Run 6/3/2026 8:49 AM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit Intrawell Parametric




Background Data Summary: Mean=1701, Std. Dev.=438.2, n=10. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9092, critical = 0.781. Kappa = 2.606 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Sulfate as SO4 Analysis Run 6/3/2026 8:49 AM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary (based on square root transformation): Mean=8.472, Std. Dev.=1.027, n=30. Seasonality was detected with 95% confidence and data were deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9158, critical = 0.9. Kappa = 2.022 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Sulfate as SO4 Analysis Run 6/3/2026 8:50 AM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=3477, Std. Dev.=357.8, n=38. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9542, critical = 0.916. Kappa = 1.98 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: Sulfate as SO4 Analysis Run 6/3/2026 8:50 AM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=367.9, Std. Dev.=58.18, n=20. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9846, critical = 0.868. Kappa = 2.146 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: TDS Analysis Run 6/3/2026 2:14 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 18 background values. Well-constituent pair annual alpha = 0.01072. Individual comparison alpha = 0.005373 (1 of 2). Data were deseasonalized.

Constituent: TDS Analysis Run 6/3/2026 2:16 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=2570, Std. Dev.=231.7, n=18. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8628, critical = 0.858. Kappa = 2.198 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: TDS Analysis Run 6/3/2026 2:16 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=3485, Std. Dev.=379, n=9. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9368, critical = 0.764. Kappa = 2.753 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: TDS Analysis Run 6/3/2026 2:17 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=551.3, Std. Dev.=31.6, n=12. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9374, critical = 0.805. Kappa = 2.434 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: TDS Analysis Run 6/3/2026 2:17 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 32 background values. Well-constituent pair annual alpha = 0.003603. Individual comparison alpha = 0.001803 (1 of 2). Seasonality was not detected with 95% confidence.

Constituent: TDS Analysis Run 6/3/2026 2:17 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 18 background values. 72.22% NDs. Well-constituent pair annual alpha = 0.01072. Individual comparison alpha = 0.005373 (1 of 2). Seasonality was not detected with 95% confidence.

Within Limit

Prediction Limit

Intrawell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 8 background values. 87.5% NDs. Well-constituent pair annual alpha = 0.04242. Individual comparison alpha = 0.02144 (1 of 2). Data were deseasonalized.


Constituent: TOC Analysis Run 6/3/2026 2:18 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Constituent: TOC Analysis Run 6/3/2026 2:19 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 8 background values. 100% NDs. Well-constituent pair annual alpha = 0.04242. Individual comparison alpha = 0.02144 (1 of 2). Data were deseasonalized.

Within Limit

Prediction Limit

Intrawell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 8 background values. 100% NDs. Well-constituent pair annual alpha = 0.04242. Individual comparison alpha = 0.02144 (1 of 2). Data were deseasonalized.


Constituent: TOC Analysis Run 6/3/2026 2:22 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Constituent: TOC Analysis Run 6/3/2026 2:22 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 8 background values. 37.5% NDs. Well-constituent pair annual alpha = 0.04242. Individual comparison alpha = 0.02144 (1 of 2). Seasonality was not detected with 95% confidence.

Constituent: TOX Analysis Run 6/3/2026 2:23 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary (after Kaplan-Meier Adjustment): Mean=0.01151, Std. Dev.=0.01044, n=8, 37.5% NDs. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.7836, critical = 0.749. Kappa = 2.9 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: TOX Analysis Run 6/3/2026 2:24 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary (based on natural log transformation): Mean=-3.945, Std. Dev.=1.227, n=8. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.7861, critical = 0.749. Kappa = 2.9 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: TOX Analysis Run 6/3/2026 2:24 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Non-parametric




Non-parametric test used after natural log transformation resulted in a parametric limit of 1409, which exceeds 10 times the highest background value (user-adjustable cutoff). Limit is highest of 8 background values. 12.5% NDs. Well-constituent pair annual alpha = 0.04242. Individual comparison alpha = 0.02144 (1 of 2). Seasonality was not detected with 95% confidence.

Constituent: TOX Analysis Run 6/3/2026 2:24 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Intrawell Parametric




Background Data Summary (after Kaplan-Meier Adjustment): Mean=0.01072, Std. Dev.=0.007137, n=8, 37.5% NDs. Seasonality was not detected with 95% confidence. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.7941, critical = 0.749. Kappa = 2.9 (c=9, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.00117.

Constituent: TOX Analysis Run 6/3/2026 2:25 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit


Intrawell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 8 background values. 50% NDs. Well-constituent pair annual alpha = 0.04242. Individual comparison alpha = 0.02144 (1 of 2). Seasonality was not detected with 95% confidence.

Constituent: TOX Analysis Run 6/3/2026 2:25 PM
Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft


Sen's Slope and 95% Confidence Band



Constituent: Sulfate as SO4 Analysis Run 6/3/2026 8:47 AM

Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Sen's Slope and 95% Confidence Band




Constituent: TDS Analysis Run 6/3/2026 2:13 PM

Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Interwell Parametric



Background Data Summary (based on square root transformation): Mean=8.185, Std. Dev.=1.982, n=186. Seasonality was not detected with 95% confidence. Normality test: Chi Squared @alpha = 0.01, calculated = 9.591, critical = 14.07. Kappa = 1.856 (c=9, w=5, 1 of 2, event alpha = 0.05132). N exceeds UG tables; Kappa based on n=150. Report alpha = 0.005836. Individual comparison alpha = 0.00117. Assumes 4 future values.


Constituent: Chloride Analysis Run 6/3/2026 3:42 PM

Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 182 background values. 2.747% NDs. Annual per-constituent alpha = 0.0005948. Individual comparison alpha = 0.00005949 (1 of 2). Assumes 4 future values. Seasonality was not detected with 95% confidence.

Constituent: Sulfate as SO₄ Analysis Run 6/3/2026 3:43 PM

Arkansas Kraft Division Class 3N LF Client: Green Bay Packaging Data: Kraft



A  **Terracon** Company